OCT | 5 1991

John S. Thorton Mobay Corporation Agricultural Chemicals Division P.O. Box 4913 Kansas City, MO 64120

Dear: Mr. Thorton

Subject: Add use with Treflan as Band Spray Prior to Incorporation

Nemacur 3

EPA Registration No. 3125-283 Your Application of May 31, 1991

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

- 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) or 4(a)
 when the Agency requires all registrants of similar products to
 submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - Reinstate the statements:

Do not overlap bands on narrow row crops. Do not feed or graze cotton foliage. Under very heavy thrip pressure, additional control measures may be needed.

3. Submit one (1) copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

2-14

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Colfieles - parker

Cynthia Giles-Parker Product Manager (22) Fungicide-Herbicide Branch Registration Division (H7505C)

Enclosure

283-7264.YLD

U.S. LABEL

Pre-Reg (7264)

Date of Draft: 5/30/91 (Pre Reg) (T)

Reason to Issue: To add tank mixes with Treflan and/or liquid fertilizer

to cotton label.

EPA Reg. No. 3125-283

RESTRICTED USE PESTICIDE

For Sale to and Use Only By a Certified Applicator for Uses Authorized By His Certification, or By Persons Under His Direct Supervision.

NEMACUR® 3

EMULSIFIABLE SYSTEMIC INSECTICIDE - NEMATICIDE

ACTIVE INGREDIENT:

Ethyl 3-methyl-4-(methylthio)phenyl (1-methylethyl)phosphoramidate 35%

INERT INGREDIENTS: 65%

100%

1 (. . . .

AMENDMENT TO PREVIOUSLY REGISTERED LABELING

REVISE AS FOLLOWS:

ACCEPTED with COMMENTS In EPA Letter Dated:

OCT | 5 |99|

Under the Perfect Insecticide Fungicide, and Revienticide Act as amended, for the posticule registered under EPA keg. No.

3125-283

4.94

RECOMMENDED APPLICATIONS

Cotton Nematodes Thrips (Early season reduction) Season reduction) Tank Mix Recommendations: Apply specified dosage as a water emulsion spray in combination with Treflan 4 EC and/or liquid fertilizer in a 12- to 18-inch band over the row prior to planting. Refer to table below for specific band width application rates for NEMACUR 3. Use sufficient water and incorporate thoroughly to insure uniform distribution. Use the high rate in fields with high populations of nematodes or in fields having a history of severe nematode damage. Consult federally approved product labels for special precautionary statements, restrictions, and directions for use. Suggested use rates of NEMACUR 3 in fluid oz/1000 ft of row based on nematode infestation levels: Band Width Low Mod to High 12" 3.9 5.9 18" 5.9 8.9	CROP	PEST	DOSAGE NEMACUR 3	REMARKS
	Cotton	Thrips (Early season	per 1000 ft of row for any row	Apply specified dosage as a water emulsion spray in combination with Treflan 4 EC and/or liquid fertilizer in a 12- to 18-inch band over the row prior to planting. Refer to table below for specific band width application rates for NEMACUR 3. Use sufficient water and incorporate thoroughly to insure uniform distribution. Use the high rate in fields with high populations of nematodes or in fields having a history of severe nematode damage. Consult federally approved product labels for special precautionary statements, restrictions, and directions for use. Suggested use rates of NEMACUR 3 in fluid oz/1000 ft of row based on nematode infestation levels: Band Width Low Mod to High 5.9

.