



Miles Inc.
Agriculture Division
Box 4913, Kansas City, MO 64120

PRODUCT BULLETIN

March 10, 1995

NEMACUR 3 TURF NEMATICIDE (EPA REG. NO. 3125-283)

NEMACUR 10% TURF AND ORNAMENTAL NEMATICIDE (EPA REG. NO. 3125-237)

For Use On Golf Course Turf In Florida

The information and instructions herein are to be followed when applying NEMACUR to golf course turf. These measures are designed to reduce the risk of exposure to birds and aquatic organisms, including fish, following NEMACUR applications.

APPLICATION:

- 1) No more than 10 acres per golf course per day may be treated with NEMACUR, with a waiting period of three (3) days before an additional 10 acres may be treated.
- 2) NEMACUR may not be applied closer than 10 feet from bodies of water and surface fairway drains.
- 3) NEMACUR may not be applied to golf course turf between noon and sunset from June 1 through September 30.
- 4) Do not use NEMACUR to control Mole Crickets.

This information is in addition to that contained within the federal label and, in addition to the label, must be in the possession of the user at time of pesticide application.

IMPORTANT: Before using the product, read and carefully observe directions, cautionary statements and other information appearing on the EPA registered product label. This product is sold subject to the Conditions of Sale set forth on the container label.


PB: 95-018

ACCEPTED

NOV - 8 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide registered under EPA Reg. No. 3125-237, -283

Miles Inc.
Agriculture Division
P. O. Box 4913
Kansas City, MO 64120



283-8496.YLD

Base Pre-Reg. (8496) ⁷⁹³

U.S. LABEL

Reason to Issue: To revise use on turf per mitigation measures.

Date of Draft: 04/19/95(Pre-Reg)(T)

RESTRICTED USE PESTICIDE

Due to High Acute Toxicity and Toxicity to Wildlife

For Sale to and Use Only by a Certified Applicator for Uses Authorized by His Certification, or By Persons Under His Direct Supervision.

NEMACUR® 3 TURF

Nematicide

For effective control of nematodes ~~and mole crickets~~ on turfgrasses, and nematodes on leatherleaf fern.

ACTIVE INGREDIENT:

Ethyl 3-methyl-4-(methylthio)phenyl (1-methylethyl)phosphoramidate 35%

INERT INGREDIENTS: 65%

100%

Contains Aromatic Petroleum Distillates

Contains 3 pounds of ethyl 3-methyl-4-(methylthio)phenyl(1-methylethyl)phosphoramidate per gallon.

EPA Reg. No. 3125-283

EPA Est. 3125-MO-1

Net: ___ Gallons

AMENDMENT TO PREVIOUSLY REGISTERED LABELING

ACCEPTED


NOV - 8 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3125-283




NEMACUR 3 TURF

~~Redline~~ text is not registered. ~~Strikeout~~ text is being deleted.



RECOMMENDED APPLICATIONS

CROP	PEST	DOSAGE NEMACUR 3 TURF NEMATICIDE	REMARKS
<p>Turfgrasses FOR USE ON GOLF COURSES AND SOD FARMS</p>	<p>Nematodes Mole-crickets</p>	<p>9.7 fl oz per 1000 sq ft or 3.3 gal/acre</p>	<p>Apply specified dosage in a minimum of 1/2 gallon of water per 1000 sq ft (approximately 20 gallons per acre) to provide uniform distribution. Do not use Boomjet® nozzle or similar single nozzle system that dispenses spray into the air over a wide swath. Use only coarse sprays directed to the turfgrass surface.</p> <p>Irrigate the treated area immediately following application. Apply a minimum of 1/2 inch of water to move the product into the soil. The total irrigation must be complete within 6 hours of application. Apply irrigation so that puddling or runoff do not occur.</p> <p>On golf course fairways apply across fairways within irrigation zones. Irrigation should be applied by zone immediately following application within that zone. Do not apply to more fairway irrigation zones than can be irrigated upon completion of application and finished within 6 hours after treatment. Do not treat more than 10 acres of turf on any golf course in a single 24-hour period. Any application, regardless of acreage, must be followed by a three-day minimum interval before an additional 10 acres or less may be treated. Do not apply within 10-feet of any surface body of water or fairway surface drains. Do not apply NEMACUR between noon and sunset during the heavy thunderstorm season (June through September).</p> <p>Do not apply product after soil has become saturated with water (reached field capacity).</p> <p>Do not treat newly seeded areas until the plants have developed secondary root systems. Do not apply more than twice per year. Do not use on residential lawns or public recreational areas other than golf courses. Not recommended for use on tees and greens.</p> <p>On sod farms, treated turf should not be cut for sod or sod handled for 30 days after treatment.</p>



Bayer Corporation
Specialty Products
Box 4913, Kansas City, MO 64120-0013

3125 283

PM22

1 of 2

283-8496.YLD

Base Pre-Reg. (8496)

U.S. LABEL

Reason to Issue: To revise use on turf per mitigation measures.

Date of Draft: 04/19/95(Pre-Reg)(T)

RESTRICTED USE PESTICIDE

Due to High Acute Toxicity and Toxicity to Wildlife

For Sale to and Use Only by a Certified Applicator for Uses Authorized by His Certification, or By Persons Under His Direct Supervision.

NEMACUR® 3 TURF

Nematicide

For effective control of nematodes and mole crickets on turfgrasses, and nematodes on leatherleaf fern.

ACTIVE INGREDIENT:

Ethyl 3-methyl-4-(methylthio)phenyl (1-methylethyl)phosphoramidate 35%

INERT INGREDIENTS: 65%

100%

Contains Aromatic Petroleum Distillates

Contains 3 pounds of ethyl 3-methyl-4-(methylthio)phenyl(1-methylethyl)phosphoramidate per gallon.

EPA Reg. No. 3125-283

EPA Est. 3125-MO-1

Net: ___ Gallons

AMENDMENT TO PREVIOUSLY REGISTERED LABELING

ACCEPTED
NOV - 8 1995
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3125-283



NEMACUR 3 TURF



PRODUCT BULLETIN

March 10, 1995

NEMACUR 3 TURF NEMATOCIDE (EPA REG. NO. 3125-283)

NEMACUR 10% TURF AND ORNAMENTAL NEMATOCIDE (EPA REG. NO. 3125-237)

For Use On Golf Course Turf In Florida

The information and instructions herein are to be followed when applying NEMACUR to golf course turf. These measures are designed to reduce the risk of exposure to birds and aquatic organisms, including fish, following NEMACUR applications.


APPLICATION:

- 1) No more than 10 acres per golf course per day may be treated with NEMACUR, with a waiting period of three (3) days before an additional 10 acres may be treated.
- 2) NEMACUR may not be applied closer than 10 feet from bodies of water and surface fairway drains.
- 3) NEMACUR may not be applied to golf course turf between noon and sunset from June 1 through September 30.
- 4) Do not use NEMACUR to control Mole Crickets.

This information is in addition to that contained within the federal label and, in addition to the label, must be in the possession of the user at time of pesticide application.

IMPORTANT: Before using the product, read and carefully observe directions, cautionary statements and other information appearing on the EPA registered product label. This product is sold subject to the Conditions of Sale set forth on the container label.

PB: 95-018



Miles Inc.
Agriculture Division
P. O. Box 4913
Kansas City, MO 64120