

3125-288

1-30-1979

1/2

C-483458

Exp. Base Pre-Reg. (2883)

U.S. LABEL

Reason to Issue: To propose labeling for use in experimental program on heading seed rice for bird repellency.

Date of Draft: 11/7/78 (Pre-Reg.)(2)

EPA Reg. No. 3125-288

Best Available Copy

FOR EXPERIMENTAL USE ONLY

Supplemental Labeling for the Experimental Use of

(R)

MESUROL

75% Wettable Powder
(EPA Reg. No. 3125-288)

For Repelling Blackbirds From Ripening Seed Rice

For use only at an application site of a cooperator in accordance with the terms and conditions of the Experimental Use Permit.

Directions for Use

IMPORTANT: Read these entire Directions and "Conditions of Sale or of Delivery for Use" before using MESUROL 75% Wettable Powder.

CONDITIONS OF SALE OR OF DELIVERY FOR USE: THIS PRODUCT IS SOLD OR OTHERWISE MADE AVAILABLE FOR EXPERIMENTAL USE WITH THE UNDERSTANDING THAT EXPERIMENTATION MAY DEVELOP NEW INFORMATION WHICH COULD CHANGE OR INCREASE ANY HAZARDS ASSOCIATED WITH ITS USE OR ADD HAZARDS ASSOCIATED WITH ITS USE. THE BUYER OR USER ACCEPTS THIS PRODUCT WITH THIS UNDERSTANDING.

MESUROL 75% Wettable Powder is recommended for foliar application to heading rice for repellency of serious depreddating blackbird species attacking ripening rice grown for seed purposes only.

3125-117-142

ACCEPTED
JAN 30 1979
3125-EUP-142
extended

2/2

RECOMMENDED APPLICATIONS

OR USE AS A BIRD REPELLENT ON RICE GROWN FOR SEED PURPOSES ONLY:

Apply 1-1/3 to 2-2/3 lbs. MESUROL 75% Wettable Powder per acre as a full coverage aerial spray using a minimum of 5 gallons of water per acre. In areas where prolonged periods of inclement weather may exist, spreader stickers may be used for extended protection. Applications should be made when bird damage begins to occur. A second application may be made as necessary to maintain repellency. Do not make more than 2 applications per crop season.

ADDITIONAL RESTRICTIONS

Do not use in Fort Bend, Brazoria or Chambers counties in the state of Texas. Rice grown under the terms of this experimental program may be harvested for seed use only. Do not use for food, feed or forage. Do not use on other crops grown for food, feed or forage. Do not feed straw from treated rice to livestock. Do not remove straw from field; straw must be plowed under. Do not plant rotational crops on treated areas within 18 months of the last application of MESUROL. Cover crops may be rotated if they are plowed under and not grazed.

Do not use water from treated fields to irrigate other crops. Do not use in areas where crayfish farming is an agricultural practice.

All applicable directions, restrictions and precautions on the EPA registered label must be followed.

This label must be in the possession of the user at the time of application.

EPA Experimental Use Permit No. 3125-EUP-142

NOBAY CHEMICAL CORPORATION
AGRICULTURAL CHEMICALS DIVISION
Box 4913, Kansas City, Mo. 64120