



NET WEIGHT POUNDS

® BAYGON 2% BAIT

FOR REPACKAGING OF AN INSECTICIDE

GUARANTEE

ACTIVE INGREDIENT:		
2-(1-Methylethoxy)phenol		
methylocarbamate †	2%
INERT INGREDIENTS:	98%
		<u>100%</u>

†U.S. Patent No. 3,111,539; Canadian Patent No. 725,204

EPA Reg. No. 3125-293

STOP - READ THE LABEL BEFORE USE

CAUTION

KEEP OUT OF REACH OF CHILDREN

ACCEPTED

AUG 13 1975

UNDER FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 3125-293 SUBJECT
TO ATTACHED COMMENTS.

3125-293

May be harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not contaminate feed or food. Avoid skin contact. Wash thoroughly with soap and warm water after handling.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

CAUTION
KEEP OUT OF REACH OF CHILDREN

FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 3125-293 SUBJECT
TO ATTACHED COMMENTS.

3125-293

May be harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not contaminate feed or food. Avoid skin contact. Wash thoroughly with soap and warm water after handling.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

RESTRICTIONS

Thoroughly clean equipment before using for other products. Dispose of excess wastes or spills by sweeping up and burying in a safe place away from water supplies.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

Do not contaminate feed or food.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. In cleaning of equipment or disposal of wastes, do not contaminate water.

Labels used on the final product must conform to that approved for BAYGON 2% Bait (EPA Reg. No. 3125-121). Any variation in labelling may result in the need for additional data to support registration.

WARRANTY AND LIMITATION OF DAMAGES

Chemagro warrants that this material conforms to the chemical description on the label. CHEMAGRO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, and no agent of Chemagro is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential damages such as loss of profits or values, etc.

BAYGON is a Reg. TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen.

CHEMAGRO

Division of Baychem Corporation
Box 4913, Kansas City, Mo. 64120