

301-6726.YLD

Base Pre-Reg. (6726)


U.S. LABEL

Reason to Issue: To reduce the PHI for
use on almonds to 28 days.

Date of Draft: 6/16/89 (Pre-Reg.) (M)

EPA Reg. No. 3125-301

GUTHION®
50% WETTABLE POWDER
CROP INSECTICIDE
IN WATER SOLUBLE PACKETS



ACTIVE INGREDIENT:

O,O-Dimethyl S-(4-oxo-1,2,3-
benzotriazin-3(4H)-yl)methyl

phosphorodithioate 50%

INERT INGREDIENTS..... 50%

100%

AMENDMENT

To Previously Registered Labeling

Substitute the Following for the Current Almond Recommended Applications.

RECOMMENDED APPLICATIONS

CROP	INSECT	Pounds GUTHION 50% W.P.	REMARKS
Almonds	Navel Orangeworm Peach twig borer	3 to 4	Apply specified dosage per acre by concentrate sprayer or as a full coverage spray using not more than 400 gallons of finished spray per acre. If conditions dictate an aerial spray, apply specified dosage by aircraft in not less than 20 gallons of water per acre. Application is limited to one dormant spray and/or two postbloom sprays per season. Last application may be made up to 28 days before harvest. Allow at least 120 days between the dormant and the first post-bloom spray and at least 28 days between the post-bloom sprays. Do not graze livestock in treated groves for 21 days after treatment.