PM 19 3125-301

Poge 173

AUG 2 5 1994

John S. Thornton Miles Inc. P.O. Box 4913 8400 Hawthorn Road Kansas City, MO 64120-0013

Dear Mr. Thointon:

## Subject: Revised PHI of fiberts and pecans Guthion<sup>(R)</sup> Wettable Powder in Water Soluble Packets EPA Registration No. 3125-301 Amendment application of August 3, 1994

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:

Supmit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling

If these conditions are not complied with, the registration wil be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours

DHE.

Dennis H. Edwards, Jr. Product Manager (19) Insecticide Rodenticide Branch **Registration Division** 

Enclosure

L

SPECIAL LABELING REQUIRED FOR CARTONS CONTAINING WATER SOLUBLE PACKETS 301-8273.YLD Base Pre-Reg. (8273)

U.S. LABEL

<u>Reason to Issue</u>: To propose 45-day PHI for filberts and pecans.

Date of Draft: 07/19/94(Pre-Reg)(C)

93

 $\mathcal{Z}$ 

## **GUTHION® SOLUPAK 50%** Wettable Powder Crop Insecticide in Water Soluble Packets

ACTIVE INGREDIENT:	
O,O-Dimethyl S-{(4-oxo-1,2,3-benzotriazin-3(4H)-yl)methyl] phosphorodithioate	50%
INERT INGREDIENTS:	<u>50%</u>
	100%

EPA Reg. No. 3125-301

Net Contents: \_\_\_\_ Pounds


## AMENDMENT TO PREVIOUSLY REGISTERED LABELING:

**Revise as follows:** 

ACCEPTED with COMMENTS in EPA Letter Dated

AUG 2 5 1994

Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 3125 - 304



RECOMMENDED APPLICATIONS			
CROP	INSECT	LB GUTHION SOLUPAK	REMARKS
NUTS Filberts (Pecific Northwest only)	Apple mealybug Filbert worm Filbert aphid Filbert leaf roller	3 to 4	Apply specified dosage per acre as a full coverage spray. A total of 3 applications may be made per crop season regardless of rate or formulation used. Allow at least 14 days between applications and at least 45 days between last application and harvest. Do not graze livestock in treated groves for 21 days after treatment.
Pecans	Aphids* Fall wabworm Hickory shuckworm Leaf miners May beetles Pecan casebearer Southern green stink bug Spittlebugs Twig girdlers Walnut caterpillars	3 to 4	Restricted-entry interval - 48 hours.   Apply specified dosage per acre as a full coverage spray.   A total of 3 applications may be made per crop season regardless of rate or formulation used.   Allow at least 7 days between applications and at least 45 days between last application and harvest.   Livestock may be grazed in treated groves after a 21-day post-treatment interval.   Restricted-entry interval - 48 hours.

"In some areas, these species may have developed resistance to organophosphate insecticides. GUTHION insecticide used alone may not provide satisfactory control in those areas. Consult your local agricultural advisor or cooperative extension service for recommendations.

## BEST AVAILABLE COPY

3

(

(

3