

PROPOXUR

ACCEPTED

AUG 19 1999

70% Concentrate

AN INSECTICIDE FOR FORMULATING USE ONLY

ACTIVE INGREDIENT:

2-(1-Methylethoxy)phenol methylcarbamate 70%

INERT INGREDIENTS: 30%

100%

EPA Reg. No. 3125-313

Net Contents: ____ Pounds

EPA EST. 3125-MO-1

Keep Out of Reach of Children

DANGER



POISON

STATEMENTS OF PRACTICAL TREATMENT

If **swallowed**, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Professional medical assistance should be secured immediately. Never give anything by mouth to an unconscious person.

If **on skin**, wash immediately with soap and water.

If **eyes are contaminated**, wash with plenty of water for at least 15 minutes.

If **inhaled**, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Propoxur is an acetyl cholinesterase inhibitor.

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning, even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Danger: Fatal if swallowed. Harmful if inhaled, or absorbed through the skin. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear clean, heavy, natural rubber gloves and freshly laundered protective clothing when handling. Wash thoroughly after handling and before eating, drinking or using tobacco. Use only with adequate ventilation. Remove contaminated clothing and wash before reuse.

When using PROPOXUR 70% Concentrate in enclosed areas, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams, or ponds. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Only for formulation into an insecticide, for (1) the following uses:

Indoor Use: all residential and commercial indoor, food, non-food, and institutional use areas.

Outdoor uses restricted to (a) residential and commercial applications to surfaces of buildings, and (b) around patios, driveways, sidewalks, and foundations.

(2) Uses for which U.S. EPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and

(3) Uses for experimental purposes that are in compliance with U.S. EPA requirements.

This product must not be used to manufacture or formulate any pesticide product which is distributed or sold with a finger-operated or trigger-type sprayer, or to manufacture or formulate any manufacturing use or other pesticide product which is intended or may be lawfully used to manufacture or formulate any pesticide product which is distributed or sold with a finger-operated or trigger-type sprayer.

Detailed information on chemical and physical properties and other formulating recommendations for PROPOXUR insecticide are available upon request from Bayer. Obtain and read this manual before undertaking the formulation of PROPOXUR insecticide in order to avoid formulation hazards and insure a satisfactory finished product.

Labeling for products formulated from this product must conform to that which is currently registered with the U.S. Environmental Protection Agency. For specific information on federally registered uses, contact Bayer. Any variance from the federally registered labeling for products containing PROPOXUR will have to be supported by data provided by the formulator.

BAYER DISCLAIMS ALL LIABILITY BASED ON BREACH OF WARRANTY, NEGLIGENCE, STRICT TORT LIABILITY, OR ANY OTHER THEORY OF LIABILITY FOR CROP DAMAGE OR FAILED EFFICACY RESULTING FROM THE USE OF THIS BAYER PRODUCT AS AN INGREDIENT IN ANY FORMULATION WITH A USE NOT SPECIFICALLY LISTED ON THIS LABEL.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal or cleaning of equipment.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed below. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Kansas City Emergency Response Telephone No. is 816-242-2582, or contact Chemtrec at 800-424-9300

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not use container in connection with food, feed, or drinking water. Completely empty container into formulation equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

D - 9349 071499

Bayer Corporation
Crop Protection Products
Box 4913
Kansas City, MO 64120-0013
(800) 842-8020
<http://usagri.bayer.com>

