

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Material that cannot be used as directed should be disposed of as directed above. In spill or leak incidents, keep unauthorized people away. You may contact the Mobay Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Mobay Kansas City Emergency Response Telephone No. is 816-343-3562, or contact Chemtrec at 800-424-9300.

In accordance with
Based on Draft Labeling

907308
BAYLETON is a Reg. TM of
Bayer AG, Germany

785280

ACTIVE INGREDIENT:

1-(4-Chlorophenyl)-4,5-dihydro-1H-imidazole-2-thione

1,2,4-triazole-3,5-dithione

INERT INGREDIENTS



20%
75%
507 21 1984

U.S. Patent No. 3,912,782
EPA Reg. No. 312B-918
EPA Est. 312B-460-1

Bayleton

25 Turf and Ornamental Fungicide

Systemic fungicide for control of certain diseases on flowers, foliage plants, shrubs, turf, and shade trees

STOP—Read the label before use.

Keep out of the reach of children.

WARNING.

See Rear Panel for Statements of Product Treatment and Other precautionary statements.

Net Weight 2% Pounds

Mobay Corporation

A Bayer USA INC. COMPANY



Agricultural Chemicals Division
Specialty Products Group
Box 4913, Kansas City, Mo. 64120

BEST AVAILABLE COPY

AVISO.

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que le expliquen lo que este símbolo significa.

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

Directions for use.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Complete Directions for Use, See Manufacturer's Recommendations Attached to the Bottom of this Container.

IMPORTANT: Read these entire Directions and Conditions of Sale before using BAYLETON 25 Turf and Ornamental Fungicide.

CHEMIGATION:

Refer to supplemental labeling attached to the bottom of this container for use directions for chemigation. Do not apply this product through any irrigation system unless the supplemental labeling on chemigation is followed.

CONDITIONS OF SALE: The directions on this label were determined through research to be appropriate for the correct use of this product. This product has been tested under different environmental conditions both indoors and outdoors under conditions similar to those that are ordinary and customary where the product is to be used. Insufficient control of pests or plant injury may result from the occurrence of extraordinary or unusual conditions, or from failure to follow label directions. In addition, failure to follow label directions may cause injury to animals, man, and damage to the environment. Mobay offers, and the buyer accepts and uses,

Ph 21
11-2-84
11-1-84

AVISO.

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que le expliquen lo que este símbolo significa.

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

Directions for use.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Complete Directions for Use, See Manufacturer's Recommendations Attached to the Bottom of this Container.

IMPORTANT: Read these entire Directions and Conditions of Sale before using BAYLETON 25 Turf and Ornamental Fungicide.

CHERIGATION:

Refer to supplemental labeling attached to the bottom of this container for use directions for cherigation. Do not apply this product through any irrigation system unless the supplemental labeling on cherigation is followed.

CONDITIONS OF SALE: The directions on this label were determined through research to be appropriate for the current use of this product. This product has been tested under different environmental conditions both indoors and outdoors under conditions similar to those that are ordinary and customary where the product is to be used. Insufficient control of pests or plant injury may result from the occurrence of extraordinary or unusual conditions, or from failure to follow label directions. In addition, failure to follow label directions may cause injury to animals, man, and damage to the environment, life, property, and the buyer accepts and uses,

this product subject to the conditions that extraordinary or unusual environmental conditions, or failure to follow label directions are beyond the control of Mokey and are, therefore, the responsibility of the buyer. Precautionary statements.

Hazards to humans and domestic animals.

WARNINGS:

Harmful if swallowed, inhaled, or absorbed through the skin. Causes eye irritation. Do not breathe dust or allow to get in eyes, on skin, or on clothing.

Wash hands, arms and face thoroughly with soap and warm water after use and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not contaminate food or food items. Keep out of reach of children.

Statements of practical treatment.

If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (½ oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Professional medical assistance should be secured immediately. If on skin, wash skin immediately with soap and water. If eyes are contaminated, wash with plenty of water for at least 15 minutes. Get medical attention. If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

SYMPTOMS OF POISONING: The compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by hyper-activity followed by sedation.

NOTE TO PHYSICIAN: No specific antidote. Treat symptomatically.

Environmental Hazards.

Do not use on crops grown for food or forage. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Do not make applications when weather conditions favor drift from target area.

RESTRICTIONS:

Edible portions of treated trees, such as nuts and syrup, should not be used for feed or food.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Household: Do not reuse empty container. Securely wrap original container in several layers of newspaper and put in trash collection.

Postlabel Disposal (Except Household): Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal (Except Household): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

BEST AVAILABLE COPY

Page 4

SYSTEMIC FUNGICIDE FOR CONTROL OF CERTAIN DISEASES ON FLOWERS, FOLIAGE PLANTS, SHRUBS, TURF AND SHADE TREES

ACTIVE INGREDIENT
1-(4-Chlorophenoxy)-3,3-dimethyl-1H-
1,2,4-triazol-1-yl-2-butanone
INERT INGREDIENTS

25%
75%
100%

U.S. Patent No. 3,912,752

EPA Reg. No. 3125-318
EPA Est. 3125-MO-1

**STOP—READ THE LABEL
BEFORE USE**

**KEEP OUT OF THE REACH OF
CHILDREN
WARNING**

See Other Side for Statements of Practical Treat-
ment and Other Precautionary Statements

Mobay Corporation



Agricultural Chemicals Division
Specialty Products Group
Box 4913, Kansas City, Mo. 64120

AVISO

PRECAUCION AL USUARIO
Este fungicida sistémico es absorbido rápidamente y actúa sistemáticamente desde dentro de la planta. Buena cobertura y humedecimiento de la foliaje es necesario. La lluvia o riego por aspersión dentro de 1/2 hora después de la aplicación no disminuye la efectividad. El control puede ser menos efectivo en plantas sufriendo estrés por sequía. Por lo tanto, para lograr el máximo control, las plantas deben mantenerse en un vigoroso estado de crecimiento a través de buenas prácticas culturales.

DIRECTIONS FOR USE

Este fungicida se absorbe rápidamente y actúa sistemáticamente desde dentro de la planta. Buena cobertura y humedecimiento de la foliaje es necesario. La lluvia o riego por aspersión dentro de 1/2 hora después de la aplicación no disminuye la efectividad. El control puede ser menos efectivo en plantas sufriendo estrés por sequía. Por lo tanto, para lograr el máximo control, las plantas deben mantenerse en un vigoroso estado de crecimiento a través de buenas prácticas culturales.

CONDITIONS OF SALE

Este fungicida se absorbe rápidamente y actúa sistemáticamente desde dentro de la planta. Buena cobertura y humedecimiento de la foliaje es necesario. La lluvia o riego por aspersión dentro de 1/2 hora después de la aplicación no disminuye la efectividad. El control puede ser menos efectivo en plantas sufriendo estrés por sequía. Por lo tanto, para lograr el máximo control, las plantas deben mantenerse en un vigoroso estado de crecimiento a través de buenas prácticas culturales.

APPLICATION

BAYLETON fungicide is absorbed rapidly and works systemically from within the plant. Good coverage and wetting of the foliage is necessary. Rainfall or sprinkler irrigation within 1/2 hour after application does not decrease effectiveness. Control may be less effective on plants suffering from drought stress. Therefore, in order to achieve maximum control, plants should be maintained in a vigorously growing state through good cultural practices.

Apply in all cases when plants are fully established and actively growing. Applications should be applied at recommended intervals to maintain disease control.

USE IN CHEMIGATION SYSTEMS ON TURF ONLY

Apply BAYLETON 25 Turf and Ornamental Fungicide only through solid set irrigation systems. Do not apply this product through any other type of irrigation system.

The system must contain a functional check valve, vacuum relief valve and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.

The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.

The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.

The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump water stops.

The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

Systems must use a metering pump such as a positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift beyond the areas intended for treatment.

Crop injury or lack of effectiveness can result from non-uniform distribution of treated water.

If you have questions about calibration, please contact your local State Extension Service, Specialist, equipment manufacturer or the manufacturer.

Do not connect or use any system which is not designed for use with pesticides and fungicides. Do not use this product in any water system which has been designated as a public water supply for public water systems are prohibited.

Agents knowledgeable of the chemigation system and responsible for its operation or under the supervision of the person shall shut the system down and make necessary adjustments should the need arise.

Premix the required amount of BAYLETON 25 Turf and Ornamental Fungicide as determined under Recommended Applications in sufficient water to uniformly treat the entire mixture during the last 5 minutes of the irrigation cycle using a positive pressure pumping system. Continuous agitation of the mixture in the holding tank is required to maintain suspension of the product. The injection must occur during the last 5 minutes of the irrigation cycle.

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

May be fatal if swallowed, inhaled or absorbed through the skin.

909442

785280

SYSTEMIC FUNGICIDE

**FOR CONTROL OF
CERTAIN DISEASES ON
FLOWERS, FOLIAGE
PLANTS, SHRUBS, TURF
AND SHADE TREES**

NOT REVIEWED

Accordance with PR Notice 8-2-2.

on Draft Labeling

Wash all contaminated clothing with soap and hot water before reuse. Do not contaminate feed or food items. Keep out of reach of children.

STATEMENTS OF PRACTICAL TREATMENT

If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Professional medical assistance should be secured immediately.

If on skin, wash skin immediately with soap and water.

If eyes are irritated, wash with plenty of water for at least 15 minutes. Get medical attention.

If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

SYMPTOMS OF POISONING: The compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by hyperactivity followed by sedation.

NOTE TO PHYSICIAN: No specific antidote. Treat symptomatically.

ENVIRONMENTAL HAZARDS

Do not use on crops grown for food or forage. Do not apply directly to water. Do not contaminate water by

RECOMMENDED APPLICATIONS TURF GRASS DISEASE CONTROL

Application	Rate	Comments
Preventive	1/2 lb. per 1,000 sq. ft.	Apply at 10-14 day intervals during periods of active growth.
Curative	1/2 lb. per 1,000 sq. ft.	Apply at 10-14 day intervals during periods of active growth.
Preventive	1/2 lb. per 1,000 sq. ft.	Apply at 10-14 day intervals during periods of active growth.
Curative	1/2 lb. per 1,000 sq. ft.	Apply at 10-14 day intervals during periods of active growth.
Preventive	1/2 lb. per 1,000 sq. ft.	Apply at 10-14 day intervals during periods of active growth.
Curative	1/2 lb. per 1,000 sq. ft.	Apply at 10-14 day intervals during periods of active growth.
Preventive	1/2 lb. per 1,000 sq. ft.	Apply at 10-14 day intervals during periods of active growth.
Curative	1/2 lb. per 1,000 sq. ft.	Apply at 10-14 day intervals during periods of active growth.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Household: Do not reuse empty container. Securely wrap original container in several layers of newspaper and put in trash collection.

Pesticide Disposal (Except Household): Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal (Except Household): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Material that cannot be used as directed should be disposed of as directed. In case of spill or leak incidents, keep unauthorized people away. You may contact the Mobay Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Mobay Kansas City Emergency Response Telephone No. is 816 242 2582 or contact Chemtrec at 800-424-9300.

BAYLETON is a Reg. TM of Bayer AG, Germany.

RECOMMENDED APPLICATIONS TURF GRASS DISEASE CONTROL

DISEASE	oz. of BAYLETON 25 Turf and Ornamental Fungicide per 1000 Sq. Ft.	REMARKS
	Preventive Rates Only	
Stripe Smut	2	Make a single application in spring and late summer.
Fusarium Blight (Fusarium patch) Summer Patch (Phaeophoma)	2	Apply first application in mid June or July. At a time this blight is not active, reduce rate to 1 lb. A, should be made at 30-day intervals.
Fusarium Blight (Fusarium patch) Summer Patch (Phaeophoma)	2 to 4	Apply first application in mid June or July. At a time this blight is not active, reduce rate to 1 lb. A, should be made at the 2 to 4 week 15-day interval. Use the 4-oz. rate at 30-day intervals.
Gray Snow Mold (Typharia)	4	Apply in late fall, just before first snow cover. Do not apply over snow cover. Should be made. Do not apply over snow cover. Turf is dormant.
Pink Snow Mold (Fusarium)	2 to 4	Apply before or during favorable for infection. Application should be made as needed at a 60-day interval. Do not apply over snow cover or when turf is dormant. Use higher rate in areas with a history of disease damage.
Gray Snow Mold (Typharia)	Single Application 5 to 8	Apply in late fall before first snow cover. Do not apply over snow cover. Use the high rate in areas with a history of severe snowmold damage.

Note: *Apply the specified amount of BAYLETON 25 Turf and Ornamental Fungicide in 2 to 4 gallons of spray per 1000 sq. ft. For equivalent rates per acre, see Conversion Table below. Make all applications after mowing and allow to dry thoroughly before irrigation. Do not use sprinklers for a 7-day period.

Conversion Table for

BAYLETON 25 Turf and Ornamental Fungicide

BEST AVAILABLE COPY

Plants (Except California)

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Shade Trees (Except California)

Alder (3 to 4)
Ash (3 to 4)
Basswood (3 to 4)
Birch (3 to 4)
Boxelder (3 to 4)
Cottonwood (3 to 4)
Dogwood (3 to 4)
Elm (3 to 4)
Hickory (3 to 4)
Honeylocust (3 to 4)
Linden (3 to 4)
Maple (3 to 4)
Oak (3 to 4)
Pine (3 to 4)
Sycamore (3 to 4)
Tulip (3 to 4)
Walnut (3 to 4)
Willow (3 to 4)
Yew (3 to 4)

Hawaii Only

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

California Only Recommendations

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Flowering and Foliage Plants

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Plants (Except California)

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Shade Trees (Except California)

Alder (3 to 4)
Ash (3 to 4)
Basswood (3 to 4)
Birch (3 to 4)
Boxelder (3 to 4)
Cottonwood (3 to 4)
Dogwood (3 to 4)
Elm (3 to 4)
Hickory (3 to 4)
Honeylocust (3 to 4)
Linden (3 to 4)
Maple (3 to 4)
Oak (3 to 4)
Pine (3 to 4)
Sycamore (3 to 4)
Tulip (3 to 4)
Walnut (3 to 4)
Willow (3 to 4)
Yew (3 to 4)

Hawaii Only

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

California Only Recommendations

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Flowering and Foliage Plants

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Plants (Except California)

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Shade Trees (Except California)

Alder (3 to 4)
Ash (3 to 4)
Basswood (3 to 4)
Birch (3 to 4)
Boxelder (3 to 4)
Cottonwood (3 to 4)
Dogwood (3 to 4)
Elm (3 to 4)
Hickory (3 to 4)
Honeylocust (3 to 4)
Linden (3 to 4)
Maple (3 to 4)
Oak (3 to 4)
Pine (3 to 4)
Sycamore (3 to 4)
Tulip (3 to 4)
Walnut (3 to 4)
Willow (3 to 4)
Yew (3 to 4)

Hawaii Only

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

California Only Recommendations

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Flowering and Foliage Plants

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Plants (Except California)

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Shade Trees (Except California)

Alder (3 to 4)
Ash (3 to 4)
Basswood (3 to 4)
Birch (3 to 4)
Boxelder (3 to 4)
Cottonwood (3 to 4)
Dogwood (3 to 4)
Elm (3 to 4)
Hickory (3 to 4)
Honeylocust (3 to 4)
Linden (3 to 4)
Maple (3 to 4)
Oak (3 to 4)
Pine (3 to 4)
Sycamore (3 to 4)
Tulip (3 to 4)
Walnut (3 to 4)
Willow (3 to 4)
Yew (3 to 4)

Hawaii Only

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

California Only Recommendations

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Flowering and Foliage Plants

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Plants (Except California)

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Shade Trees (Except California)

Alder (3 to 4)
Ash (3 to 4)
Basswood (3 to 4)
Birch (3 to 4)
Boxelder (3 to 4)
Cottonwood (3 to 4)
Dogwood (3 to 4)
Elm (3 to 4)
Hickory (3 to 4)
Honeylocust (3 to 4)
Linden (3 to 4)
Maple (3 to 4)
Oak (3 to 4)
Pine (3 to 4)
Sycamore (3 to 4)
Tulip (3 to 4)
Walnut (3 to 4)
Willow (3 to 4)
Yew (3 to 4)

Hawaii Only

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

California Only Recommendations

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

Flowering and Foliage Plants

Azalea (1 to 3)
Barberry (3 to 4)
Buckhorn (4)
Catalpa (suppression of 1 lb.)
Crabapple (flowering) (3 to 4)
Crabapple (Myrtle) (3)
Dogwood (3)
Eucalyptus (3)
Gardenia (3)
Hawthorn (3 to 4)
Holly (3)
Jelly Apple (4)
Lilac (3 to 4)
Magnolia (3 to 4)
Nandina (3 to 4)
Nectarine (3 to 4)
Peach (3 to 4)
Roses (3)
Syringa (3 to 4)
Viburnum (3 to 4)
Witch Hazel (3 to 4)
Yucca (3 to 4)

PS 1174