

22 1992

John S. Thornton
Miles Inc.
P.O. Box 4913
Kansas City, MO 64120

Dear Mr. Thornton:

Subject: Revised Precautionary Statements
Bayleton 50% Wettable Powder ✓
EPA Registration No. 3125-320
Bayleton 50% Wettable Powder in Water
Soluble Bags
EPA Registration No. 3125-340
Your Submissions Dated February 21, 1992

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- Place the "if inhaled" Statement of Practical Treatment prior to the "if in eyes" statement.

2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Cynthia Giles-Parker
Product Manager (22)
Fungicide Herbicide Branch
Registration Division (H7505C)

Enclosure

U. S. LABEL

Reason to Issue: To revise human hazard
precautionary statements. 2/21/92 Draft:
Revise per EPA and internal comments.

Date of Draft: 2/21/92 (Pre-Reg)(T)
Superseded Pre-Reg Draft Dated: 2/6/91

EPA Reg. No. 3125-320

ACCEPTED
with COMMENTS
In EPA Letter Dated:

OCT 22 1992

Under the Federal Insecticide
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

3125-320

BAYLETON
50% Wettable Powder
FUNGICIDE

ACTIVE INGREDIENT:

1-(4-Chlorophenoxy)-3,3-dimethyl-1-(1H
-1,2,4-triazol-1-yl)-2-butanone 50%

INERT INGREDIENTS: 50%
100%

AMENDMENT

To Previously Registered Labeling

Revise as Follows:

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled, or absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals. Avoid contact with skin, eyes or clothing. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENTS OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. If syrup of ipecac is available, administer 1 tablespoon (15 mL) of syrup of ipecac followed by 1 to 2 glasses of water. If vomiting does not occur within 20 minutes, repeat the dose once. Do not induce vomiting or give anything by mouth to an unconscious person.

If on Skin: Wash with plenty of soap and water. Get medical attention.

If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, mouth to mouth. Get medical attention.

SYMPTOMS OF POISONING: The compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by hyperactivity followed by sedation.

NOTE TO PHYSICIAN: No specific antidote. Treat symptomatically.