


SUPPLEMENTAL LABELING



BOLSTAR 6

Emulsifiable Insecticide

EPA Reg. No. 3125-321

BOLSTAR 6 emulsifiable insecticide may be used for the control of insecticide resistant *trichoplusia virescens* (tobacco budworm), *Alabama* bollworm, bollworm, or cotton bollworm on cotton. Control of susceptible cotton-feeding insects as noted on the BOLSTAR 6 product label may also be obtained.

RECOMMENDED APPLICATIONS

CROP	INSECT	Pints BOLSTAR 6	REMARKS
Cotton	Tobacco budworm Cotton bollworm Lygus (Nymphs)	2/3 to 2	Apply specified dosage per acre by air or ground equipment in sufficient water for complete coverage but not less than 1 gallon per acre by air. For best results during mid-to-late season or under hot dry conditions use a higher gallonage per acre for better coverage. For example, by air use up to 5 gallons of water per acre. For light infestations apply 2/3 to 1 pint (1/2 to 3/4 lb. active) per acre, or for moderate infestations apply 1 to 1-1/3 pints (1/2 to 1 lb. active) per acre. Apply as needed usually at 3 to 7 day intervals. Heavy infestations , or infestations of large larvae . Apply 1 or 2 applications of the 2 pint (1 lb. active) rate per acre as needed or until infestations are brought under control, then reduce application rates to 2/3 to 1-1/3 pints per acre and apply as needed usually at 3 to 7 day intervals between applications. In California and Arizona the minimum use rate is 1-1/3 pints (1 lb. active) per acre regardless of degree of infestation. NOTE: In areas of frequent rainfall the higher rates and closer spray intervals may be needed for adequate control, however, in any case do not apply more than a total of 20 pints per acre with the last application no closer to harvest than 21 days in California and Arizona, or 14 days in all other states. Do not graze treated fields.
	Fall armyworm Beet armyworm Pink bollworm	1 to 2	
	Fleahoppers	2/3	
	Suppression of Lygus (adults) Whitflies Spider mites (Carmines and two-spotted)	2/3 to 2	

IMPORTANT This supplemental labeling is not intended to provide full information for use of this product. Before using BOLSTAR 6, read and carefully observe precautionary statements, directions for use, and storage and disposal information on the product label.

MOBAY CHEMICAL CORPORATION
 AGRICULTURAL CHEMICALS DIVISION
 Box 4913, Kansas City, Missouri 64120