

325-7037.YLD

Reg # 3125-325

PM-25

Base Pre-Reg. (7037)

192

U.S. LABEL

Reason to Issue: To add suppression of downy brome in Winter wheat.

Date of Draft: 5/25/90 (Pre-Reg)(H)

EPA Reg. No. 3125-325

SENCOR® DF
75% Dry Flowable Herbicide


ACTIVE INGREDIENT:

4-Amino-6-(1,1-dimethylethyl)-3-(methylthio)-1,2,4-triazin-5(4H)-one 75%

INERT INGREDIENTS: 25%
100%

AMENDMENT TO CURRENTLY REGISTERED LABELING

REVISE TO READ AS FOLLOWS:



2 3 2 1

SENCOR DF Herbicide

WINTER WHEAT

FOR USE IN IDAHO, MONTANA, NEVADA, OREGON, UTAH, AND WASHINGTON ON THE VARIETIES CENTURK, CHEYENNE, DAWS, FARO, GAINES, HATTON, HILL 81, HYSLOP, LUKE, McDERMID, MORO, NUGAINES, PAHA, PECK, SPRAGUE, STEPHENS, TYEE, WANSER, WESTON, AND WINALTA

SENCOR DF 75% dry flowable herbicide, in a tank mix combination with one of the herbicide products specified below, may be applied to wheat after the crop has reached the 2-leaf stage for control of the following broadleaf weeds:

Common chickweed	(<u>Stellaria media</u>)
Henbit	(<u>Lamium amplexicaule</u>)
Prickly lettuce	(<u>Lactuca serriola</u>)
Blue mustard	(<u>Chorisp tenella</u>)
Field pennycress	(<u>Thlaspi arvense</u>)
Tarweed fiddleneck	(<u>Amsinckia lycopsoides</u>)

Suppression only: Downy brome (Bromus tectorum)

RECOMMENDED APPLICATIONS

CROP	SENCOR DF Pound Per Acre	REMARKS
Winter Wheat	1/8 to 3/16 (2 to 3 ounces)	Use only in a tank mix combination for broadleaf weed control.* The specified dosage per acre may be added to other herbicides registered for use on wheat after the crop has reached the 2-leaf stage, but not during winter dormancy. See the appropriate sections of this label and the label for other herbicide products that are tank mixed with SENCOR DF for directions, application rates, mixing procedures, special precautions and restrictions before using.

*May be used with: Bronate, Bucril, Banvel, 2,4-D, MCPA, Glean, Ally, Finesse, Harmony, or Harmony Extra.

Observe all cautions and limitations on labeling of all products used in mixtures.