DYLOX/MSR 1.5-0.5 Contains Bylox and PMETASYSTOX-k FOR USE ONLY IN REPACKAGING OF AN INSECTICIDE			
		FOR USE ONLY IN RE	FROMAGING OF AN INSECTICIDE
		Contains 1.5 lbs. Dimethyl (2,2,2-trichloro-1 -hydroxyethyl) phosphonate plus 0.5 lb. <u>S</u> -[2-(ethyl- sulfinyl) ethyl] <u>0,0</u> -Dimethyl phosphorothioate per gallon	ACTIVE INGREDIENTS: Dimethyl (2,?,2-trichloro-1 -hydroxyethyl) phosphonate 18% S-[2-(ethylsulfinyl)ethyl] O,O-Dimethyl phosphorothioate 6% Aromatic Petroleum Distillate 32% INERT INGREDIENTS:
DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME			
STORE IN A COOL F! 4CE BUT NOT BELOW 25° F	EPA Reg. No. 3125-343 EPA Est. 3125-MO-1 <b>ACCEPTE</b>		
KESP OUT O	OF REACH OF CHILDREN FEB 8 1985		
	DANGER Under in Federal Laserhorde Funger du. und Redenikeide A as amended, for the pesificide registered under		
	for Statements of Practical EPA Rep. No. 3/25- onal precautionary statements)		
NET CONTEN	ITS GALLONS		
AGR I CULTURA	EMICAL CORPORATION AL CHEMICALS DIVISION IS City, Missouri 64120		

Ĩ

:..

¢.

ľ

ţ

#### PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## DANGER

Corrosive. Causes eye damage. Do not get in eyes. Wear goggles or face shield when handling concentrate. May be fatal if swallowed, inhaled or absorbed through the skin. Avoid exposure. Avoid contact with skin and clothing. Wash contaminated clothing with soap and hot water before reuse. Do not breathe vapors. Do not contaminate feed or food. Keep out of reach of children. Always wash thoroughly with soap and warm water after handling.

## STATEMENTS OF PRACTICAL TREATMENT

If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes. For further treatment, get medical attention. In case of contact, wash with soap and water. In case of poisoning, call a physician immediately. Have patient lie down and keep quiet. If swallowed vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not

occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Professional medical assistance should be secured immediately. (

NOTE TO PHYSICIAN: Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

# ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill, or store near heat or open flame.

#### DIRECTIONS FOR REPACKAGING

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This pesticide may be used only for repackaging of an insecticide. No changes may be made in formulation either by dilution or addition of other ingredients. Labeling used for the final repackaged product must conform with that accepted for DYLOX/MSR 1.5-0.5 insecticide (EPA Reg. No. 3125-274). Any variation in the labeling may result in the reed for additional data to support registration. The data will have to be supplied by the applicant.

## STORAGE AND DISPOSAL

# PROHIBITIONS

л.

1

Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment.

Open dumping is prohibited.

# PESTICIDE DISPOSAL


Pesticide, or rinsate that cannot be used according to label instructions must be disposed of according to Federal. State or local procedures under the Resource Conservation and Recovery Act.

#### CONTAINER DISPOSAL

ĺ

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

DYLOX and METASYSTOX are Reg. TM's of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen.



£ ; 4