14 **//**/ 348-8078.YLD

3125-348

Base Pre-Reg. (8078)

U.S. LABEL

Reason to Issue: To update according to PR Notices 91-8 and 93-10.

MONITOR[®] 60% Concentrate Date of Draft: 01/06/94(Pre-Reg)(P) Supersedes Draft Dated: 09/10/85

FOR USE IN THE MANUFACTURE OF INSECTICIDES

ACTIVE INGREDIENT:	
O,S-Dimethyl phosphoramidothioate	60%
INERT INGREDIENTS:	<u>40%</u>
	100%

Contains 6.3 lb methamidophos (O,S-Dimethyl phosphoramidothioate) per gallon. U. S. Patent Nos. 3,689,604 and 3,676,555 EPA Reg. No. 3125-348

STOP - READ THE LABEL BEFORE USE

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO



POISON

(See Side Panel for Statements of Practical Treatment and other Precautionary Statements)



FEB 28 199 Under the Federal Insecticity, Fungicity, and Recenticity Act as amended, for the proticide sginter ad unde A F. A. No

Ń

ſ

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER



POISON

Fatal if swallowed or absorbed through the skin. May be fatal if inhaled. Causes eye irritation. Do not get in eyes, on skin, or on clothing. Rapidly absorbed through the skin.

Do not breathe vapor. Wear a protective respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11.

Wear natural rubber gloves, protective clothing and goggles or face shield while handling. Wash hands, arms and face thoroughly with soap and warm water after handling. Keep all unprotected persons out of operating areas.

HANDLING OF CONTAMINATED ARTICLES: Clothing and rags receiving undiluted MONITOR 60% Concentrate as a result of leaks, spills, or mishaps should be removed immediately and not reused. These contaminated articles should be disposed of in the same manner as the empty container; see container disposal section for directions. (Contaminated articles which should be discarded would include: hats, gloves, aprons, coats, boots, etc. not made of rubber or coated with rubber or other similar materials). Clothing worn during the course of normal manufacturing activities using MONITOR 60% Concentrate and not directly contaminated by leaks, spills or other mishaps and should be removed and decontaminated before reuse. This clothing can be decontaminated by machine washing separately from other items with soap or detergent and bleach in hot water twice before reuse. Protective clothing and equipment should be washed down with detergent or soap and bleach in water. Wash water from the cleaning of protective clothing or equipment should not be allowed to run off or otherwise enter water supplies.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest, sweating, contracted pupils, stomach pain, vomiting and diarrhea.

In case of poisoning call a physician immediately. Have patient lie down and keep quiet.

STATEMENTS OF PRACTICAL TREATMENT

If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz or 15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Have patient lie down and keep quiet. Professional medical assistance should be secured immediately.

If inhaled, remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical assistance immediately.

If on skin, 'in case of contact, remove contaminated contacting and immediately wash with soap and water. If irritation nepurs, get medical attention. If eyes are contaminated, wash with plenty of water for at least 15 minutes. Get medical attention.

TO PHYSICIAN: ANTIDOTE - Atropine is antidotal. Administer atropine sulfate in large, therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of central nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema the patient should be placed in an oxygen tent and treated symptomatically.

BEST AVAILABLE COPY

Page 2 of 3

ENVIRONMENTAL HAZARDS

This product is extremely toxic to birds and other wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Labeling for products formulated from this product must conform with that which is currently registered with the U. S. Environmental Protection Agency. For specific information on federally registered uses, contact Miles Inc. Any variance from the federally registered labeling for products containing MONITOR 60% Concentrate will have to be supported by data provided by the formulator. Only for formulation as an insecticide for (1) the following nondomestic, outdoor uses: broccoli; brussels sprouts; cabbage; cauliflower; cotton; potatoes; cucumbers; eggplant; lettuce; melons; peppers; sugar beets; tomatoes and seed crops of alfalfa; clover; (2) uses for which USEPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and, (3) uses for experimental purposes that are in compliance with USEPA requirements.

MILES INC. DISCLAIMS ALL LIABILITY BASED ON BREACH OR WARRANTY, NEGLIGENCE, STRICT TORT LIABILITY, OR ANY OTHER THEORY OF LIABILITY FOR CROP DAMAGE OR FAILED EFFICACY RESULTING FROM USE OF THIS MILES INC. PRODUCT AS AN INGREDIENT IN ANY FORMULATION WITH A USE NOT SPECIFICALLY LISTED ON THIS LABEL.

STORAGE AND DISPOSAL

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If container is leaking invert to prevent leakage. If the container is leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides above. In spill or leak incidents, keep unauthorized people away. You may contact the Miles Emergency Response Team for decontamination prc cedures or any other assistance that may be necessary. The Miles Kansas City Emergency Response Telephone No. is 816-242-2582, or contact Chemtrec at 800-424 • 9300.

MONITOR is a Reg. TM of Valent U.S.A. Corporation.

BEST AVAILABLE COPY

Miles, Inc. Crop Protection Products Box 4913, Kansas City, MO 64120-0013