

TURBO 8EC Herbicide

366-8151.YLD

U. S. LABEL

Base Pre-Reg (8151)

Reason to Issue: Revise Precautionary Statements
and "Statements of Practical Treatment" in accordance
with EPA review comments. Revise "Environmental Hazards".

Date of Draft: 03/18/94(Pre-Reg)(H)

TURBO 8EC Herbicide

FOR CONTROL OF CERTAIN GRASSES AND BROADLEAF WEEDS
IN SOYBEANS AND POTATOES

ACTIVE INGREDIENTS:

Metolachlor, 2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)-acetamide*	70%
Metribuzin, 4-amino-6-(1,1-dimethylethyl)-3-(methylthio)-1,2,4-triazin-5(4H)-one	15%
INERT INGREDIENTS	15%
	100%

Contains 6.55 pounds of metolachlor and 1.45 pounds of metribuzin per gallon.

EPA Reg. No. 3125-366

EPA Est. 3125-MO-1

*U.S. Patent No. 3,937,730

Net Contents _____ Gallons


STOP - READ THE LABEL BEFORE USE

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Page 2 for Additional Precautions and Statements of Practical Treatment

AMENDMENT
TO PREVIOUSLY REGISTERED LABELING:



BEST AVAILABLE COPY

MILES

Miles Inc.
Crop Protection Products
Box 4913, Kansas City, MO 64120-0013

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, absorbed through the skin, or inhaled. Causes moderate eye and skin irritation. Avoid contact with skin and eyes, or inhaling spray mist. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Keep out of reach of children.

Obtain prompt medical aid if poisoning should occur.

Personal Protective Equipment:

Applicators and other handlers must wear:

- Coveralls over short-sleeved shirt and short pants
- Water-proof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

User should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

To Physician: No specific antidote is available. Treat the patient symptomatically.

SYMPTOMS OF POISONING: The compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by breathing difficulties and sedation.

STATEMENTS OF PRACTICAL TREATMENT

If in **eyes**, immediately flush eyes with plenty of water for at least 15 minutes. For further treatment get medical attention. If **swallowed**, call a physician or poison control center. Vomiting should be induced. Administer water freely, and induce vomiting by giving one dose (1/2 oz or 15 ml) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by

sticking finger down throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. Professional medical assistance should be secured immediately. If **inhaled**, remove victim to fresh air. If not breathing give artificial respiration, preferably mouth to mouth. Get medical attention. If **on skin**, wash thoroughly with soap and warm water.

ENVIRONMENTAL HAZARDS

Do not use on other crops grown for food or forage. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from areas treated.

Apply this product only as specified on this label. Do not allow sprays to drift on to adjacent desirable plants. Observe all cautions and limitations on labeling of all products used in mixtures.

BEST AVAILABLE COPY