3125-366 Page 17 4 Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expires 05-31-98 OPP Identifier Number Registration THE DIT United States A TURNING MITTORICA **Environmental Protection Agency Amendment** 247179 : Washington, DC 20460 ХX Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification Robert J. Taylor 3125-366 None Restricted 4. Company/Product (Name) TURBO 8EC Herbicide 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling Bayer Corporation, Agriculture Div. 8400 Hawthorn Rd., Box 4913 EPA Reg. No. Kansas City, MO 64120-0013 Check if this is a new address Product Name Section - II Amendment - Explain below. Final printed labels in response to Agency letter dated Resubmission in response to Agency letter dated_ "Me Too" Application. Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Descriptures s See attached. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Yes · Metal Plastic No. Glass Paper No. per If "Yes" * Certification must Unit Packaging wgt. Other (Specify) container Package wgt be submitted 3. Location of Net Contents Information 5. Location of Label Directions 4. Size(s) Retail Container On Label Container On Labeling accompanying product 6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. (Include Area Code) Brian A. Dehart Registration Scientist (816) 242\frac{1}{2}38\frac{1}{6} 6. Date Application . Certification Received . I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or a (Stamped) both under applicable law.

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

John S. Thornton

2. Signature

White - EPA File Copy (original)

Director, Product Registration

and Regulatory Affairs

5. Date

9/6/96

Yellow - Applicant Copy

2 4 4

TURBO 8EC Herbicide EPA Reg No. - 3125-366

Section II - Explanation of Notification

This notification is to make the Agency aware that typographical errors have been detected in the TURBO 8EC container labels. The attached labeling is being distributed to make users of TURBO 8EC aware of these errors. The errors are described below and are highlighted on the attached supplemental labeling.

- 1. Part of a sentence was omitted from the section of the label titled "TURBO SEC PLUS OVERLAY APPLICATION OF SENCOR HERBICIDE, Application."
- 2. In the table titled "RECOMMENDED APPLICATIONS TURBO SEC plus Scepter (Broadcast Rates)" the rate of Scepter 70 DG was given as pints per acre. The correct unit, as indicated on the attached supplemental labeling, is ounces.
- In the table titled "RECOMMENDED APPLICATIONS, Preemergence Application (Broadcast Rates)" the table heading "TURBO 8EC Pints/Acre" was omitted.

These errors will be corrected at the next printing of the TURBO 8EC container labels.

Enclosures:

1. TURBO 8EC Supplemental Labeling (5 copies).

Supplemental Labeling

Turbo 8 EC

Herbicide

EPA Reg. No. 3125-366

The U.S. Environmental Protection Agency has accepted, via notification, the following highlighted changes on the labels of TURBO 8 EC. The amended labeling, as accepted for registration, follows.

SOYBEANS (Except California)

TURBO 8EC PLUS OVERLAY APPLICATION OF SENÇOR HERBICIDE

TURBO 8EC applied preplant or shallow incorporated followed by an overlay application of SENCOR herbicide will control more broadleaf and grass weeds in soybeans than when either herbicide is used alone.

Refer to the SENCOR herbicide label and to appropriate sections of this label, for directions for soil preparation, herbicide application, incorporation techniques, and for additional directions on rates, weeds species controlled, and special precautions.

Application: Apply TURBO 8EC as a preplant or shallow incorporated application up to 14 days before planting at rates listed below this is tollowed by SENCOR herbicide alone at the indicated rates as a preemergence overlay application after planting but prior to soybean emergence.

On medium and fine textured soils with greater than 2% organic matter, a rate range is recommended for the preemergence overlay application of SENCOR herbicide. The higher rate should be used (a) in fields with a history of severe broadleaf weed pressure, (b) when the time between preplant incorporated tank mix and preemergence overlay applications approaches the maximum 14 days as stated above, and/or (c) when the organic matter content of the soil is at the upper end of the indicated range.

Weeds Controlled: In addition to the weeds controlled by TURBO 8EC alone, TURBO 8EC Heroid Awith SENCOR herbicide will control Buffalobur, Cocklebur, and Sunflower.

RECOMMENDED APPLICATIONS TURBO 8EC plus Scepter (Broadcast Rates)

| Soil Texture | TURBO'8EC* (pints/acre) | Scepter 1.5 AS ^b (pints/acre) | | Scepter 70 DG ^b (ounce/acre) |
|---|----------------------------|---|----|--|
| COARSE (loamy sand or sandy loam) | 1-1/2° | 1/3 to 1/2 | OR | 1.4 to 2.1 |
| MEDIUM (loam, silt loam, silt, sandy clay, sandy clay loam) | 1-3/4 to 2-1/4 | 1/3 to 1/2 | | 1.4 to 2.1 |
| FINE (sitty clay, sitty clay loam*, clay, clay loam) | 2-1/4 to 2-3/4 | _173 to 1/2 | | 1.4 to 2.1 |

Silty clay loam soils are transitional soils and may be classified as medium-textured soils in some regions of the U.S.

Higher rate is recommended on soils with organic matter greater than 3%.

For preemergence application, use the higher rate. For maximum control of moderate to heavy infestations of cocklebur, giant ragweed and sicklepod, use the higher rate and a preplant incorporated application.

For Southern and Southeastern States in coarse soils, see the "IN COARSE (LIGHT) SOILS ONLY" section of this label for TURBQ &EC rates

POTATOES (Except California)

RECOMMENDED APPLICATIONS Preemergence Application (Broadcast Rates)

| | TUBBO BEC PINEACTE | | |
|---|--------------------------|------------------------|--|
| Soil Texture | 0.5 to 3% Organic Matter | Over 3% Organic Matter | |
| COARSE* (loamy sand, sandy loam) | 2 to 2-1/2 | 2-1/2 to 3 | |
| MEDIUM/FINE(loam, silt loam, silt, sandy clay, sandy clay loam, silty clay, silty clay loam, clay, clay loam) | 3 to 3-1/2 | 3-1/2 to 4 | |

Do not use on sand soils.

This labeling must be in the possession of the user at the time of pesticide application.

Bayer Corporation Crop Protection Products Box 4913 Kansas City, MO 64120-0013

TUSU96.032 Supersedes TUSU96.031

IMPORTANT

Before using this product, read and carefully observe directions, cautionary statements and other information appearing on the product packaging label. This product is sold subject to the Conditions of Sale set forth on the container label.

