

TEMPO™ 2 Insecticide

FOR PEST CONTROL OPERATORS AND COMMERCIAL USE ONLY
FOR BROAD-SPECTRUM CONTROL OF CRAWLING
AND FLYING INSECT PESTS
ACTIVE INGREDIENT

ACTIVE INGREDIENT

Cybutrin, cyano(4-fluoro-3-phenylphenyl)methyl
3-(2,2-dichloroethyl) 2,2-dimethylcyclopropane-
carboxylate

INERT INGREDIENTS

24 34
25 34

100.0%

(This product contains xylene range, aromatic solvents)
Contains 2 lbs. cyclohexan per gallon

THE UNIVERSITY OF CHICAGO

Keep Out Of The Reach Of Children

WALSH

See under heading on Rear Panel for Statements of: Practical Treatment and other Preliminary Statements.
For complete Directions for Use (including Storage and Disposal), and Conditions of Sale, see manufacturer's recommendations accompanying this container.

Sold by

Mobay Corporation

EPA Reg No 3125-372

STOP —

Read the linked history page

NET CONTENTS

240 ml

Bayer 

Agri-Industry Consulting Division
Savannah Division is Closed
Mon 4713 444-6666 City 446 44120

Tempo

PULL HERE TO OPEN
PRESS TO RESEAL

11-11-11 11-11-11 11-11-11

BEST AVAILABLE COPY

MAY 25 1989

3155-372

5-372

139

139

TEMPO™ 2 Insecticide

FOR PEST CONTROL OPERATORS AND COMMERCIAL
USE ONLY—FOR BROAD-SPECTRUM CONTROL OF
CRAWLING AND FLYING INSECT PESTS

ACTIVE INGREDIENT

Cyfluthrin (cyano(4-fluoro-3-phenoxyphenyl)methyl
3-(2,2-dichloroethyl)-2,2-dimethylcyclopropanecarboxylate) 24.3%

INERT INGREDIENTS

75.7%
100.0%

(This product contains xylene range aromatic solvents.)

Contains 2 lbs. cyfluthrin per gallon

EPA Reg. No. 1125-372

STOP—READ THE LABEL BEFORE USE

Sold By:

Mobay Corporation

A Bayer USA INC. COMPANY

Bayer



Agricultural Chemicals Division
Specialty Products Group
Box 4913, Kansas City, Mo. 64120

BEST AVAILABLE COPY

KEEP OUT OF THE REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

May cause eye injury. Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes or on clothing. Avoid breathing vapors or spray mist.

Do not contaminate feed or food. Keep out of reach of children.

Wear safety glasses, goggles or face shield when handling the undiluted material. Wash thoroughly with soap and warm water after handling. Remove contaminated clothing and wash before reuse.

STATEMENTS OF PRACTICAL TREATMENT

If in eyes: Hold eyelids open and flush with plenty of water. Get medical attention. If swallowed: Call a physician or Poison Control Center. Do not induce vomiting. Vomiting may cause an aspiration hazard. If on skin: Wash thoroughly with soap and water. Get medical attention if irritation occurs.

NOTE TO PHYSICIAN:

Treat the patient symptomatically taking into consideration that this formulation contains 34% aromatic petroleum distillates.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Remove from premises or tightly cover fish tanks and disconnect aerators when applying indoors where such containers are present. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

AVISO

PRECAUCION AL USUARIO: Si usted no puede leer o entender ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions and Conditions of Sale before using TEMPO 2 insecticide.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS UNDER CONDITIONS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. MOBAY OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MOBAY AND ARE THEREFORE THE RESPONSIBILITY OF THE BUYER.

GENERAL INFORMATION

TEMPO 2 insecticide is a liquid formulation containing 2 lbs. of active ingredient per gallon, which will provide effective knockdown and residual control of the pests listed on this label.

TEMPO 2 will not stain or cause damage to any painted or varnished non-porous surface, plastic, fabric, or other surface where water applied alone causes no damage.

TEMPO is intended for use in and around buildings and structures and their contents. Buildings and structures include, but are not limited to, apartment buildings, factories, stores, warehouses, restaurants, and public buildings. Contents include, but are not limited to, furniture, carpets, drapes, curtains, and other household items. It is also intended for use in and around buildings and structures and their contents. Buildings and structures include, but are not limited to, apartment buildings, factories, stores, warehouses, restaurants, and public buildings. Contents include, but are not limited to, furniture, carpets, drapes, curtains, and other household items.

When using TEMPO, it is recommended to wear protective clothing and equipment. This includes gloves, goggles, and a respirator. It is also recommended to avoid breathing the spray and to avoid contact with the eyes and skin. After use, it is recommended to wash hands thoroughly with soap and water.

CAUTION

Do not use TEMPO on surfaces which may be damaged by its use. It is not recommended for use on surfaces which are painted with oil-based paints. It is also not recommended for use on surfaces which are made of wood, metal, or plastic. Before use, it is recommended to check the physical compatibility of TEMPO with the surface to be treated.

INSTRUCTIONS FOR USE

FOR SURFACE APPLICATION

Use 8 milliliters of TEMPO 2 per 1000 sq. ft. (see Note 1) in sufficient water to adequately cover the area being treated, but which will not allow dripping or run-off to occur (see Note 2). Use a low pressure system with a fan type nozzle to uniformly apply the solution. Applications can be made to walls, floors, ceilings, in and around cupboards, between, behind and beneath equipment, appliances, floor drains, windows and door frames, and on the undersides of shelves, drawers and in similar areas. Applications may be made to floor surfaces along walls and around air ducts, however do not treat entire area of floor or floor covers. Do not allow children to contact treated surfaces until surfaces are completely dry. Re-application can be made at 10 day intervals, if necessary. Do not apply where electrical short circuits could occur. Use a dust or dry bait in these areas. It is recommended to wear safety glasses, goggles or face shield and a respirator when making a general surface treatment above one's head.

Note 1: Under conditions of severe pest infestation or when quicker knock down and/or longer residual action is needed, use 16 milliliters of TEMPO 2 per 1000 sq. ft.

Note 2:

Type of Surface	Dts		Gals	
	1000 Sq. Ft.	1000 Sq. Ft.	1000 Sq. Ft.	1000 Sq. Ft.
Painted (Glazed)	1.0	1.0	0.26	0.26
Stainless Steel	1.0	1.0	0.26	0.26
Painted Plywood (Smooth)	1.0	1.0	0.26	0.26
Masonry (Smooth)	1.0	1.0	0.26	0.26
Unpainted Plywood	1.0	1.0	0.26	0.26
Unpainted Particle Board	1.0	1.0	0.26	0.26
Cement Block (Semi-gloss Latex)	1.0	1.0	0.26	0.26
Cement Block (Unfinished)	1.0	1.0	0.26	0.26
Top run off	1.0	1.0	0.26	0.26

* Figures listed are at a point where run-off begins to occur.

BEST AVAILABLE COPY

SPOT, CRACK AND CREVICE APPLICATIONS

Mix 8 milliliters of TEMPO 2 in one gallon of water to make a 0.05% active ingredient concentration (see Note 3). Use a low pressure system with a pinpoint or variable pattern nozzle to apply the solution in all crevice areas such as cracks and crevices in or behind baseboards, floors, walls, expansion joints, areas around water and sewer pipes, voids in table legs where pests can hide as well as other similar areas. Spot treatments may also be made to areas including but not limited to storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment, the underside of shelves, drawers and similar areas. TEMPO 2 can be reapplied at 10 day intervals, if necessary. Do not apply where electrical short circuits could occur. Use a dust or dry bait in these areas.

Note 3: Under conditions of severe pest infestation or when quicker knock down and/or longer residual control is needed, mix 16 milliliters of TEMPO 2 in one gallon of water to make a 0.1% active ingredient concentration.

FOOD HANDLING ESTABLISHMENTS

Application of this product as a general surface, spot, or crack and crevice treatment in both food and non food handling establishments are permitted. Authorized by USDA for use in federally inspected meat and poultry plants. This product is acceptable for use in edible product areas of official establishments operating under the Federal meat, poultry, shell egg grading, and egg products inspection programs as a crack and crevice treatment.

Food handling Establishments are defined as places other than private residences in which exposed food is held, processed, prepared or served. Included also are areas for receiving, storing, packing, canning, bottling, wrapping, boxing, preparing, edible waste storage and enclosed processing systems (units, dairies, edible oils, syrups) of food. Serving areas where food is exposed and facility is in operation are also considered food areas.

General Surface Application:

Do not apply as a general surface application when the facility is in operation or foods are exposed.

Do not apply directly to food products. Cover or remove all food processing and/or handling equipment during application. After application in food processing plants, bakeries, caterers and similar facilities, wash all equipment, benches, shelving and other surfaces which food will contact. Clean food handling, processing equipment and thoroughly rinse with clean, fresh water. In the home, all food processing surfaces and utensils should be covered or thoroughly washed following treatment. Cover exposed food or remove from area being treated.

Spot, Crack and Crevice Application

Cover exposed food or remove from area being treated. Do not apply directly to food or food-handling surfaces.

BEST AVAILABLE COPY