

20 WP INSECTICIDE

IN PACKETS

909463

880250

FOR PEST CONTROL OPERATORS AND COMMERCIAL USE ONLY

**FOR BROAD-SPECTRUM CONTROL OF CRAWLING AND
FLYING PESTS**

ACTIVE INGREDIENT:

Cyano (4-fluoro-3-phenoxyphenyl)methyl
3-(2,2-dichloroethenyl)-2,2-dimethyl-
cyclopropanecarboxylate 20%

INERT INGREDIENTS: 80%
100%

EPA Reg. No. 315-177

STOP - READ THE LABEL BEFORE USE

**KEEP OUT OF THE REACH OF
CHILDREN**

CAUTION

See Rear Panel for Statements of Practical
Treatment and Other Precautionary
Statements

Sold By
Mobay Corporation



Agricultural Chemicals Division
Specialty Products Group
Box 4913 Kansas City, Mo. 64120

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Harmful if
swallowed, inhaled or absorbed through the
skin. Do not get in eyes or on clothing. Avoid
contact with skin, eyes, or clothing. Avoid
breathing dust. Wash thoroughly with soap and
warm water after handling. Remove con-
taminated clothing and wash before reuse.

Keep out of reach of children.

Do not allow children or pets to enter treated
areas until surfaces are dry.

SYMPTOMS OF POISONING

In case of poisoning, call a physician or

STATEMENTS OF PRACTICAL TREATMENT

If eyes are contaminated, flush eyes with
plenty of water. Call a physician if irritation per-
sists. If swallowed, call a physician or Poison
Control Center. Administer water freely and in-
duce vomiting by giving one dose (1/2 oz. or 15
ml) of syrup of ipecac. If vomiting does not occur
within 10 to 20 minutes, administer second
dose. If syrup of ipecac is not available,
induce vomiting by sticking finger down throat.
Repeat until vomit fluid is clear. Never give
anything by mouth to an unconscious person.
Avoid alcohol. If on skin, wash skin immediately
with soap and warm water. Get medical atten-
tion. If inhaled, remove victim to fresh air. If not
breathing, give artificial respiration, preferably
mouth to mouth. Get medical attention.

TO PHYSICIAN: No specific antidote is
available. Treat the patient symptomatically.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Remove from
premises or tightly cover fish tanks when apply-
ing indoors where such containers are present.
Do not contaminate water when disposing of
equipment washwaters. Apply this product only
as specified on this label.

AVISO

PRECAUCION AL USUARIO: Si usted no
puede leer or entender inglés, no use este pro-
ducto hasta que la etiqueta le haya sido ex-
plicada ampliamente.

(TO THE USER: If you cannot read or under-
stand English, do not use this product until the
label has been fully explained to you.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this pro-
duct in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions and
Conditions of Sale before using TEMPO 20 WP
insecticide.

CONDITIONS OF SALE: THE DIRECTIONS ON
THIS LABEL WERE DETERMINED THROUGH
RESEARCH TO BE APPROPRIATE FOR THE
CORRECT USE OF THIS PRODUCT. THIS PRO-
DUCT HAS BEEN TESTED UNDER DIFFERENT

CTIONS



TIONS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. MOBAY OFFERS, AND THE BUYER ACCEPTS AND USES THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MOBAY AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

GENERAL INFORMATION

TEMPO 20 WP insecticide contains 20% active ingredient which will provide effective knockdown and long residual control of the pests listed in this label.

TEMPO 20 WP will not stain or cause damage to any painted or varnished surface, plastic, fabric or other surface where water applied alone causes no damage.

TEMPO 20 WP is intended for use for pest control in and around buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include, but are not limited to, apartment buildings, bakeries, bottling facilities, breweries, cafeterias, candy plants, cereal processing and manufacturing plants, dairies and dairy product processing plants, frozen food plants, grain mills, hospitals, hotels, houses, industrial buildings, kitchens, laboratories, manufacturing establishments, mausoleums, meat processing and packing plants, meat and vegetable canneries, nursing homes, pickle factories, restaurants, schools, spice plants, stores, warehouses, wineries and similar structures as well as aircraft, and buses.

TEMPO 20 WP is intended to be mixed with water and applied with hand pressurized or power operated sprayers. Add the appropriate amount of product when filling container with water, shake or agitate as necessary to mix. Diluted spray mixture can be stored overnight and applied the following day, but mixture should be agitated prior to application to prevent the uneven distribution of product.

One packet contains 9 grams of TEMPO 20

FOOD HANDLING ESTABLISHMENTS

FOOD HANDLING ESTABLISHMENTS— Places other than private residences in which exposed food is held, processed, prepared or served, including areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food. Serving areas when food is exposed and facility is in operation are also considered food areas.

GENERAL SURFACE TREATMENT:

Applications of this product as a general surface treatment in both food and non-food areas of food handling establishments are permitted; however, do not apply when facility is in operation or foods are exposed.

Do not apply directly to food products. Cover or remove all food processing and/or handling equipment during application. After application in food processing plants, bakeries, cafeterias and similar facilities wash all equipment, benches, shelving and other areas which food will contact. Clean food handling or processing equipment with an effective cleaning product and thoroughly rinse with clean fresh water. In the home all food processing surfaces and utensils should be covered and surfaces washed following treatment. Cover exposed food or remove from premises. Wear goggles or face shield and respirator when making a general surface treatment.

SPOT/CRACK AND CREVICE TREATMENT

Applications of this product as a crack and crevice or spot treatment in food and non-food areas of food handling establishments are permitted.

Cover exposed food or remove from premises. Do not apply directly to food or food handling surfaces.

SPECIFIC USE INSTRUCTIONS

CRAWLING INSECT PEST CONTROL

For control of: American, Australian, Brown Banded, German, Oriental, Smoky Brown and related species of Cockroaches, Ants, Crickets, Earwigs, Firebrats, Silverfish, Bedbugs, Spiders, Millipedes, Centipedes, Pillbugs and Sowbugs.

General Surface Application

Use one packet of TEMPO 20 WP per 1,000 sq. ft. (see Note 1) in sufficient water to adequately cover the area being treated but which will not allow dripping or run-off to occur. See Note 2. Use a low pressure system (less than 50 psi) with a fan

Applications can be made to walls, floors, ceilings, in and around cupboards, between, behind and beneath equipment, appliances, along baseboards, floor drains, window and door frames, and on the undersides of shelves, drawers and in similar areas. Applications may be made to floor surfaces along baseboards and around air ducts, however, do not treat entire area of floor or floor covers. Do not allow children to contact treated surfaces until surfaces are completely dry. Re-application can be made at 10-day intervals if necessary. Do not apply where electrical short circuits could occur. Use dust or a dry bait in these areas.

Note 1: Under conditions of severe pest infestation when quicker knock-down and/or longer residual control is needed, use 2 packets of TEMPO 20 WP per 1,000 sq. ft.

Note 2:

Volume of Water Sprays Applied To A Vertical Surface to Attain 'Point' of Run-off /a

Type of Surface	Qts. /1000 Sq. Ft.	Gals/ 1000 Sq. Ft.
Unpainted Particle Board	15.7	3.93
Unpainted Plywood	14.7	3.68
Latex Painted Plywood (Semigloss)	5.5	1.38
Masonite (Smooth)	8.4	2.10
Stainless Steel	1.0	0.25
Ceramic Tile (Glazed)	1.0	0.25
Cement Block (Unfinished)	194.1*	48.5*
Cement Block (Semigloss Latex)	16.8	4.20

No run-off

* Volumes listed are at a 'point' where run-off begins to occur.

Crack and Crevice or Spot Treatment

Mix one packet of TEMPO 20 WP in one gallon of water (to make a 0.05% active ingredient concentration). See Note 3. Use a low pressure system (less than 50 psi) with a pin-point or variable pattern nozzle to apply the solution in specific areas such as: cracks and crevices in doors, walls, expansion joints, areas around water and sewer pipes, voids in table legs, walls, and floors where pests can hide as well as other similar areas. Spot treatments may also be made

to areas such as baseboards, storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment, the underside of shelves, drawers and similar areas. When making a spot surface treatment do not apply to any area larger than 2 square feet in any one area. Do not apply where electrical short circuits could occur, use dust or dry baits in these areas. Re-application can be made at 10-day intervals if necessary.

Note 3: Under conditions of severe pest infestations when quicker knock-down and/or longer residual control is needed, mix 2 packets of TEMPO 20 WP in one gallon of water to make a 0.1% active ingredient concentration.

PANTRY PEST CONTROL

For control of exposed adult and immature stages of insects such as, carpet beetles, larder beetles, hide, warehouse and other dermestid beetles, confused and red flour beetles, saw-toothed and merchant grain beetle, drug-store and cigarette beetle, Indian meal and Mediterranean flour moth and lesser grain borer.

Mix one packet of TEMPO 20 WP per gallon of water (to make a 0.05% active ingredient concentration) and apply to approximately 1,000 sq. ft. Use a low pressure system (less than 50 psi) with a fan type nozzle or variable pattern nozzle to produce coarse spray droplets. Apply to cupboards, shelving and storage areas. Re-application can be made at 10 day intervals if necessary. Remove all utensils, uncovered foodstuffs (or any having original package opened), shelf paper and other objects before spraying. Allow treated surfaces to dry and cover shelves with clean paper before replacing any utensils, foodstuff or other items. Any foodstuff accidentally contaminated with spray solution should be destroyed.

PREMISE PEST CONTROL

For control of: Carpet Beetles, Spiders, Clothes Moth, Crickets, Firebrats, Silverfish and Ticks.

Mix one packet of TEMPO 20 WP per gallon of water (to make a 0.05% active ingredient concentration) and apply in a low pressure system (less than 50 psi) using a fan type or variable pattern nozzle to approximately 1,000 sq. ft as a spray beneath carpeting, rugs, furniture and in closets and storage areas where the pests normally feed or rest. Re-application can be made at 10 day intervals if necessary. Application to furniture should be restricted to that area where no pro-

ing contact by humans will exist. Avoid contact with treated surfaces until completely dry. Remove or tightly cover fish tanks during application. Pets should be removed from the premises during application and until treated surfaces are completely dry.

LYING INSECT CONTROL

(surface spray only)

For control of: Flies, Mosquitoes, Gnats, bees, Wasps, and Hornets.

Mix one packet of TEMPO 20 WP per gallon of water (to make a 0.05% active ingredient concentration) and apply in a low pressure system (less than 50 psi) using a fan or variable pattern type nozzle to approximately 1000 sq. ft. where the pests collect or rest. Re-application can be made at 10 day intervals if necessary. **Do not apply as a space spray application.**

OUTDOOR USE

(surface spray only)

For control of: Cockroaches, Ants, Crickets, sowbugs, Pillbugs, Spiders, Centipedes, Millipedes, Ticks, Flies, Mosquitoes, Gnats, bees, Wasps and Hornets.

Mix one packet of TEMPO 20 WP per gallon of water (to make a 0.05% active ingredient concentration) and apply in a low pressure system (less than 50 psi) using a fan or variable pattern type nozzle to approximately 1,000 sq. ft. Make applications to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or found. To help prevent infestations of buildings by the above pests, treat a 12 to 18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance.

STORAGE AND DISPOSAL

Site for Storage In or Around the House

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal.

Pesticide wastes are hazardous. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the nearest Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not use container in connection with food, feed, or drinking water.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above. In spill or leak incidents, keep unauthorized people away. You may contact the Mobay Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Mobay Kansas City Emergency Response Telephone No. is 816-252-2582, or contact Chemtrec at 800-424-9300.

TEMPO is a TM of Bayer AG, Germany.

909463

880250