379-6725.YLD Base Pre-Reg. (6725) <u>Reason to Issue:</u> To reduce the PHI for Date of Draft: <u>6/16/89 (Pre-Reg.) (M)</u> use on almonds to 28 days. EPA Reg. No. 3125-379

11. 21.

GUTHION 35% WETTABLE POWDER CROP INSECTICIDE IN WATER SOLUBLE PACKETS

ACCEPTED JUL 20 1989 Under the Federal Insecticide. Fungicide, and Rodenticide Act. as amonded, for the pesticide

EPA Reg. Nu 3/26-

**.**...

Ч.

AMENDMENT

To Previously Registered Labeling

Substitute the Following for the Current Almond Recommended Application

**RECOMMENDED APPLICATIONS** 

CROP	INSECT	Pounds GUT''TON 35% AP	REMARKS
Almonds	Navel Orangeworm Peach twig borer	4 1/4 to 5 11/16	Apply specified dosage per acre by concentrate sprager or as a full coverage spray using bot more than 400 gallons of finished spray per acre. If onditions dictate an aerial spray, apply specified dosage by arcraft in not less than 20 galjons of water per acre. Application is limited to one dormant spray and/or two postbloom sprays per season. Last application may be made up to 28 days before harvest. Allow at least 120 days between the dormant and the first post-bloom spray and at least 28 days between the post-bloom sprays. Do not graze livestock in treated groves for 21 days after treatment.