# 4

#### PRECAUTIONARY STATEMENTS

# Hazards to Humans and Domestic Animals

# CAUTION

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid inhalation of vapors and contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in commercial food processing, preparation, serving, or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds, and cover fish aquariums before spraying.

# Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

This product will kill Cockroaches, Houseflies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks, Pill Bugs, Crickets.

Cover exposed food, dishes, and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place forger on stand or table in the center of the room with valve locked open, placing several lazers of newspaces or pad under forger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Appears spraying in two weeks or when necessary.

To Kill Ticks and Fleis: Destroy pet's old bedding and replace. We profict as above. Treat dogs and cats with a registered tick and flei control product prior to re-entry.

## JAZOFZIÐ DIRA EÐARGES

Storage: Store in a cool, dry area away from heat or open fluxe.

Disposal: Replace cup and discard container in trash. Do not

incinerate or puncture.

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS
HEGISTRATION (USES 10N (18: 76.7)
WASHINGTON DC 20460

TERM TE THATION NO.

12/20/66

PLANT I FOR THE THE T

NAME AND ACTION OF THE ACTION OF THE STATE O

-

18 329,169

NOTE: Changes in Soletis, the Discripting in Oblian edition that as extend to some to condition that in the subputted to and accepted to the Best strated Discriming for the Gale Life Late Line commence. It any entering product always refer to the accepted to EPA reported to man ber

On the basis of internation for the first the repretant, the above moved perform in hereby Repretend (Rerepretend for the tree ferral lines to detail against a detail and Kidentia de Asta.

A copy of the labeling a copy to be a conserved with this Registration Refer to that a non-neturned herewith.

Preprint from its min, which the construction of mind ascendent or approval of the profession. Agency, he right professional that description is a construction of a print and the environment, the Administration, in him strong may at any time supported in an either equivation of a print and environment with the representation of a present and a construction of a construc

and the second of the second o

o for <del>dans t</del>o the control of the c

And the state of t

The second of the second of the Mysia second by the first particles which is the second of the seco

The first of the control of the cont

ATTACHMENT ICALCOS ANGE

SIGNATURE OF APPRIL 14 - OFF TALL

Mill. Car

10/60/64

PA Form 8570 6 (Rev. 5 74

E TOP A CONTROL OF COMMAND OF FOR SET OFFE THE THE STATE OF A CONTROL WHICH A STATE OF

U.S. LABET-(S)

Reason to Issue: To propose a new homeowner use product.


Date of Draft: 6/22/88 Pre-Reg. (S)

LPA File Symbol No. 3125-XXX

ME SUROL "

2% Bait For Homeowner Use

INSECTICIDE - MOLIUSCICIDE



FOR CONTROL OF SLUGS, SNAIES AND INSECTS

NET WEIGHT

**POUNDS** 

ACTIVE INGREDIENT:

methiocarb (4-methylthio-3,5-

xylylmethylcarbamate) ..... 2

KEEP OUT OF REACH OF CHIEDREN

CAUTION

(See Rear Panel for Statements of Practical Treatment and Other Precautionary Statements)

IPA File Symbol No. 3125-XXX

STOP - READ LABEL BEFORE USE

MOBAY CORPORATION
A Bayer USA INC. COMPANY
AGRICULTURAL CHEMICALS DIVISION
Specialty Products Group
Box 4913, Kansas City, Mo. 64120

#### MESUROL 2% Bait insecticide molluscicide

AVINO

PRECAUCION AL USUARIO: Si usted no puede leer o entender ingles, no use este producto hasta que la etiqueta le hava sido explicada ampliamente. (10 lHL USLR: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with the labeling.

IMPORIANT: Read these entire Directions and Conditions of Sale before using MESGROL 2% bait insecticide molluscicide for homeowner use.

COPDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE THE DIRECTIONS FOR CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN LESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE ORDINARY AND CUSTOMARY IN THE LEOGRAPHIC AREA WHERE THE PRODUCT IS USED. INSUFFICIENT CONTROL OF PESTS AND/OR INJURY TO THE CROP TO WHICH THE PRODUCT IS APPLIED MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER, OR FROM FAILURE TO FOLLOW LAPEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO OTHER CROP' ANIMALS, MAN, OR THE ENVIRONMENT. MOBAY OFFERS, AND THE BUYER ACCEPTS AND USES, THIS FODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL WEATHER, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE DEYOND THE CONTROL OF MOBAY AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

MESUROL 2% Bait is very effective for the control of slugs, snails and sowbucs; and to aid in control of millipedes around the home and in flower gardens. The bait should be broadcast over plant foliage (except California) or applied to soil around plants. CAUTION: Do not use around food crops.

Sprinkle I pound of MESUROL 2% Bait uniformly over 1000 square feet of area to be treated. For best results lightly water the area to be treated before applying the bait. When making applications, special attention should be given to treating areas around flower beds, and around building foundations. Repeat applications as necessary to keep areas free of pests.

### RESTRICTIONS

Do not use on plants grown for food. Do not put bait in piles. Scatter bait so that it is hardly visible on the ground.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Household: Do not reuse empty container. Securely wrap original container in several layers of newspaper and put in trash collection.

Perticide Disposal (Except Household): Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Contains Disposal (Except Household): Iriple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out or smoke.

Page 2 of 4

# STORAGE AND DISPOSAL (Continued)

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Material that cannot be used as directed should be disposed of as directed above. In spill or leak incidents, keep unauthorized people away. You may contact the Mobay Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Mobay Kansas City Emergency Response Telephone No. is 816-242-2582, or contact Chemtree at 800-424-9300.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with eyes, skin, or clothing.

Wash thoroughly with scap and warm water after handling. Wash contaminated clothing with soap and hot water before recuse. Do not contaminate feed or food. Keep out of reach of children and domestic pets.

SYMPIOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

In case of poisoning call a physician or Poison Control Center. Have patient lie down and keep quiet.

#### NOTE TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

# STATEMENTS OF PRACTICAL TREATMENT

If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. ( 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never given anything by mouth to an unconscious person. Professional medical assistance should be secured immediately. In case of poisoning, call a physician immediately. Have patient: lie down and keep quiet.

If on skin, remove contaminated clothing and wash skin immediately with soap and warm water.

If eyes are contaminated, wash with flowing water for at least 15 minutes.

Page 3 of 4

14