

3125-393

7-31-2002

1/2

# Raxil® 2.6 FS

## Seed Treatment Fungicide

For use only by commercial seed treaters. For control of specified diseases on wheat, barley and oats.

### ACTIVE INGREDIENT:

Tebuconazole,

*alpha*-[2-(4-chlorophenyl)-ethyl]-*alpha*-(1,1-dimethylethyl)-1*H*-1,2,4-triazole-1-ethanol .28.3%

INERT INGREDIENTS ..... 71.7%  
100.0%

Contains 2.6 lb tebuconazole per gallon.

EPA Reg. No. 3125-393

Net Contents: \_\_\_ Gallons

**STOP - Read The Label Before Use**  
**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes, and clothing. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

**ACCEPTED**

JUL 31 2002

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 3125-393

### FIRST AID

<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>

In case of emergency call toll free the Bayer Kansas City Emergency Response Telephone No. 800-414-0244. Have a product container or label with you when calling a poison control center or doctor, or going for treatment.

**Note To Physician:** No specific antidote. Treat symptomatically.

Symptoms of Poisoning: The compound does not cause any definite symptoms that would be diagnostic. Contact with the eyes may cause irritation.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to estuarine invertebrates.

Do not contaminate water when disposing of equipment washwaters or rinsate.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** Read these entire Directions and Conditions of Sale before using RAXIL 2.6 FS.

**CONDITIONS OF SALE:** THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE THE DIRECTIONS FOR CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE ORDINARY AND CUSTOMARY IN THE GEOGRAPHIC AREA WHERE THE PRODUCT IS USED. INSUFFICIENT CONTROL OF PESTS AND/OR INJURY TO THE CROP TO WHICH THE PRODUCT IS APPLIED MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO OTHER CROPS, ANIMALS, MAN, OR THE ENVIRONMENT. BAYER CORPORATION OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL WEATHER, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF BAYER CORPORATION AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

RAXIL controls or suppresses certain designated seed and soilborne diseases of wheat, barley and oats.

**SEED TREATMENT:** It is recommended that RAXIL 2.6 FS be applied as a water-based slurry through standard slurry or mist-type commercial seed treatment equipment. Prepare a slurry by mixing the specified dosage in 9 to 20 fl oz of water per 100 lb of seed. Add dye\*\* to the resulting slurry. Mix the slurry thoroughly with the seeds to provide uniform coverage.

\*\* 21 CFR Chapter I, Section 2.25 requires grain seed treated with poisonous substances in excess of recognized tolerances be suitably colored with an EPA approved dye, such as one of the dyes listed in 40 CFR Section 180.1001 (c) and (d), to prevent their subsequent inadvertent use as a food for man or feed for animals.

RECOMMENDED APPLICATIONS		
CROP	DISEASE	RATE OF RAXIL 2.6 FS
Barley Oats Wheat	<u>Wheat</u> Stinking smut Flag smut Loose smut Glume blotch <u>Oats</u> Loose smut <u>Barley</u> Covered smut Loose smut, Barley stripe (suppression)	0.1 fl oz per 100 lb of seed
REMARKS		
Refer to the SEED TREATMENT section on this label for the recommended method of treating seed. Apply the specified dosage for control of smuts and seedborne glume blotch, and suppression of barley stripe.		

**NOTE TO USER:** For worker protection during mixing, wear a long sleeve shirt, long legged trousers or overalls, and chemical-resistant gloves. Protective clothing should be laundered separately following application.

## SEED LABELING REQUIREMENTS

To meet U. S. Federal Seed Act requirements, all seed treated with RAXIL 2.6 FS should be labeled: "Treated with *alpha*-[2-(4-Chlorophenyl)ethyl]-*alpha*-(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol (RAXIL)."

Do not use treated seed for feed, food or oil purposes.

Barley, wheat and oat green forage may be grazed or harvested for hay 31 days after seeding.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If container is leaking, invert to prevent leakage. If the container is leaking or material is spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides above. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Kansas City Emergency Response Telephone No. is 800-414-0244 or contact Chemtrec at 800-424-9300.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**D - 9739 070502**

Bayer Corporation  
Crop Protection  
Box 4913  
Kansas City, MO 64120-0013  
(800) 842-8020  
<http://uscrop.bayer.com>

