100%

U.S. LABEL

Reason to Issue: To update to current tanguage and to exclude commercial greenhouse and nursery uses.

Date of Draft: 05/21/93(Pre-Reg)(S) Supersedes Pre Reg Draft Dated: 11/29/89

TEMPO 20 WP

Ornamental Insecticide

In Water Soluble Packets

FOR COMMERCIAL USE ONLY FOR BROAD-SPECTRUM CONTROL OF CRAWLING AND FLYING INSECT PESTS ON LANDSCAPE ORNAMENTALS AND HOME LAWNS

ACTIVE INGREDIENT:

Cyfluthrin, cyano(4-fluoro-3-phenoxyphenyl)-methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate 20% INERT INGREDIENTS: 80%

DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY.

KEEP WATER SOLUBLE PACKETS IN THIS CONTAINER AND STORE IN A COOL DRY PLACE BUT NOT BELOW FREEZING (32° F).

CONTAINS EIGHT 50 GRAM WATER SOLUBLE FACKETS (FIVE 140 GRAM WATER SOLUBLE PACKETS)

EPA File Symbol No. 3125-395 EPA Est. No. 3125 MO-1

TOTAL NET CONTENTS: 400 GRAMS [TOTAL NET CONTENTS: 700 GRAMS]

STOP - READ THE LABEL BEFORE USE

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See Rear Panel for Statements of Practical Treatment and Other Precautionary Statements

AVISO

PRECAUCION AL USUARIO: Si usted no puede lear o entender ingles, no use este producto hasta que la etiqueta le haya sido explicada amphamente

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

BEST AVAILABLE COPY | MILES

ACCEPTED

JUN 24 1994

Under the Federal lasscticide, Fungicide, and Rodenticilde Act. ebilcide and the pesticide registered under EPA Hug. No. 3/25.395

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Avoid breathing dust or spray mist.

Do not contaminate feed or food. Keep out of reach of children.

Do not allow children or pets to enter treated areas until surfaces are dry. Wash thoroughly with soap and warm water after handling. Remove contaminated clothing and wash before reuse.

SYMPTOMS OF POISONING: In case of poisoning, call physician or Poison Control Center immediately. Have patient lie down and keep quiet.

STATEMENTS OF PRACTICAL TREATMENT

If in eyes: Hold eyelids open and flush with plenty of water. Call a physician if irritation persists. If swallowed, call a physician or Poison Control Center. Administer water freely and induce vomiting by giving one dose (1/2 oz or 15 ml) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is

clear. Never give anything by mouth to an unconscious person. Avoid alcohol. If on skin: Wash thoroughly with soap and water. Get medical attention if irritation occurs. If Inhaled, remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

TO PHYSICIAN: No specific antidote is available. Treat the patient symptomatically.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or residues on crops or weeds. Do not apply TEMPO 20 WP Ornamental Insecticide or allow it to drift onto crops or weeds on which bees are actively foraging. Additional information may be obtained by consulting your Cooperative Extension Service.

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions and Conditions of Sale before using TEMPO 20 WP Ornamental Insecticide.

CONDITIONS OF SALE THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE THE DIRECTIONS FOR COBBECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE URDINARY AND CUSTOMARY IN THE GEOGRAPHIC AREA WHERE THE PRODUCT IS

USED. INSUFFICIENT CONTROL OF PESTS AND/OR INJURY TO THE CROP TO WHICH THE PRODUCT IS APPLIED MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO OTHER CROPS, ANIMALS, MAN, OR THE ENVIRONMENT. MOBAY OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL WEATHER, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MORAY AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER





GENERAL INFORMATION

TEMPO 20 WP Ornamental Insecticide contains 20% active ingredient which will provide effective knockdown and residual control of the pests listed in this label.

This package contains pre-measured 50 gram [140 gram] water soluble (PVA) packets of TEMPO 20 WP Ornamental Insecticide. Do not allow the inner packets to become wet before adding to the spray tank. Do not handle the clear inner packets of TEMPO 20 WP with wet hands or gloves. Rough handling may cause breakage. Do not store at temperatures below 32° F. Allow packages to warm above 50° F before use. Cooler water temperatures increase the time needed for the inner packet to dissolve completely.

TEMPO 20 WP Ornamental Insecticide is intended for use around buildings and structures, as well as on ornamentals and home lawns.

MIXING: The enclosed packets containing TEMPO 20% WP Ornamental Insecticide are water soluble. Do not allow packet to become wet prior to adding to the spray tank. Do not handle with wet hands. Reseal outer carton to protect remaining packets.

To prepare the spray mixture, drop the required number of unopened packets, as determined under use instructions, into the spray tank while filling with water to the desired level. Operate the agitator while mixing. Depending on the water temperature and the degree of agitation, the packets should be completely dissolved within approximately 5 minutes from the time they were added to the water.

TANK MIXING: The user, at his discretion, can tank mix pesticides currently registered for use unless the product labels prohibit such use. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank mixing.

RECOMMENDATIONS FOR LANDSCAPE ORNAMENTALS AND HOME LAWNS

When used at recommended rates and as directed under RECOMMENDED APPLICATIONS, TEMPO 20 WP Ornamental Insecticide will control the designated pests on trees, shrubs, foliage plants and flowers in outdoor landscaped areas such as parks, recreational areas, athletic fields, institutional grounds, etc., and interior plantscapes (such as in hotels, shopping malls, office buildings, etc.) where these plants are grown. TEMPO 20 WP Ornamental Insecticide also controls designated pests in home lawns.

NOTE: Not for use in commercial greenhouses and nurseries.


MIXING: Refer to General Information section for instructions.

APPLICATION: TEMPO 20 WP Ornamental Insecticide mixes readily with water and may be used in all types of spray equipment. Mix product with the required amount of water and apply as a dilute spray application to the point of run-off. When spraying hard-to-wet foliage such as holly, pine or ivy, the addition of a spreader/sticker may enhance both knock-down and residual activity. If concentrate or mist type spray equipment is used, an equivalent amount of product should be used on the area sprayed, as would be used in a dilute application. When mixing a concentrated solution, additional time may be required to fully dissolve the PVA packet(s). Phytotoxicity testing has been carried out on a wide range of ornamental plants under various environmental conditions and no phytotoxicity has been observed. It is advised to pre-spray a selection of ornamentals if local use experience is unavailable. Time applications to flowering plants during periods when pollinating insects are not present, such as early morning or late evening.

Do not apply this product through any type of irrigation system.


COMPATIBILITY: TEMPO 20 WP Ornamental Insecticide has been found to be compatible with all commonly used fungicides, miticides, liquid fertilizers and other insecticides. Check physical compatibility using the correct proportion of products in a small jar if local experience is unavailable.





RECOMMENDED APPLICATIONS

			
CROP	PEST	1EMPO 20 WP	REMARKS
Landscape Ornamentals (Including Trees, Shrubs, Evergreens, Flowers, Foliage Plants)	Armyworms Azalea caterpillars Bagworms Bristly roseslugs California oakworms Cankerworms Crickets* Cutworms Elm spanworms Flies* Fungus gnats Gypsy moth larvae Lace bugs Leaf-feeding caterpillars Midges* Mcsquitoes* Oleander moth larvae Pillbugs Pine shoot moths Pine tip moths Redhumped caterpillars Sawfly larvae Sowbugs Spiders* Striped oakworms Tent caterpillars Tussock moth larvae Webworms Yellownecked caterpillars	50 grams per 138 gal 140 grams per 386 gal	Applications should be started prior to establishment of high pest populations and reapplication made as necessary. Good spray coverage is necessary to provide the most effective level of control. Addition of a spreader/sticker at recommended rates may enhance control of insects on certain species of ornamentals having hard-to-wet surfaces. *The use of TEMPO 20 WP Ornamental Insecticide for the control of ants, crickets, spiders, midges, wasps, flies and mosquitoes is limited to ornamental areas and areas adjacent to buildings. Apply as a general spray, concentrating on damp areas beneath shrubbery, around foundations and in areas of tall grass or weeds. Do not apply to any food crop. Remove any animal feeding dishes prior to treatment and do not allow spray or drift to contact fish-bearing water.





CROP	PEST	TEMPO 20 WP	REMARKS
Landscape Ornamentals (Continued) (Including Trees, Shrubs, Evergreens, Flowers, Foliage Plants)	Ants* Aphids Boxelder bugs Budworms Casebearers Clover mites Cockroaches** Elm leaf beetles Flea beetles Grasshoppers Japanese beetles (adult) June beetles (adult) Leafhoppers Leafrollers Leaf skeletonizers Mealybugs Orchid weevil Pear psylla Peppertree psyllid Plant bugs Scale insects (crawler stages) Spittlebugs Striped beetles Thrips Ticks (including deer ticks) Tussock moth larvae Wasps* Whiteflies	50 grams per 92.6 gal 140 grams per 259 gal	Applications should be started prior to establishment of high pest populations and reapplication made as necessary. Good spray coverage is necessary to provide the most effective level of control. Addition of a spreader/sticker at recommended rates may enhance control of insects on certain species of ornamentals having hard-to-wet foliage. *The use of TEMPO 20 Ornamental Insecticide for the control of ants, crickets, spiders, midges, wasps, flies and mosquitoes is limited to ornamental areas and areas adjacent to buildings. Apply as a general spray, concentrating on damp areas beneath shrubbery, around foundations and in areas of tall grass or weeds. Do not apply to any food crop. Remove any animal feeding dishes prior to treatment and do not allow spray or drift to contact fish-bearing water. **Outdoor cockroach control (including Asian cockroaches) is obtained by spraying hiding or resting places such as under shrubbery, in ground covers and mulching materials, in hollow trees, etc.

Area-Applications on Homa Lawns: TEMPO 20 WP Ornamental Insecticide mixes readily with water and/or various fertilizer solutions and can be used in appropriate spray equipment to treat home lawns. Applications should be made with accurately calibrated equipment and applied uniformly, using a coarse, large droplet, spray applications procedure. Do not allow drift onto ponds, streams, or lakes. For optimum control of armyworms, cutworms and sod webworms, delay irrigation and mowing for at least 24 hours following the application. Keep children and pets off treated areas until lawns have dried following application.

Horae Lawns Only	Ants Armyworms Crickets Cutworms Earwigs Grasshoppers Japanese beetles (adult) Sod webworms Ticks (including deer ticks)	50 grains per 10,000 sq ft 140 grams per 28,000 sq ft	Apply when pests first appear. Reapply when necessary based on pest reinfestations. Delay watering or mowing for 24 hours for optimum control of armyworms, cutworms, and sod webworms. Keep children and pets off treated areas until lawn has dried following the application. * Aids on control only.
	Bluegrass billbug (adult) Chinch hugs Chiggers Fire ants* Fleas Hyperodes weevil (adult) Mole crickets Scorpions	50 grams per 7,143 sq ft 140 grams per 20,000 sq ft	

STORAGE AND DISPOSAL

Not for Storage in or Around the House

Pesticide Disposal: Do not contaminate water, food, or feed by storage or disposal.

Pesticide wastes are hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

Container Disposal: Do not use container in connection with food, feed, or drinking water. After removing all PVA packets, carton or mar may be disposed of in trash.

Store in cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original containers and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above. In spill or leak incidents, keep unauthorized people away. You may contact the Miles Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Miles Kansas City Emergency Response Team Telephone No. is 816-242-2582, or contact Chemtrec at 800-424-9300.

Sold by:
Miles Inc.
Spenialty Products
Box 4913 *Kansas Ctry, MO 64120 0013

BEST AVAILABLE COPY

LABELING FOR PVA PACKET

TEMPO 20 WP Ornamental insecticide

ACTIVE INCREDIENT:	
Cyfluthrin, cyano(4-fluoro-3-phenoxyphenyl)-methyl 3 (2,2-dichloroethenyl)-2,2	
-dimethylcyclopropanecarboxylate	20%
INERT INGREDIENTS:	<u>80%</u>
	100%

EPA File Symbol No. 3125-395

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

(Refer to Accompanying Manufacturer's Recommendations for Complete Directions for Use and Precautions)

NET WEIGHT 50 GRAMS

[NET WEIGHT 140 GRAMS]



