404-8711 YLD

14

PM

\$ 2

Base Pre-Reg (8711)

U.S. LABEL

3125-404

Reason to Issue: To delete livestock uses; change company name, revise Environmental Hazards Statement in accordance with PR Notice 93-10.

Date of Draft: 01/29/96(Pre-Reg) (S) Supercedes Pre-Reg Draft dated: 06/16/93 22.5.1.1

JAN 0 2 19971

Dylox[®] **Technical Insecticide**

An insecticide for formulat	ling use.		-		•				-	
	1-hydroxyethyl)phosphonate									
EPA Reg. No. 3125-404 EPA Est. 44215-KS-1	. · · · · · · · · · · · · · · · · · · ·		Net (- · ·			-	00% Inds	•••	
	STOP - Read The Label	Before Use	1							
1	KEEP OUT OF REACH O		A	C	C	E.	P '	T	Ē	Ľ
	WARNING	G		',	JAN	0	ç L	199	17 j	
			Una	ler ti	ia Fa	d/and	i Ine	octi	ದನ್ನ	۲.

PRECAUTIONARY STATEMENTS englicide. and Redonticido Ac HAZARDS TO HUMANS

WARNING: May be fatal if swallowed. Harmful if inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

Fra Ber. Ko. If poisoning occurs, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression.

as amonded, for the passicide

latered under

STATEMENTS OF PRACTICAL TREATMENT

If swallowed: Vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 ounce or 15mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Professional medical assistance should be secured immediately." If on skin: Wash skin immediately with soap and water. If in eyes: Wash with plenty of water for at least 15 minutes. Get medical attention.

If inhaled: Remove to fresh air. lf not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea. To Physician: Administer atropine sulfate in large therapeutic doses. Repeat as necessary

to the point of tolerance. '2-PAM is also antidotal and may be administered in conjunction with atropine.

1

Dylox Technical Insecticide

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife and is extremely toxic to aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only for formulation into an insecticide for (1) The following uses:

Terrestrial non-food uses, residential outdoor use: lawns, turf.

- Uses for which US EPA has accepted the required data and/or citations of data that the formulator has submitted in support of registration; and,
- Uses for experimental purposes that are in compliance with US EPA requirements.

BAYER CORPORATION DISCLAIMS ALL LIABILITY BASED ON BREACH OF WARRANTY, NEGLIGENCE, STRICT TORT LIABILITY, OR ANY OTHER THEORY OF LIABILITY FOR CROP DAMAGE OR FAILED EFFICACY RESULTING FROM THE USE OF THIS BAYER PRODUCT AS AN INGREDIENT IN ANY FORMULATION WITH A USE NOT SPECIFICALLY LISTED ON THIS LABEL.

Labeling for products, formulated from this product must conform to that which is currently registered with the U.S. Environmental Protection Agency. For specific information on federally registered uses, contact Bayer. Any variance from the federally registered labeling for products containing DYLOX Insecticide will have to be supported by data provided by the formulator.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not use container in connection with food, feed, or drinking water. Completely empty container into the processing equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Kansas City Emergency Response Telephone Number is (816) 242-2582, or contact Chemtrec at 800-424-9300.



Bayer Corporation Specialty Products Box 4913 Kansas City, MO 64120-0013

£.

Page 2