

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

S60000

1/6

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

APR 30 2001

Mr. John S. Thornton Bayer Corporation 8400 Hawthorn Road P.O. Box 4943 Kansas City, MO 64120-0013

Dear Mr. Thornton:

Subject:

Labeling Amendment - Deletion of Use

Summit S Flowable Fungicide

EPA Reg No 3125-419

Your Correspondence Dated June 23, 1997

Your request to amend the subject registration by deleting sugar beets has been processed as described in PR Notice 91-1. There were not objections to the deletion of the use. The Federal Register Notice filed by this Agency in accordance with Section 6(f)(1) of FIFRA appeared September 17, 1997 (48836). Therefore, the labeling submitted under the Federal Insecticide. Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable subject to the condition indicated below.

* As indicated in Agency correspondence dated July 1, 1994, based on submitted studies, the precautionary statements should read as follows: "Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with eyes, skin, or clothing. Avoid breathing dust (vapor or spray mist). Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals."

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA Section 6(e). Your release for shipment of the product constitutes acceptance of the condition. A stamped copy of the labeling is enclosed for your records. Please submit one (1) copy of your final printed labeling before you release the product for shipment.

If you have any questions regarding this letter, do not hesitate to contact me at (703) 305-7740 or María I. Rodríguez of my staff at (703) 305-6710.

Sincerely yours,

Cynthia Giles-Parker Product Manager #22 Fungicide Branch Registration Division (7505C)

Base Pre-Reg (8968

U.S. LABEL

Reason to Issue: To voluntarily cancel registration on sugar beets.

Summit® S

Flowable Fungicide

Date of Draft 16/1997 (Pre-Reg) (T) In EPA Letter Dated: APR 30 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

For control of specified diseases on certain field and fruit crops.

ACTIVE INGREDIENTS:

Triadimefon, 1-(4-Chlorophenoxy)-3,3-dimethyl-1-(1 H-1,2,4-triazol-1-yl)-2-butanone	2.1%
Sulfur 5	3.7%
INERT INGREDIENTS	4.2%
10	0.0%

Contains 0.25 lb of triadimefon and 6.4 lb of sulfur per gallon.

EPA Reg. No. 3125-419

Net Contents: __ Gallon(s)

STOP - Read The Label Before Use **KEEP OUT OF REACH OF CHILDREN**

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with eyes, skin or clothing. Avoid breathing dust (vapor or spray mist). Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical-resistance category selection .chart_

Applicators and other handlers must wear:

- · Long-sleeved shirt and long pants
- · Chemical-resistant gloves, such as barrier laminate, or butyl rubber, or nitrile rubber or neoprene rubber or polyvinyl chloride or viton
- · Shoes plus socks
- · Protective eyewear

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering controls statements: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

STATEMENTS OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. If on skin: Wash with plenty of soap and water. Get medical attention. If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably

mouth-to-mouth. Get medical attention. If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

Note To Physician: No specific antidote. Treat symptomatically.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment washwaters. Apply this product only as specified on this label.

Do not make applications when weather conditions favor drift from target area. GROUND WATER ADVISORY: This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves, such as barrier laminate, or butyl rubber, or nitrile rubber or neoprene rubber or polyvinyl chloride or viton
- Shoes plus socks
- Protective eyewear

IMPORTANT: Read these entire Directions and Conditions of Sale before using SUMMIT S.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE THE DIRECTIONS FOR CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE ORDINARY AND CUSTOMARY IN THE GEOGRAPHIC AREA WHERE THE PRODUCT IS USED. INSUFFICIENT CONTROL OF PESTS AND OR INJURY TO THE CROP TO WHICH THE PRODUCT IS APPLIED MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO OTHER CROPS. ANIMALS, MAN, OR THE ENVIRONMENT. OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAOPDINARY OR UNUSUAL WEATHER, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF BAYER AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

MIXING: Add the recommended amount of SUMMIT S into the spray tank while filling with water to the desired level. Operate the agitator while mixing. If other materials are added to the spray tank, the SUMMIT S should be thoroughly dispersed prior to the addition of other materials.

COMPATIBILITY: SUMMIT S Fungicide is physically compatible with many registered insecticides, miticides, and fungicides. To determine the compatibility of SUMMIT S Fungicide with other products, the following procedure should be followed: Pour the recommended proportions of the

5/6

products into a suitable container of water, mix thoroughly and allow to stand at least five (5) minutes. If the combination remains mixed or can be re-mixed readily, the mixture is considered physically compatible. For further information contact your local Bayer representative.

RECOMMENDED APPLICATIONS

SUMMIT S may be applied in a minimum of 10 gallons of spray solution per acre by ground or in a minimum of 5 gallons of spray solution per acre by aircraft spray equipment except as noted under "Remarks" for each crop. Check equipment calibration frequently. Complete coverage and uniform application are essential for the most effective results, especially when lower spray volumes are applied. If necessary, increase the spray volume per acre for complete crop coverage.

Do not apply this product through any type of irrigation system.

Consult your State Agricultural Experiment Station or Extension Service Specialist or Bayer representative for guidance on the selection of specific dosage rates and timing of applications appropriate for your specific crop and disease. State regulations may contain additional restrictions or requirements. Check the Remarks and Restrictions sections of this label for additional directions.

RECOMMENDED APPLICATIONS			
CROP	DISEASE	RATE OF SUMMIT S Flowable Fungicide	REMARKS (Also refer to Directions for Use)
Grape	Powdery mildew	1-1/2 to 2 qt/A	Apply recommended dosage as a preventive spray in a minimum of 50 gallons of solution per acre by ground equipment. Increase spray volume as vine growth increases to ensure thorough coverage of the foliage and fruit. Make the first application prebloom to the new cane growth. Continue applications at 10- to 14-day intervals to maintain disease control. Use the higher label rate under heavy disease pressure, with 14-day spray intervals, and/or on varieties which are highly disease susceptible. Do not apply to grape varieties which are sensitive to sulfur. SUMMIT S may be applied up to 14 days before harvest. A maximum of 9 quarts of product may be applied per acre per crop season. If other products containing triadimefon are used during the season, do not exceed a total of 9 ounces active of triadimefon per acre per season.
Sugar best	Powdery mildew	2 to 4 qt/A	Apply recommended dosage as a broadcast spray at first sign of disease symptoms. Use the higher label rate under heavy disease pressure. Additional applications may be made at 10- to 14-day intervals to maintain disease control or if reinfection occurs. SUMMIT'S may be applied up to 15 days before harvest. A maximum of 8 quarts of product may be applied per acre per crop season. If other products containing triadimeton are used during the season, do not exceed a total of 8 ounces active of triadimeton per acre per season.

RESTRICTIONS

If other products containing triadimefon are used during the season, the total amount of triadimefon should not exceed the maximum season total stated on the label for each crop. Each quart of SUMMIT S contains 1 ounce of triadimefon active ingredient.

Do not use on other crops grown for food or forage.

ROTATIONAL CROPS

Small grains, corn, sorghum, soybeans, beans, peas and cucurbits may be planted 35 days after the last application of SUMMIT S, however forage or vines from these crops may not be used for food or feed. Root crops may be planted 120

days after the last application but tops must not be used for food or feed. All crops may be planted 12 months or later after the last application of SUMMIT Symphout any restrictions.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If container is leaking, invert to prevent leakage. If the container is leaking or material is spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with

absorbing type compounds and dispose of as directed for pesticides below. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Kansas City Emergency Response Telephone No. is 800-414-0244 or contact Chemtres at 800-424-9300.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Bayer Corporation Crop Protection Products Box 4913, Kansas City, MO 64120-0013

