

pm

19

3125-422

page 173

FEB 25 1997

John S. Thornton
Miles Inc.
8400 Hawthorn Road
P.O. Box 4913
Kansas City, Mo 64120-0013

Dear Mr. Thornton:

Subject: Add tobacco
Admire™ 2 Flowable
EPA Registration No. 3125-422
Amendment application of May 31, 1995 and
resubmission of February 26, 1996

The Agency is conditionally approving an amendment to the registration of the above-referenced product under the authority of section 3(c)(7)(b) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). To maintain your registration you must:

Two small scale prospective groundwater monitoring studies must be submitted. Monitoring must continue for at least two full years. Information, coordination and reports are due to the Agency according to the schedule listed for EPA Reg Nos. 3125-416, -417 and -418

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (7505C)

Enclosure

Admire 2 F

422-8729.YLU

293
Base Pre-Reg (8729)

U. S. LABEL

Reason to Issue: To add 14-day PHI, based on EPA comments.

Date of Draft: 02/26/96 (Pre-Reg) (C)
Supersedes Pre-Reg Draft Dated: 01/16/95

AdmireTM 2 Flowable

Systemic Insecticide

For control of certain insects infesting tobacco.

ACTIVE INGREDIENT:

Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine 21.4%

INERT INGREDIENTS 78.6%
100.0%

Contains 2 pounds of imidacloprid per gallon

EPA File Symbol No. 3125-422

Net Contents: Gallons

STOP - Read The Label Before Use
KEEP OUT OF THE REACH OF CHILDREN

AMENDMENT To Currently Registered Labeling

ACCEPTED
with COMMENTS
in EPA Letter Dated

FEB 25 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
3125-422

3 9 3

RECOMMENDED APPLICATIONS			
CROP	PEST	RATE	COMMENTS
Tobacco	Aphids	<u>SOIL APPLICATION</u> 0.7 fl oz/1000 Plants	<u>SOIL APPLICATION</u> Apply specified dosage to the soil in transplant water or as a uniform broadcast application or drench to trays of flats prior to transplanting. ADMIRE should be mixed with water prior to application. Keep ADMIRE solution agitated or mix regularly to avoid settling in the spray or transplant tank. Plants in flats or trays should be watered by overhead irrigation to wash ADMIRE from foliage into potting media. Failure to wash ADMIRE from foliage may result in a reduction in control. Adverse growing conditions may cause a delay in uptake of ADMIRE into the plant and a delay in control. Do not apply within 14 days of harvest. SEE NOTE BELOW
	Flea beetles	1.0 fl oz/1000 Plants	
	Mole Crickets Wireworms	1.4 to 2.8 fl oz/1000 Plants	
	Aphids	<u>FOLIAR APPLICATION</u> 1.5 to 3.0 fl oz/Acre	<u>FOLIAR APPLICATION</u> Apply specified dosage as a broadcast or directed spray to infested area. For optimal control good coverage of the foliage is needed. Addition of an organosilicone-based spray adjuvant at a rate not to exceed the adjuvant manufacturer's recommended use rate may improve coverage. Allow at least 7 days between applications. Allow at least 14 days between last application and harvest. A total of 18 fluid ounces (0.28 lb active ingredient) per acre per year may be applied as a foliar spray. SEE NOTE BELOW
	Flea beetles Japanese Beetles	3.0 fl oz/Acre	
*NOTE: Regardless of formulation or type of application (soil or foliar), do not apply more than a total of 0.5 lb active ingredient of ADMIRE or PROVADO per acre per season.			

FEB 25 1988