

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

NOTICE OF PESTICIDE:

x Registration Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

3125-453

APR 0 9 1997

Term of Issuance: Until Reregistration

Name of Pesticide Product:

Turf Fertilizer Plus Merit^(R) Insecticide

Name and Address of Registrant (include ZIP Code):

Bayer Corporation 8400 Hawthorn Road P.O. Box 4913 Kansas City, MO 64120-0013

Note: Changes in labeling differing in substance from that accepted in connection with this registration and be substituted to and subsepted by the Registration Division prior to use of the label in nomemore. In any our respondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregisteration under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his action, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If EPA determines, at any time, that additional data are required to maintain in effect an existing registration, The Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

Add the phrase EPA Registration No. "3125-453" to your label before you release the product for shipment.

Signature of Approving Official:

Usa E. Levere

Dennis H. Edwards, Jr. Product Manager 19
Insecticide Branch Rodenticide Branch
Registration Division (7505C)

Date:

APR 0 9 1997

PA Form 8570-6 page 2 EPA Reg. No. 3125-453

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

A stamped copy of the label is enclosed for your records.

Sincerely,

/5/

Dennis H. Edwards, Jr. Product Manager 19 Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure

Reason to Issue: To propose a new product.

PLUS MERIT

Date of Draft: 04/06/94(Pre-Reg)(C)

TURF FERTILIZER PLUS MERIT[®] INSECTICIDE

FOR FERTILIZATION AND INSECT CONTROL IN TURFGRASS AND LANDSCAPE ORNAMENTALS

32-5-7 Fertilizer with MERIT Insecticide Treats 22,000 Square Feet

ACTIVE INGREDIENT:	
Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine	0.5%
INERT INGREDIENTS	<u>99.5%</u>
	100.0%
Total Nitrogen	32.0%
1.95% Ammoniacal Nitrogen	
18.05% Urea Nitrogen	
12.0% Sulfur Coated Urea Nitrogen	
Available Posphoric Acid (P ₂ O ₅)	5.0%
Soluble Potash (K ₂ O)	7.0%
Sulfur (S) (Free)	5.15%
Ingredients: Sulfur coated urea, Urea, Ammonium phosphate, Muriate of Potash	
EPA File Symbol No. 3125-XXX NET CONTENTS	: Pounds

STOP - READ THE LABEL BEFORE USE

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See Rear Panel for Statements of Practical Treatment and Other Precautionary Statements)

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detaile.

(If you do not understand the label, find someone to explain it to you in detail.)

ACCEPTED with COMMENTS in EPA Letter Dated

APR 0 9 1997

MILES /

Under the Federal Insecticide, Fungicide, and Redenticide Act as amended, for the pesticide registered under EPA Reg. No.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing.

Wash thoroughly with soap and water after handling.

STATEMENTS OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. If syrup of ipecac is available, administer 1 tablespoonful (15 ml) of syrup of ipecac followed by 1 to 2 glasses of water. If vomiting does not occur within 20 minutes, repeat the dose once.

Do not induce vomiting or give anything by mouth to an unconscious person. If on skin: Wash thoroughly with soap and water. Get medical attention if irritation occurs. If in eyes: Hold eyelids open and flush with plenty of water. Call a physician if irritation persists.

TO PHYSICIAN: No specific antidote is available. Treat the patient symptomatically.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire DIRECTIONS FOR USE, GENERAL INFORMATION, AND CONDITIONS OF SALE before using Turf Fertilizer Plus MERIT Insecticide.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS UNDER CONDITIONS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED.

INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. MILES OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MILES AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

And the second s

GENERAL INFORMATION

APPLICATION TO TURFGRASS

The use of this product at 1.4 lb per 1000 sq ft will provide 0.45 ib of nitrogen per 1000 sq ft, as well as providing control of selected insect pests. Turf Fertilizer Plus MERIT Insecticide can be used for the control of soil inhabiting pests of turfgrass, such as Northern & Southern masked chafers, Cyclocephala borealis, C. immaculata, and/or C. lurida; Asiatic garden beetle, Maladera castanea; European chafer, Rhizotrogus majalis; May or June beetles, Phyllophaga spp.; Japanese beetle, Popillia Japonica; Oriental beetle, Anomala orientalis; Billbugs, Sphenophorus spp.; Annual bluegrass weevil, Hyperodes spp.; Black turfgrass ataenius, Ataenius spretulus; and Aphodius spp. Turf Fertilizer Plus MERIT Insecticide can be used as directed on turfgrass in sites such as home lawns, business and office complexes, shopping complexes, multi-family residential complexes, golf courses, airports, cemeteries, parks, playgrounds, and athletic fields. Turf Fertilizer Plus MERIT Insecticide cannot be used on commercial sod farms.

The active Ingredient in Turf Fertilizer Plus MERIT Insecticide has sufficient residual activity so that applications can be made preceding the egg laying activity of the target pests. High levels of control can be achieved when applications are made preceding or during the egg laying period. The need for an application can be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. Optimum control will be achieved when applications are followed by sufficient irrigation or rainfall to move the active ingredient through the thatch.

Applications should not be made when turfgrass areas are waterlogged or the soil is saturated with water. Adequate distribution of the active ingredient cannot be achieved when these conditions exist. The treated turf must be in such a condition that the rainfall or irrigation will penetrate vertically into the soil profile. Applications cannot exceed a total of 80 lb (0.4 lb of active ingredient) per acre per year.

APPLICATION TO ORNAMENTALS

Turf Fertilizer Plus MERIT Insecticide can be used as a broadcast application on ornamentals in commercial and residential landscapes, as well as on landscaped areas of golf courses and other recreational areas. When used at the labeled rate, Turf Fertilizer Plus MERIT Insecticide will deliver 0.45 lb of nitrogen per 1000 sq ft, as well as providing control of white grubs and other designated pests. This is a systemic product, with the active ingredient being absorbed by the roots and translocated upward within the plant. Optimum control will be achieved when applications are followed by sufficient mechanical incorporation, irrigation or rainfall to place the active ingredient into the root zone of the plants. Application should be made prior to anticipated pest infestation to achieve optimum levels of control.

For outdoor ornamentals, applications of Turf Fertilizer Plus MERIT Insecticide cannot exceed a total of 80 lb (0.4 lb of active ingredient) per acre per year.

NOTE: Not for use in commercial greenhouses or nurseries or on sod farms.

APPLICATION EQUIPMENT

Apply Turf Fertilizer Plus MERIT insecticide uniformly over the area being treated with typical granular application equipment. Both drop-type and rotary-type spreaders may be used to apply Turf Fertilizer Plus MERIT Insecticide. Avoid the use of spreaders which would apply the material in narrow, concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

SPREADER SETTINGS FOR TURF FERTILIZER PLUS MERIT INSECTICIDE

The following chart can be used as a guide in establishing an accurate rate of Turf Fertilizer Plus MERIT Insecticide. Application rates will vary dependent upon equipment wear and condition of spreader. Carefully calibrate all equipment used prior to commercial use of this product.

(Chart to Come)

RECOMMENDED APPLICATIONS

The use of this product at 1.4 lb per 1000 sq ft will provide 0.45 lb of nitrogen per 1000 sq ft, as well as providing control of the following insects.

CROP	PEST	DOSAGE TURF FERTILIZER + MERIT	REMARKS
Turf Grasses	Larvae of: Japanese beetle Black turfgrass ataenius Northern masked chafer Southern masked chafer European chafer Oriental beetle Asiatic garden beetle Phyllophaga spp. Billbugs Annual bluegrass weevil Larvae of: Japanese beetle Black turfgrass ataenius Northern masked chafer Southern masked chafer European chafer Oriental beetle Asiatic garden beetle	50 to 80 lb per acre or 1.2 to 1.8 lb per 1000 sq ft 60 lb per acre or 1.4 lb per 1000 sq ft	For optimum control, make application prior to egg hatch of the target pest. Be sure to read "APPLICATION EQUIPMENT" Section of this label. SEE NOTE SEE GENERAL INFORMATION SECTION OF THIS LABEL
	Phyllophaga spp. Larvae of: Billbugs Annual bluegrass weevil	60 to 80 lb per acre or 1.4 to 1.8 lb per 1000 sq ft	

Consult your local State Agricultural Experiment Station, or State Extension Turf Specialists for more specific information regarding timing of application.

NOTE: For optimum control, irrigation or rainfall should occur within 24 hours after application to move the active ingredient through the thatch. Do not apply more than 80 lb (0.4 lb of active ingredient) per acre per year. Avoid mowing turf or lawn area until after irrigation or rainfall has occurred so that uniformity of application will not be affected.

RECOMMENDED APPLICATIONS FOR USE ON ORNAMENTALS					
For use only in and around industrial and commercial buildings, residential areas and in recreational					
areas such as golf courses (including trees, shrubs, evergreens, flowers, foliage plants, ground covers).					

CROP	PEST	DOSAGE TURF FERTILIZER + MERIT	REMARKS
Landscape Plantings	White grub larvae (such as Japanese beetle larvae, Chafers, Phyllophaga spp. Asiatic garden beetle, Oriental beetle)	1.4 to 1.8 lb per 1000 sq ft	Apply as a broadcast treatment. Prior to application, remove black plastic or other weed barrier material that will not permit water permeability. NOTE: For optimum control, mechanical incorporation, irrigation or rainfall should occur within 24 hours after application to move the
Flowers, Groundcovers	Aphids Lacebugs Leafhoppers Leafminers Mealybugs Scale insects Thrips Whiteflies	•	Refer to label sections on application equipment and spreader settings. SEE GENERAL INFORMATION

RESTRICTIONS

Avoid runoff or puddling of Irrigation water following application. Avoid application of Turf Fertilizer Plus MERIT Insecticide to areas which are water-logged or saturated, which will not allow penetration into the root zone of the

plant. Do not apply more than 80 ib (0.4 ib of active ingredient) per acre per year. Do not plant any food crop within one year of a treatment with Turf Fertilizer Plus MERIT Insecticide.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty container into application equipment. Dispose of empty containers in a sanitary landfill or by incineration or if allowed by the state and local authorities, by burning. If burned, stay out of smoke.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If material is spilled for any reason or cause, carefully contain any spilled material to prevent non-target contamination. Do not walk through spilled material and dispose of as directed for pesticides above. Refer to Precautionary Statements on label for hazards associated with the handling of this material. In spill or leak incidents, keep unauthorized people away. You may contact the Miles Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Miles Kansus City Emergency Response telephone number is 816-242-2582, or contact Chemtrec at 800-424-9300.

Miles Inc.
Specialty Products
Box 4913 Kansas City, MO 64120-0013