

FEB 25 1997

John S. Thornton
Miles Inc.
8400 Hawthorn Road
P.O. Box 4913
Kansas City, Mo 64120-0013

Dear Mr. Thornton:

Subject: Add tobacco
Provado 1.6 Flowable
EPA Registration No. 3125-457
Amendment application of May 31, 1995 and
resubmission of February 26, 1996

The Agency is conditionally approving an amendment to the registration of the above-referenced product under the authority of section 3(c)(7)(b) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). To maintain your registration you must:

Two small scale prospective groundwater monitoring studies must be submitted. Monitoring must continue for at least two full years. Information, coordination and reports are due to the Agency according to the schedule listed for EPA Reg Nos. 3125-416, -417 and -418

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (7505C)

Enclosure

Provado 1.6 F

457-8730.YLD

U. S. LABEL

Base Pre-Reg (8730)

Reason to Issue: To add 14-day PHI, based on EPA comments.

Date of Draft: 02/26/96 (Pro-Reg) (C)
Supercedes Pre-Reg Draft Dated: 01/16/95

Provado® 1.6 Flowable Foliar Insecticide

For control of certain insects infesting tobacco.

ACTIVE INGREDIENT:

Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine 17.4%

INERT INGREDIENTS 82.6%
100.0%

Contains 1.6 pounds of imidacloprid per gallon
EPA Reg. No. 3125-457

Net Contents: ____ Gallons

**STOP - Read The Label Before Use
KEEP OUT OF THE REACH OF CHILDREN**

AMENDMENT to Currently Registered Labeling

RECOMMENDED APPLICATIONS			
CROP	PEST	RATE	COMMENTS
Tobacco	Aphids	FOLIAR APPLICATION 2 to 4 fl oz/Acre	FOLIAR APPLICATION Apply specified dosage as a broadcast or directed spray to infested area. For optimal control good coverage of the foliage is needed. Addition of an organosilicone-based spray adjuvant at a rate not to exceed the adjuvant manufacturer's recommended use rate may improve coverage.
	Flea beetles Japanese Beetles	4 fl oz/Acre	Allow at least 7 days between applications. Allow at least 14 days between last application and harvest A total of 22 fluid ounces (0.28 lb active ingredient) per acre per year may be applied as a foliar spray. SEE NOTE BELOW
NOTE: Regardless of formulation or type of application (soil or foliar), do not apply more than a total of 0.5 lb active ingredient of ADMIRE or PROVADO per acre per season.			

ACCEPTED
with COMMENTS
in EPA Letter Dated

Text being added is highlighted by redlining

FEB 25 1997

Bayer Corporation
Crop Protection Products
Box 4913
Kansas City, MO 64120-0013

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

3125-457

Bayer 