

003125-00467-102098

Printed: 10:26:48 Friday, 28 May, 1999 # 8 / 3128

Systems Integration Group, Inc.

PM 04 Flease read instruction on reverse before convideting form	1 31	25-467	10/	/20/<i>98</i> Approved OMB No.	2070-0060. Approval expires 0 531-9	
United States Environmental Protection Agency Washington, DC 20460			×	Registration Amendment	OPP Identifier Number 252638	
	Applicati	on for Pestic	ide - Sectio	n l		
1. Company/Product Number		2. EPA I	roduct Manager		3. Proposed Classification	
3125-467	Peg Pe		ault	None Restricted		
4. Company/Product Name Merit 0.35 G Lawn and Garde	en Insecticid <u>e</u>		04			
5. Name and Address of Applicant (Include ZIP Code)					vith FIFRA Section 3(c)(3)	
Bayer Corporation 8400 Hawthorn Road, P.O. Box 491	13	(b)(1), to:	my product is sir	nilar or identical	in composition and labeling	
Kansas City, MO 64120-0013		1	Reg. No			
Check. If this is Is a new address	Product Name					
		Section -	11			
Amendment - Explain below.			Final printed	labels in response t	. NOTIFICATION	
· —			Agency letter dated OCT 2 0 1998			
Resubmission in response to Agency letter dated			-{		001 2 0 1770	
Notification - Explain below.		L	Other - Expla	<u></u>		
Explanation: Use additional page(s) if neo	essary. (For Sec	tion I and Section I	.)			
See Attached 72	~ PR,	Notices		17-5, 5,	97-6	
		Section -				
1. Material This Product Will Be Packaged In:	· · · · · · · · · · · · · · · · · · ·					
Child-Resistant Packaging Unit Packaging Yes* Yes	Child-Resistant Packaging Unit Packaging		ackaging	2. Type of Container		
No No		Yes No			Metal	
lf "Yes"	No, Per	If "Yes"	No, Per	-	Plastic Glass	
* Certification must Unit Packaging wgt	Container	Package wgt.	Container		Paper Other (Specify)	
3. Location of Net Contents Information	A Size(s) R	etail Container	15	Location of Labe	Directions	
Label Container	5.125(6)			On Label	companying product	
6. Manner in Which Label is Affixed to Produ	ict Lithogr	•	Other	***		
	Stencil					
		Section - IV			• • • • • • • • • • • • • • • • • • • •	
1. Contact Point (Complete items directly belo	w for identificat	ion of Individual to	be contacted, if r	necessary, to proc	ess this application.)	
Name		Title		0 000	Telephone No. (Include Area Code	
Charles W. Boyd	Contis	cation Senior	Registration S	pecialist : [815-242-2457 6 Date Application	
I certify that the statements I have made of acknowledge that any knowingly false or both under applicable law.	n this form and a	II attachments there		prisonment or	Received (Stamped)	
2. Signature		3. Title		•••	••••	
Down A Dr.	Director, Product Registrations & Regulatory Affairs			••••		
4. Typed Name	non	5. Date	JIY Anairs		••••	
John S. Thornton	October 6, 1998					

Garden

Lawn &

Merit

U.S. LABEL

Base Pre-Reg (9202)

Reason to Issue: To make changes per PR Notice 97-5 and 97-6

Date of Pre-Reg Draft: 09/30/98 (B)

Merit 0.35 G

OCT 2 0 1998

Lawn and Garden Insecticide

For residential use on lawns and landscaped areas.

Kills white grubs and mole crickets early, before they damage your lawn.

Apply before insects hatch to prevent turf damage.

One application controls grubs all season long.

ACTIVE INGREDIENT:

EPA Reg. No. 3125-467

Net Contents: ____

STOP - Read The Label Before Use KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid

contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

STATEMENTS OF PRACTICAL TREATMENT FIRST AID

If swallowed: Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger, or, if available, by administering syrup of ipecac. If syrup of ipecac is available, administer 1 tablespoonful (15 mL) of syrup of ipecac followed by 1 to 2 glasses of water. If vomiting does not occur within 20 minutes, repeat the dose once. Do not induce vomiting or give anything by mouth to an

unconscious person. If on skin: Wash thoroughly with soap and water. Get medical attention if irritation occurs. If in eyes: Hold eyelids open and flush with plenty of water. Call a physician it irritation persists.

To Physician: No specific antidote is available. Treat the patient symptomatically.

*CAS#138261-41-3

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water. Do

not contaminate water when cleaning equipment or disposing of equipment washwater.

WHAT MERIT 0.35 G LAWN AND GARDEN INSECTICIDE DOES

White grubs can cause extensive damage to turf by feeding on grass roots. Affected turf turns yellow, then brown and is easily pulled up in pieces with your hands. Mole crickets can seriously damage lawns by their tunneling activity. Some species also feed on the grass roots, as well. MERH 0.35 G prevents turf damage by killing grubs and mole crickets when they are newly hatched and before they can cause turf damage.

MERIT 0.35 G works best when applied before grubs and mole crickets hatch. The active ingredient will remain in the root zone of the turf until the eggs of grubs or mole crickets hatch. These newly hatched insects are highly susceptible to MERIT, and are killed before they become large enough to cause turf damage. MERIT 0.35 G also kills grubs in landscaped ornamental areas containing flowers, ground covers, shrubs and trees.

If you have questions regarding the best time to make applications in your area, you can consult your local County University Extension Office. Be sure that you describe the product you are using when seeking such advice.

HOW TO APPLY MERIT 0.35 G LAWN AND GARDEN INSECTICIDE DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS FOR USE AND CONDITIONS OF SALE BEFORE USING

APPLICATION TO LAWNS:

<u>Pests Controlled:</u> White grubs (including the larvae of Japanese beetle, Oriental beetle, Chafers, Asiatic garden beetle, May or June beetles, and black turfgrass ataenius) and mole crickets.

How to Apply: Using either a drop-type or rotary-type spreader, apply MERIT 0.35 G uniformly over the area being treated. Avoid the use of spreaders which may apply the product in narrow, concentrated or uneven bands. Calibrate your spreader according to the spreader manufacturer's directions to ensure the proper amount of MERIT 0.35 G is applied. Check frequently to be sure spreader is working properly and spreading granules evenly.

After Applying: MERIT 0.35 G will work best if the lawn is watered thoroughly or if rainfall occurs within 24 hours after application to move the active ingredient through the thatch and down into the soil. Avoid mowing lawn until watering or rainfall has occurred so that the uniformity of the granules is not disturbed.

When to Apply: MERIT 0.35 G works best when applied before grubs and mole crickets hatch.

For best results, apply as follows:

White grubs	Apply once, anytime from April through mid- August.
Mole crickets	In Florida, apply once from early April through early May. Elsewhere, apply once from mid-May through mid-June.

DO NOT apply MERIT 0.35 G when turf areas are waterlogged. The product may not work effectively under these conditions.

How Much to Apply: For control of white grubs, MERIT 0.35 G should be applied at the rate of 1.7 pounds per 1,000 square feet. For mole cricket control apply 2.1 pounds per 1000 square feet. The table below can be used as a guide for applying the proper rate of MERIT 0.35 G. However, the application rate can vary depending on the speed of application and the condition of the spreader. For best results, use a normal, steady pace when applying to obtain an accurate, even application.

SPREADER SETTING TABLE TO BE INSERTED HERE.

APPLICATION TO LANDSCAPE PLANTINGS

(Trees, Shrubs, Evergreens, Flowers, Ground covers)

<u>Pests Controlled:</u> White grubs (including larvae of Japanese beetle, Oriental beetle, chafers, Asiatic garden beetle, May and June beetle, and black turigrass ataenius).

How to Apply: Apply as a broadcast treatment to soil, mulch or other substrate. Prior to application, remove black plastic from area to be treated to allow water to penetrate into the soil. Permeable weed barriers need not be removed prior to application.

After Applying: MERIT 0.35 G will work best if material is worked into the soil around plants or if a thorough watering or rainfall occurs within 24 hours after application to move the product down through mulch and into the soil.

When to Apply: The best control of grubs will be obtained if MERIT 0.35 G is applied before grubs begin to hatch. For best results, application should occur from April through mid-August.

DO NOT apply to waterlogged areas. MERIT may not work effectively under these conditions.

How Much to Apply: MERIT 0.35 G should be applied at the rate of 1.7 pounds per 1,000 square feet. The table above can be used as a guide for applying the proper rate of MERIT 0.35 G. However, the application rate can vary depending on the speed of application and the condition of the spreader.

NOTE: DO NOT apply MERIT 0.35 G to vegetable gardens or edible berry bushes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Container Disposal: Do not re-use bag. Wrap and dispose of in trash.

Storage: Store in a cool, dry place.

CONDITIONS OF SALE

THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS UNDER CONDITIONS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED.

INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRA-

ORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. BAYER OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF BAYER AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

