

	<p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <u> X </u> Registration <u> </u> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number: 3125-472	Date of Issuance: AUG 09 1995
		Term of Issuance:	
		Name of Pesticide Product: Merit 0.25 Plus Lawn & Garden Fertilizer	
Name and Address of Registrant (include ZIP Code): Bayer Corporation P.O. Box 4913 8400 Hawthorn Road Kansas City, MO 64120-0013			
<p>Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>			
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistration under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>1. Make the following labeling changes:</p> <p>a. Add the phrase EPA Registration No. "3125-472" to your label before you release the product for shipment.</p>			
Signature of Approving Official: <i>DHE</i> Dennis H. Edwards, Jr., Product Manager 19 Insecticide Branch Rodenticide Branch Registration Division (H7505C)		Date: AUG 09 1995	

EPA Reg. No. 3125-472

b. Revised the environmental hazards statement to read: This product is highly toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when cleaning equipment or disposal of equipment washwater.

2. Depending on the results of your groundwater studies, we may require that you add a groundwater advisory statement to this label.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

)

MERIT 0.25 Plus Lawn and Garden Fertilizer

XXX-8506.YLD

U.S. LABEL

Base Pre-Reg. (8506)

Reason to Issue: To propose registration
of consumer product.

Date of Pre-Reg Draft: 05/04/95(S)

MERIT 0.25

Plus Lawn and Garden Fertilizer

For residential use on lawns and landscaped areas.
Fertilizes lawn and controls white grubs and mole crickets.
Kills white grubs early, before they damage your lawn.
Apply before insects hatch to prevent turf damage.
One application controls grubs all season long.

ACTIVE INGREDIENT:

Imidacloprid, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine	0.25%
INERT INGREDIENTS	99.75%
	100.00%

EPA Reg. No. 3125-XXX

Net Contents: _____

STOP - Read The Label Before Use
KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed
through skin. Causes eye irritation. Avoid
contact with skin, eyes, or clothing.

Wash thoroughly with soap and water after
handling.

STATEMENTS OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison
Control Center. Drink one or two glasses of
water and induce vomiting by touching back
of throat with finger, or, if available, by
administering syrup of ipecac. If syrup of
ipecac is available, administer 1 tablespoonful
(15 ml) of syrup of ipecac followed by 1 to 2
glasses of water. If vomiting does not occur
within 20 minutes, repeat the dose once.

Do not induce vomiting or give anything by
mouth to an unconscious person. **If on skin:**
Wash thoroughly with soap and water. Get
medical attention if irritation occurs. **If in
eyes:** Hold eyelids open and flush with plenty
of water. Call a physician if irritation persists.

TO PHYSICIAN: No specific antidote is
available. Treat the patient symptomatically.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. Do not apply directly to water.

ACCEPTED
ALL COMMENTS
in EPA Letter Dated
AUG 9 9 1995
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
3125-472

WHAT MERIT 0.25 PLUS LAWN AND GARDEN FERTILIZER DOES

White grubs can cause extensive damage to turf by feeding on grass roots. Affected turf turns yellow, then brown, and is easily pulled up in pieces with your hands. Mole crickets can seriously damage lawns by their tunneling activity. Some species also feed on the grass roots, as well. MERIT 0.25 Plus Lawn and Garden Fertilizer prevents turf damage by killing grubs and mole crickets when they are newly hatched and before they can cause turf damage. It also contains fertilizer to provide beneficial nutrients.

MERIT 0.25 Plus works best when applied before grubs and mole crickets hatch. The active ingredient will remain

in the root zone of the turf until the eggs of grubs or mole crickets hatch. These newly hatched insects are highly susceptible to MERIT, and are killed before they become large enough to cause turf damage. MERIT 0.25 Plus also kills grubs and fertilizes landscaped ornamental areas containing flowers, ground covers, shrubs and trees.

If you have questions regarding the best time to make applications in your area, you can consult your local County University Extension Office. Be sure that you describe the product you are using when seeking such advise.

HOW TO APPLY MERIT 0.25 PLUS LAWN AND GARDEN FERTILIZER

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS FOR USE AND CONDITIONS OF SALE BEFORE USING

APPLICATION TO LAWNS:

Pests Controlled: White grubs (including the larvae of Japanese beetle, Oriental beetle, Chafers, Asiatic garden beetle, May or June beetles, and black turfgrass ateniuss) and mole crickets.

How to Apply: Using either a drop-type or rotary-type spreader, apply MERIT 0.25 Plus uniformly over the area being treated. Avoid the use of spreaders which may apply the product in narrow, concentrated or uneven bands. Calibrate your spreader according to the spreader manufacturer's directions to ensure the proper amount of MERIT 0.25 Plus is applied. Check frequently to be sure spreader is working properly and spreading granules evenly.

After Applying: MERIT 0.25 Plus will work best if the lawn is watered thoroughly or if rainfall occurs within 24 hours after application to move the active ingredient through the thatch and down into the soil. Avoid mowing lawn until watering or rainfall has occurred so that the uniformity of the granules is not disturbed.

When to Apply: MERIT 0.25 Plus works best when applied before grubs and mole crickets hatch.

For best results, apply as follows:

White grubs	Apply once, anytime from April through mid-August.
Mole crickets	In Florida, apply once from early April through early May. Elsewhere, apply once from mid-May through mid-June.

DO NOT apply MERIT 0.25 Plus when turf areas are waterlogged. The product may not work effectively under these conditions.

How Much to Apply: For control of white grubs, MERIT 0.25 Plus should be applied at the rate of 2.4 to 3.0 pounds per 1,000 square feet. For mole cricket control apply 3 pounds per 1,000 square feet. The table below can be used as a guide for applying the proper rate of MERIT 0.25 Plus. However, the application rate can vary depending on the speed of application and the condition of the spreader. For best results, use a normal, steady pace when applying in order to obtain an accurate, even application.

SPREADER SETTING
TABLE TO BE
INSERTED HERE.

APPLICATION TO LANDSCAPE PLANTINGS (Trees, Shrubs, Evergreens, Flowers, Ground covers):

Pests Controlled: White grubs (including larvae of Japanese beetle, Oriental beetle, chafers, Asiatic garden beetle, May and June beetle, and black turfgrass ataenius).

How to Apply: Apply as a broadcast treatment to soil, mulch or other substrate. Prior to application, remove black plastic from area to be treated to allow water to penetrate into the soil. Permeable weed barriers need not be removed prior to application.

After Applying: MERIT 0.25 Plus will work best if material is worked into the soil around plants or if a thorough watering or rainfall occurs within 24 hours after application to move the product down through mulch and into the soil.

When to Apply: The best control of grubs will be obtained if MERIT 0.25 Plus is applied before grubs begin to hatch. For best results, application should occur from April through mid-August.

DO NOT apply to waterlogged areas. MERIT may not work effectively under these conditions.

How Much to Apply: MERIT 0.25 Plus should be applied at the rate of 2.4 to 3 pounds per 1,000 square feet. The table above can be used as a guide for applying the proper rate of MERIT 0.25 Plus. However, the application rate can vary depending on the speed of application and the condition of the spreader.

NOTE: DO NOT apply MERIT 0.25 Plus to vegetable gardens.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Container Disposal: Do not re-use bag. Wrap and dispose of in trash.

Storage: Store in a cool, dry place.

CONDITIONS OF SALE

THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS UNDER CONDITIONS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED.

INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRA-

ORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. BAYER OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF BAYER AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

Bayer 

Bayer Corporation
Specialty Products
Box 4913, Kansas City, MO 64120-0013