



NOV 8 1999

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

John Thornton
Bayer Corporation, Agriculture Division
8400 Hawthorne Road
P.O. Box 4913
Kansas City, MO 64120-0013

Subject: Merit 0.25 Plus Lawn and Garden Fertilizer
EPA Reg. No. 3125-472
Application for amended registration, dated October 22, 1999 and
resubmission dated November 5, 1999 - Label revision and alternate brand
name.

Dear Mr. Thornton,

This letter supersedes our letter dated October 28, 1999 regarding EPA Reg. No. 3125-472. Your proposed revised label which was submitted in finished format on October 22, 1999 and resubmitted November 5, 1999, has been reviewed. The label is acceptable at this time provided you make the changes indicated below at the next printing of your label.

1. Add the statement "FOR OUTDOOR RESIDENTIAL USE" to the front panel of the label; this statement appears on all of the recently accepted labels for Bayer products with similar lawn and garden uses.
2. The following statement was included on the front panel of the last stamped accepted label (May 24, 1999) and must be added to the front panel of the revised label as one of the bullet points under the product name:

* For Use On: Lawns, Ground Covers, Flower Beds, and around Trees and Shrubs.*
3. As you know, EPA will soon be issuing a PR Notice concerning improvements to the format and content of "First Aid" statements (formerly "Statement of Practical Treatment") on all pesticide product labels. The "First Aid" statements in the upcoming PR Notice will supersede the statements that are listed in the December 1996 Label Review Manual. In addition, EPA is currently revising the Label Review Manual; the revised manual will incorporate the updated "First Aid" statements from the PR Notice. At this time, we recommend that you incorporate the updated "First Aid" statements on your new product label by revising the instructions under "FIRST AID" to

read as follows:

"IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

"IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. Call a poison control center or doctor for treatment advice."

You may continue to use the same format for the First Aid section that is used on your label submitted November 5, 1999 (i.e. the box format with the headings "IN CASE OF ACCIDENTAL.....SWALLOWING, CONTACT WITH SKIN, CONTACT WITH EYES" - followed by the above text in bullet format).

Since the label submitted on November 5, 1999 is in finished format and is substantially similar to the last accepted label (stamped May 24, 1999), and since the revisions requested above do not raise risk concerns associated with the use of this product, we will allow you to use this labeling for a period not to exceed January 31, 2000. Products released for shipment after January 31, 2000 must bear labeling revised in accordance with this letter.

Please submit one copy of your revised final printed labeling before you release the product for shipment. If the above specified conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. If you have any questions regarding this letter, please contact me by phone at (703) 305-5417 or via E-mail at Perreault.peg@epamail.epa.gov.

Sincerely yours,

Peg Perreault
Chemical Manager, Team 4
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure (1)

3125-472

374



Season-Long Grub Control with Fertilizer

Bayer 

ADVANCED LAWN™

Under the Federal Fungicide, and Rodenticide Act, this product is registered under EPA Reg. No. 3125-472

TREATS UP TO 5,000 SQ FT

Season-Long Grub Control with Fertilizer 12-18-6

READY-TO-SPREAD GRANULES

- ▶ **Convenient 2-in-1 Formula:** One Application Kills Grubs All Season Long and Fertilizes Your Lawn
- ▶ Apply anytime spring through late summer
- ▶ Also kills mole crickets



KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel for ingredients and precautionary statements
 HARMFUL IF SWALLOWED
 CAUSES EYE IRRITATION



NET WT 15 LBS (6.8kg)



Season-Long Grub Control with Fertilizer

READY-TO-SPREAD GRANULES

Season-Long Grub Control with Fertilizer





Season-Long Grub Control with Fertilizer

Bayer Advanced Lawn Season-Long Grub Control With Fertilizer performs two important jobs. One application kills grubs all season long and fertilizes your lawn all at the same time. Keeping your lawn free of damaging grubs has never been easier.

READY-TO-SPREAD GRANULES

READ THE LABEL FIRST!

QUICK FACTS

- Unique Double Action Formula
 - Kills White Grubs Before They Damage Lawns
 - Feeds Root Systems
- Also Controls Mole Crickets
- Easy-to-Use Granules

KILLS	White Grubs (larvae of the Asiatic Garden Beetles, Black Turfgrass Ateenius, Chafers, Japanese Beetles, May or June Beetles, and Oriental Beetles), and Mole Crickets.
FEEDS	12-18-6 Helps root systems by promoting new growth
COVERAGE	This bag covers up to 5,000 sq ft
WHERE TO USE	Lawns, Flower Beds, Ground Covers, and around Trees & Shrubs
WHEN TO USE	May through mid-August
HOW MUCH TO USE	See spreader settings

ACTIVE INGREDIENTS:	Imidacloprid 0.13%	GUARANTEED ANALYSIS 12-18-6	Trial Nitrogen (N) 1.7%
OTHER INGREDIENTS:	99.87%	1.7% Ammoniacal Nitrogen	Available Phosphate (P ₂ O ₅) 18%
		Soluble Potash (K ₂ O) 6%	Sulfur (S) 11%
		11% Combined Sulfur (S)	Derived from Ammonium Sulfate, Ammoniated Phosphate, Sulfate of Potash
			F1339

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory.info.states.com>

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.

BEFORE YOU USE Read and follow these directions when using.	<ul style="list-style-type: none"> • Do not apply near fish ponds, brooks, streams or lakes. • Do not use in vegetable gardens.
---	---

HOW TO USE

TO CONTROL	WHEN TO APPLY
GRUBS	Apply once anytime from May through mid-August.
MOLE CRICKETS	Apply once anytime from mid-May through early June. *Florida residents: Apply once anytime between early April through early May.

For best results, apply Season-Long Grub Control with Fertilizer before grubs or mole crickets hatch. Contact your County Extension Agent for the area state to apply in your area.

LAWNS

How Much: See Spreader Settings

Adjust spreader to the proper setting (see Spreader Settings).

To be sure you cover the entire area uniformly, first treat the border of the lawn then fill in the center. Make parallel passes, walking at a steady pace to ensure even distribution of the granules.

Water thoroughly after applying.

FLOWER BEDS, GROUND COVERS, TREES & SHRUBS

How Much: 2 Tablespoons per 10 sq ft of planting bed. 1-1/4 cups per 100 sq ft of planting bed.

Spread granules evenly to the soil over flower beds, ground cover plantings, shrub beds and under trees.

TIP: A hand-held spreader makes this easy.

Rake granules into the soil around plants.

Water thoroughly after applying.

Children and pets may re-enter after the treated area has been watered and allowed to dry.

- FOR BEST RESULTS**
- Apply early, before grubs and mole crickets hatch.
 - Water thoroughly within 24 hours after applying.
 - Do not mow until the granules are watered into the soil.
 - Avoid applying Season-Long Grub Control with Fertilizer to waterlogged areas, as this may decrease the product's effectiveness.
 - You may spread Season-Long Grub Control with Fertilizer over soil or mulch. If present, remove weed barrier before applying.

SIGNS OF DAMAGE TO LAWNS

GRUBS

White grubs cause extensive damage to lawns by feeding on grass roots. Grass turns yellow, then brown, and dies. Grubs chew off roots so that the grass is easily pulled up in pieces with your hands. You can roll it back like a carpet to reveal the grubs. If patches of dead grass appeared in your lawn late last summer, check for grubs.

MOLE CRICKETS

Mole crickets often cause extensive damage by tunneling through lawns. Some species also feed on roots, tunneling upwards the grass so it easily dries out. Lawns turn yellow, become thin, weedy, and can eventually die.

HOW IT WORKS

After Season-Long Grub Control with Fertilizer granules are watered in, a protective zone is formed in the soil. If applied early, Season-Long Grub Control with Fertilizer kills grubs and mole crickets when they hatch... before they can cause damage.

Spreader Settings

If your spreader is not listed, please call our Consumer Service Hotline at 1-877-BayerAL for help.
Rate for grubs: 3 lbs per 1,000 sq ft
Rate for mole crickets: 3 lbs per 1,000 sq ft

SPREADER SETTINGS

Broadcast Spreaders	3 lb Rate	Distance Between Passes (ft)
Model	Setting	
CYCLONE ROTARY	4.0	2.0
EARTHWAY ROTARY	13.0	7.0
EVAN-SPREAD	13.0	7.0
K-GRO ROTARY	1.5	8.0
ORTHO ROTARY	1.5	8.0
PRECISION ROTARY (#5850)	4.0	3.0
RED DEVIL ROTARY	4.0	3.0
REPUBLIC E2 ROTARY (#540)	1.5	8.0
SCOTT'S EASYGREEN (#EG-3)	26.5	3.0
SCOTT'S SPEEDYGREEN 1000	2.5	4.0
SCOTT'S SPEEDYGREEN 2000	5.5	4.0
SCOTT'S SPEEDYGREEN 3000	5.5	4.0
SEARS ROTARY	1.5	8.0
TRUE TEMPER ROTARY	4.0	2.0
VIGORO ROTARY	4.0	3.0

Drop Spreaders	3 lb Rate	Distance Between Passes (ft)
Model	Setting	
AMES DROP	3.5	N/A
K-GRO DROP	8.0	N/A
ORTHO DROP	8.0	N/A
REPUBLIC E2 DROP (#530)	8.0	N/A
SCOTT'S ACCUGREEN 1000	6.25	N/A
SCOTT'S ACCUGREEN 2000	6.25	N/A
SCOTT'S ACCUGREEN 3000	3.0	N/A
SEARS DROP	8.0	N/A
STA-GREEN DROP	3.5	N/A

*Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.
TIP: 1000 sq ft = 20 ft x 50 ft
Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

IMPORTANT - Directions for Storage and Disposal

STORAGE CONDITIONS	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.
CONTAINER DISPOSAL	<ul style="list-style-type: none"> • Do not contaminate water, food, or feed by storage or disposal. • Do not re-use empty product bags. • Securely wrap the empty product bag in several layers of newspaper. • Place in trash.

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state or local guidelines.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION	<ul style="list-style-type: none"> • Harmful if swallowed or absorbed through skin. • Causes eye irritation. • Avoid contact with skin, eyes, or clothing. • Wash thoroughly with soap and water after handling.
----------------	--

FIRST AID

IN THE CASE OF ACCIDENTAL ...	IMMEDIATELY ...
SWALLOWING	• Call a doctor or Poison Control Center for treatment advice.
CONTACT WITH SKIN	<ul style="list-style-type: none"> • Wash thoroughly with soap and water. • Get medical attention if irritation occurs.
CONTACT WITH EYES	<ul style="list-style-type: none"> • Hold eye open and rinse eye slowly and gently with water. • Continue to rinse eye for 10 to 15 minutes. • Call a doctor if irritation persists.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel.

For medical emergency information, you may call toll-free 1-877-225-3763. Active Ingredient: Imidacloprid (CAS # 138261-41-3)

ENVIRONMENTAL HAZARDS

- This product is highly toxic to aquatic invertebrates.
- Do not apply directly to water.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater.

NOTICE: Research and testing has determined that the "Directions for Use" are appropriate for the proper use of Season-Long Grub Control with Fertilizer under average conditions. The Bayer assumes responsibility for lack of performance or safety if not used according to the directions. Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

Made in USA

Manufactured by Bayer Crop Science, Consumer & Professional Care, Division 1111, Kansas City, MO 64116

LAWN TIP: If you have recently applied lawn fertilizers, we recommend that you use Bayer Advanced Lawn Season-Long Grub Control without Fertilizer.