

PM 13 3125-485

1/5

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

1605501511  
18/1



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

NOTICE OF PESTICIDE:

  X   Registration  
      Reregistration

(under FIFRA, as amended)

EPA Reg.  
Number:

3125-485

Date of Issuance:

20 MAY 1996

Term of Issuance:

Conditional

Name of Pesticide Product:

Tempo 1% Dust

Name and Address of Registrant (include ZIP Code):

Bayer, Corp.  
PO Box 4913  
8400 Hawthorn Rd.  
Kansas City, MO 64120-0013

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 3125-485".
- b. Under "Outdoor/Perimeter Pests" add directions for use for wasps, bees, yellow jackets similar to those on EPA Registration No. 3125-429.

Signature of Approving Official:

Date:

EPA Form 8570-6

CONCURRENCES

SYMBOL							
SURNAME	<i>Helwig</i>						
DATE							

page 2  
EPA Reg. No.

2/5

- c. Add the following under Directions for Use: "Do not use in food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed."

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager (13)  
Insecticide-Rodenticide Branch  
Registration Division (7505C)

# TEMPO 1% Dust Insecticide

XXX-8659.YLD

U. S. LABEL

Base Pre-Reg (8659)

3/5

**Reason to Issue:** To propose registration of a new product. **10/20/95 Draft:** To revise in accordance with internal comments.

Date of Draft: **10/20/95(S)**  
Supersedes Pre-Reg Draft Dated: **05/19/95**

## TEMPO® 1% Dust Insecticide

For commercial use only.

### ACTIVE INGREDIENT:

Cyfluthrin, cyano(4-fluoro-3-phenoxyphenyl)  
-methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate ..... 1%  
INERT INGREDIENTS: ..... 99%  
100%

For control of crawling and flying insect pests in poultry and livestock facilities.

EPA File Symbol No. 3125-XXX

Net Contents: 10 Pounds

**STOP - Read the Label Before Use  
KEEP OUT OF THE REACH OF CHILDREN**

## CAUTION

(See Rear Panel for Statements of Practical Treatment and Other Precautionary Statements)

**PRECAUCION AL USUARIO:** Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

**(TO THE USER:** If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**Caution:** Causes moderate eye irritation. Harmful if swallowed, inhaled or absorbed through the skin. Do not get into eyes, on skin, or on clothing. Avoid breathing dust. If clothing becomes contaminated, remove and wash before reuse. Wash hands thoroughly with soap and warm water after handling. Keep out of reach of children.

Do not contaminate feed or food.

**SYMPTOMS OF POISONING:** In case of poisoning, call physician or Poison Control Center immediately. Have patient lie down and keep quiet.

ACCEPTED  
with COMMENTS.  
in EPA Letter Dated

20 MAY 1996

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

3125-485

**Bayer**



4/15

## STATEMENTS OF PRACTICAL TREATMENT

**If in eyes:** Hold eyelids open and flush with plenty of water. Call a physician if irritation persists. **If swallowed:** Call a physician or Poison Control Center. Administer water freely and induce vomiting by giving one dose (1/2 oz or 15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious

person. Avoid alcohol. **If on skin:** Wash thoroughly with soap and water. Get medical attention if irritation occurs. **If inhaled:** Move victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**TO PHYSICIAN:** No specific antidote is available. Treat the patient symptomatically.

## ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Cover or remove any fish or aquatic organism tank

within structures being treated. Disconnect any air supply sources to such tanks before applications are made and re-connect after any possibility of contamination has passed. Apply this product only as specified on this label.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**IMPORTANT:** Read these entire **Directions for Use** and **Conditions of Sale** before using TEMPO 1% Dust Insecticide.

**CONDITIONS OF SALE:** THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. BAYER OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF BAYER AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

Do not formulate this product into other end use products.

### GENERAL INFORMATION

TEMPO 1% Dust Insecticide is a ready-to-use insecticide dust which provides effective knockdown and residual control of the pests listed on the next page.

TEMPO 1% Dust Insecticide is for residual pest control in and around livestock and poultry housing facilities. Permitted areas of use include, but are not limited to, livestock housing structures, poultry houses, swine houses, cattle barns, horse stables and pet kennels.

### INDOOR PESTS

Apply dust using hand or power dusters or other suitable equipment. Apply lightly and uniformly to infested areas. Pay particular attention to floors, walls and bedding, as well as, cracks and crevices; wall voids and around window and door frames. Apply 0.5 to 1 pound of TEMPO 1% Dust Insecticide per thousand square feet. Do not make applications of TEMPO 1% Dust when animals are present in area of facility to be treated. Do not apply directly to animal feedstuffs or watering equipment. Repeat treatments as necessary to maintain adequate control.

### OUTDOOR/PERIMETER PESTS

Make a residual treatment in voids, cracks and crevices in window and door frames, between elements of construction or void areas in door porches, eaves and in crawl spaces and other areas where pests hide.

To help prevent invasion of structures by the listed outdoor pests, treat soil or other substrate adjacent to structure using TEMPO 1% Dust, TEMPO 20 WP or TEMPO 2 as per the registered label. Also treat the structure foundation where pests are active and may find entrance.

5/5

## PESTS CONTROLLED BY TEMPO 1% DUST INSECTICIDE

### I. INDOOR PESTS

Ants (except Pharaoh)  
Bedbugs  
Beetles (exposed adults & immature stages)  
Cadelle  
Centipedes  
Cigarette  
Cockroaches  
Confused Flour  
Darkling  
Dermestid  
Granary weevil  
Hide  
Larder  
Leather  
Lesser grain borer

### Beetles (cont.)

Lessor mealworm  
Merchant grain  
Mealworm  
Red flour  
Rice weevil  
Sawtoothed grain  
Warehouse  
Fire ants  
Moths  
Indian meal  
Mediterranean flour  
Spiders  
Wasps  
Yellow-jackets

### II.

### OUTDOOR PESTS

Ants  
Bees  
Boxelder bugs  
Centipedes  
Cockroaches  
Crickets  
Fleas  
Flies  
Ground beetles  
Hornets  
Millipedes  
Moths  
Scorpions  
Spiders  
Ticks  
Wasps  
Yellow-jackets

## STORAGE AND DISPOSAL


Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Disposal:** Pesticide wastes are hazardous. Improper disposal of excess pesticide is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Disposal:** Do not use container in connection with food, feed, or drinking water. Completely empty container into application equipment. Offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**Storage:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original containers and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material is spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Kansas City Emergency Response Telephone No. is 816-242-2582, or contact Chemtrec at 800-424-9300.



Bayer Corporation  
Poultry Business Unit  
Box 4913 Kansas City, Mo 64120-0013