Julie M. Spagnoli

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

Form Approved. OMB No. 2070-0060. Approval expires 05-31-9 **OPP Identifier Number United States** Registration **Environmental Protection Agency** Amendment 257880 Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 3125-504 Dani Daniel Restricted None 4. Company/Product Name PM# Merit + Tempo RTU Insecticide 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) Bayer Corporation, Agriculture Division (b)(i), my product is similar or identical in composition and labeling 8400 Hawthorn Road, P.O. Box 4913 EPA Reg. No. Kansas City, MO 64120-0013 Check. If this is Is a new address **Product Name** Section - II NOTIFICATION Final printed labels in response to Amendment - Explain below. Agency letter dated "Me Too" Application. Resubmission in response to Agency letter dated NOV 1 3 2001 Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For Section I and Section II.) See Attached Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Yes\* Yes Metal Nο No Νo **Plastic** Glass If "Yes" No. Per lf "Yes" No. Per Paper Container Unit Packaging wgt. Package wgt. Container \* Certification must Other (Specify) be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label Label Container On Labeling accompanying product 6. Manner in Which Label is Affixed to Product Lithograph Other Paper Glued Stenciled Section - IV 1. Contact Point {Complete items directly below for Identification of Individual to be contacted, if necessary, to process this application.} Title Telephone No. (Include Area Code) Name (816) 242-2164, Scott A. Kohne Senior Registration Scientist 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. (Stamped) I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 3. Title 2. Signatüre Director, Federal Regulatory Affairs 5. Date 4. Typed Name

October 31, 2001

White - EPA File Copy (original)

Yallow - Applicant Copy

NOTIFICATION

NOV 1 3 2001

## Merit + Tempo Ready-To-Use Insecticide

EPA Reg. No. 3125-504 October 31, 2001

Section II - Explanation

With this application, Bayer Corporation is submitting a Notification to add pests to the label of Merit + Tempo Ready-To-Use Insecticide, EPA Reg. No. 3125-504.

The following list of pests have been added to the "Kills" box within the "Quick Facts" section. Additionally, "(including Glassy Winged Sharpshooter) " has been added as a subgroup to the currently listed pest "leafhoppers" within the same section. The specific pests being added are:

Rose Midges, Rose Slugs, Psyllids, Fungus Gnats, Pine Tip Moths and Pine Shoot Moths

The addition of these pests does not increase exposure or change the dosage, concentration, frequency or method of application to the specified use pattern on this label. The addition of these pests to the enclosed label is being provided to the Agency in accordance with PR Notice 98-10, II, B, "Adding or Deleting Pests." One copy of the revised label (B-9427b 01/24/00), highlighted with changes, is enclosed for the Agency files.

We have also placed previously approved text into a boxed format in accordance with PR Notice 98-10, II, M, 2.

We are also providing notification to the Agency we have added the following claims:

- Contains Merit and Tempo
- Cyfluthrin is the chemical name for Tempo and Imidacloprid is the chemical name for Merit

This notification is consistent with the provision of PR Notice 98-10 and EPA regulations at 40 CFR 152.46. No other changes have been made to the labeling or the Confidential Statement of Formula of this product. I understand that it is a violation of 18 U.S.C. sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and Bayer Corporation may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

[FRONT PANEL]

# Merit® + Tempo® Ready-to-Use

## Insecticide

KILLS INSECTS

For use on: Flowers, Roses, Shrubs

- · Just one application quickly kills insects
- Protects up to 30 days
- · Rainproof Within 1 Hour of Application

Fast Acting ... Kills On Contact Long Lasting ... Keeps On Killing For Weeks

MERIT + TEMPO Ready-to-Use Insecticide is a highly effective insecticide designed to kill insect pests on

- · flowers
- roses
- house plants
- · ground covers
- shrubs

Contains Merit: and Tempo®

#### **ACTIVE INGREDIENTS:**

| OTHER INGREDIENTS | 99.985 % |
|-------------------|----------|
| Imidacloprid      | 0.012 %  |
| Cyfluthrin        | 0.003 %  |

Net Contents: 24 fl oz

STOP - Read This Entire Label Before Use KEEP OUT OF REACH OF CHILDREN FOR RESIDENTIAL USE ONLY

### **CAUTION**

See back panel booklet for ingredients and precautionary statements

#### [BACK PANEL]

| QUICK FACT      | rs  |   |
|-----------------|---|---|
| 1 .             | on Contact<br>illing for Up to 30 Days<br>se No Mixing, No Mea  | suring  |
| KILLS           | (ART: Aphid, Japanese Beetle,<br>Leafminer, Whitefly)   |   |
|                 | Adelgids Ants Aphids Bagworms Boxelder bugs Clover mites Cockroaches Crickets Earwigs Elm leaf beetles Flies Fungus gnats Grasshoppers Gypsy moth larvae Japanese beetles (adult) Lace bugs Leaf-feeding beetles Leaf-feeding | Leafminers Mealybugs Midges Mosquitoes Pillbug Pine Shoot moths Pine Tip moths Plant bugs Psyllids Rose Midges Rose Slugs Sawfly larvae Scale insects (crawler stages) Sowbugs Spiders Spittlebugs Thrips Wasps |
|                 | caterpillars Leafhoppers (including Glassy-<br>Winged<br>Sharpshooter)  | Whiteflies  |
| COVERAGE        | Treats up to 34 medium-sized plants   |   |
| WHERE TO<br>USE | Flowers, roses and shr  | ubs   |
| WHEN TO<br>USE  | When insects or dama  | ge first appear   |
| で旦              | Questions or comment<br>(877) 229-3724<br>www.BayerAdvanced.c   |   |

#### **ACTIVE INGREDIENTS:**


| Cyfluthrin         | . 0.003 % |
|--------------------|-----------|
| Imidacloprid       | 0.012 %   |
| OTHER INGREDIENTS* | 99.985 %  |
| •                  | 100.000 % |

\* Other ingredients include: Water, glycerin (stabilizer), organic solvent (less than 0.1%, to dissolve the active ingredient for mixing) and surfactants (to keep the active ingredient dispersed in water).

Cyfluthrin is the chemical name for Tempo® and Imidacloprid is the chemical name for Merit®.

EPA Reg. No. 3125-504

EPA Est. No. XXXX-AA-1





#### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

#### CAUTION

- . Harmful if swallowed or inhaled.
- · Causes et a critation.
- Avoid contact with skin, eyes, or clothing.
- Avoid breathing spray mist.
- Wash theroughly with soap and water after handling.

| First Aid +               |  |
|---------------------------|--|
| IN THE CASE OF ACCIDENTAL | IMMEDIATELY  |
| Swallowing                | If the person is able to swallow:  |
|                           | Have them sip 1 to 2 glasses of water  |
|                           | <ul> <li>Call a doctor or poison control center<br/>for further treatment advice.</li> </ul> |
| Contact with eyes         | Hold eye open and rinse slowly and gently with water   |
|                           | Continue to rinse eye for 10 to 15 minutes.  |
|                           | Call a doctor if irritation persists.  |
| Inhalation                | If breathing is affected, move person to fresh air   |
|                           | Contact doctor or poison control center<br>for further treatment advice                      |
|                           | If not breathing, call an ambulance and give artificial respiration.                         |

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office bring this product label to show medical personnel. You may call toll-free (877) 229-3763 for medical emergency information. Active Ingredients: Cyfluthrin [CAS # 68359-37-5]. Imidacloprid [CAS # 138261-41-3]

#### **Environmental Hazards**

- This pesticide is highly toxic to aquatic invertebrates and fight. Do not apply directly to water.
- This pesticide is highly toxic to bees. Do not apply MERIT + TEMPO Ready-to-Use Insecticide when bees are active.
- Apply this product only as specified on this label.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

| For best results, be so                            | are to read and follow all label directions.   |
|--|--|
| Read and follow<br>these directions<br>when using. | <ul> <li>Apply the product to flowering plants<br/>during early morning or late evening,<br/>when bees are not present.</li> </ul> |
|  | <ul> <li>Do not spray the product into fish pools,<br/>ponds, streams, or lakes.</li> </ul>  |
|  | <ul> <li>Remove animal feeding dishes prior to application.</li> </ul>   |
|  | Do not use in small, enclosed areas<br>where spray may be inhaled.   |
|  | <ul> <li>Do not apply to fruits or vegetables<br/>used for food.</li> </ul>  |
| WHEN TO USE  | When insects or damage first appear  |
|  | To avoid serious damage, eliminate pests early in the season before they multiply.   |
| HOW TO USE   | Adjust nozzle to desired spray pattern.  |
| Shake well before using.                           | Hold sprayer about 12 inches from foliage.   |
| using.   | Spray leaves, stems and tender new shoots.   |
|  | (ART: of steps above)  |
|  | To kill insects that hide, spray the underside of the leaves. Apply until leaves are evenly coated with spray, but not dripping.   |
|  | (ART: spraying undersides of leaves)   |
| HOW OFTEN  | Kills insects on contact and keeps on killing for up to 30 days. For severe infestations, repeat every 7 to 14 days as necessary.  |

#### FOR BEST RESULTS

Do not wet the foliage within one hourafter applying. To avoid serious damage to plants, eliminate pests early in the season before they multiply



Children and pets may re-enter after spray has

| Storage Conditions: | Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.    |
|---------------------|--|
| Disposal:           | <ul> <li>Do not reuse empty spray bottle.</li> <li>Rinse the empty product container thoroughly.</li> <li>Place container in trash.</li> </ul> |

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product. please follow any applicable state or local guidelines.

#### NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of MERIT + TEMPO Ready-to-Use insecticide under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used recording to the directions.

B - 9427b 01/24/00

