UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 3125-504



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

NOY

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

John S. Thornton, Director Product Registrations and Regulatory Affairs Bayer Corporation, Agriculture Division 8400 Hawthorn Road P.O. Box 4913 Kansas City, MO 64120-0013

Subject:

Amendment - Label Revision/Alternate Brand Name

Tempo Granular Insecticide EPA Registration No. 3125-506

Your submission dated October 22, 1999

Dear Mr. Thornton:

This letter supercedes our letter of November 1, 1999. The labeling referred to above. submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable subject to the comments listed below. A stamped copy of the label is enclosed for your records. Submit two copies of the finished labeling before you release the product for shipment.

Reinstate the statement "For Outdoor Residential Use Only" to the front panel of the 1. label.

Since the labeling submitted with your October 22, 1999 letter is substantially similar to that approved on May 19, 1999, is in finished format and the above requested revisions do not raise risk concerns associated with the use of this product, we will allow you to use this labeling for a period not to exceed January 31, 2000. Products released for shipment after January 31, 2000 must bear labeling revised in accordance with this letter.

If you have any questions, please call Dr. William Sproat of my team at 703-308-8587.

Sincerely,

George T. LaRocca Product Manager 13 CONCURRENCES Insecticide Branch Registration Division OFFICIAL FILE COPY

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

TREATS 5,000 SQ FT

Effective

HOME BARRIER

reatment!

Bavar

HOY

3125-506

Lawn & Garden Multi-Insect Killer

READY-TO-SPREAD GRANULES

Quickly kills outdoor pests Lasts up to 30 days

Kills ants, spiders, fleas, ticks, roaches, & other pests

For use on lawns & around homes

KEEP OUT OF REACH OF CHILDREN HARMFUL IF SWALLOWED



Lawn & Garden Multi-Insect Killer READY-TO-SPREAD GRANULES



Lawn & Garden Multi-Insect Killer

Bayer Advanced Garden's Lawn & Garden Multi-Insect Killer provides up to 30 days insect protection against most common insects, including ants, ticks, and fleas. Keeping your yard and garden free of nuisance pests has never been easier.

READY/TO-SPREAD GRANULES

READ THE LABEL FIRST!

Ants, Earwigs, Fleas, Centroedes, Spiders, Ticks, Cockroaches, and other listed pests		
*	re 🔀 💥	(均 餐
Covers up to	5,000 sq ft	
Lawns & arou	nd house four cations	
When insects	or damage first appear	
See directions		
See directions		-877-BayerAG c

TIVE INGREDIENT:	
luthrin	
HER INGREDIENTS"	

*Other ingredients include: Armonum sulfate granules, dipropylene glycol to achere the active ingredient on the granules and organic solvent them than 0.4%, to dispoke the active ingredient for mixing) and emploidents the liquid ingredients uniformly mixed; Treats 5,000 sp. it.

EPA Res. No. 3125-506

EPA Est. No, indicated by 2nd and int digas of the batch number on this package (42) = 9198-OH-1 (79) = 5905-CA-31 (46) = 5905-IA-01 (77) = 070959-AO-001

KILLS

Anstrual Bluegrass Weevil adults Imperodes), Ants, Armyworms, Bilbugs (adults), Black Turfgrass Ataenius (adults), Cernipedes, Chitgers, Chinchtogs, Cockroaches, Crickets, Cutworms, Digger Wasps (Cicada killer), Earwigs, Fless, Crasshoppers, Hyperodes Weevi (adults), Learhoppers, Mearbybugs, Milipedes, Mole Crickets, Mosquitoes, Pilbugs, Scorpions, Sod Webworms (Lawe Moths), Sowbugs, Spiders, Ticka

DIRECTIONS FOR USE

It is a violation of Federal isse to use this product in a manner inconsistent with its labeling. For best results, be sure to read and follow all label direction

- Food users in such as temporar and measuring cum should not be used for food purposes after use with this inserticide.

BEFORE YOU USE

* Do not acity near fish pools, ponds, sireams or lake.

*Read and follow
these directions

* You in very direct which taking:

* Keep criticism and pers away from the resited area on . Keep chicren and pets away from the treated area until it has been watered and allow

HOW	TO	US	E
TO CON			

D PESTS BEFORE THEY COME INDOORS Ants, Cermoedes, Cockroaches, Crickess, Digger Wasos, Millipedes, Pilbugs, Scorpions, Sowbugs, Spiders PESTS

1/3 to 1/2 rup per 45 to 50 ft (2 to 3 ft band) HOW MUCH TO APPLY 7 to 1 have 1000 to 6 Treats permeter of 16 ft by 30 ft structure

Account the mouse.

To keep men pesis away from your home, apply granues in a band 2 to 3 feet wide around and up 10 the building.

TIP: A hand-neld spreader makes this easy.

HOW TO APPLY For Art Manuals or Wasp Burrows

Sprinkle 1 to 2 traspoors of granules over the ant mound or wasp burrow. Treat wasps at night, after they are back in their nest.

TO CONTROL LAWN PESTS

Ares, Hypercass Weevil Ladulas, Armyworms, Billbugs Luduha, Black Turfgrass Alaenius Ladulas, Chiggers, Ohinchbugs, Culworms, Fleas, Crasshoppers, Leathoppern, Mealybugs, Arole Crickets, Soil Webworms (Lawn Morrs, Ticks)

Apply ≥ to 5 bs per 1000 sq # HOW MUCH (This bag covers up to 5000 sq it)

Adjust your screader to the proper setting, See table

Use rotary or propilype spreaders to apply granules evenly over the lawn. To be sue to us cover the entire area uniformly, first treat the border of the lawn men filt in the center. Make parallel passes, walking at a seady pace to ensure even distribution of the granufer.

HOW TO APPLY a seasoy pace to ensure even distribution of the granules.

Water thoroughly within a day after applying,

Tills for best control of mole crickets, apply during the period when their ages are hatching, Contact your County Essension Agent for the ideal dates to apply in your area.



FOR BEST RESULTS

Water in thomoughly after applying. Do not mow until the granules are thomoughly watered in. To predamage, accordiance A Carden Multi-Invest Killer early-when pests are still young and easier to kill.

SPREADER SETTINGS: If your spreader is not listed, please call our Consumer Service Hotline 1-877-BayerAG for help. Rate: 2 to 3 lbs per 1,000 sq ft

SPREADER SETTINGS		1.1	
Broadcast Spreaders	2 lb Rate	3 th Rate	Distance Between
Model	Setting	Setting	Passes (Pt.)
CYCLONE ROTARY	4.0	4.5	3.0
EARTHWAY ROTARY	12.0	13.0	7.0
EV-N-SPRED	12.0	13.0	7.0
K-GRO ROTARY	1.5	2.0	10.0
ORTHO ROTARY	1.5	2.0	19.0
PRECISION ROTARY (#5850)	3.0	4.0	3.0
RED DEVIL ROTARY	3.0	4.0	3.0
REPUBLIC EZ ROTARY (#540)	1.5	2.0	10.0
SCOTTS SPEEDYGREEN 2000	5.0	5.5	3.0
SCOTTS SPEEDYGREEN 3000	\$.0	\$.5	3.0
SEARS ROTARY	1.5	2.0	10.0
TRUE TEMPER ROTARY	4.0	4.5	3.0
VIGORO ROTARY	3.0	4.0	3.0
Drop Spreaders	2 lb Rate	3 Jb Rate	Distance Between
Model #	Setting	Setting	Passes (Pt.)
K-GRO DROP	5.5	6.5	N/A
ORTHO DROP	\$.5	6.5	N/A
REPUBLIC EZ DROP (#530)	\$,5	6.5	N/A
SCOTIS ACCUGREEN 1000	6.0	6.5	N/A
SCOTTS ACCUGREEN 2000	6.0	6.5	N/A
SCOTTS ACCUGREEN 3000	6.0	6.25	N/A
SCOTTS DROP (#P£1, P£2, P£3, P£4)	6.0	6.75	N/A
SEARS DROP	5.5	6.5	N/A

Sellings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.

**TIP: 1000 sq ft = 20 ft x 50 ft

Do not use a perader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.



Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. STORAGE CONDITIONS

DISPOSAL

Do not reuse empty container.
 Whap the empty container in several layers of newspaper.
 Place bag in trash.

Important: it is best to use all of the product in accordance with label directions. If it is necessary so dispose of unused product, please follow any applicable state or local guidelines.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Asimuls. Harmful if pwallowed or inhaled.

Causes eye imitation
Aword contact with skin, eyes, or clothing.
Wash thoroughly with soap and water after ha

FIRST AID +

CAUTION

If the person is able to swallow

 Have them sip 1 to 2 glasses of water.
 Call a doctor or poison control center for further treatment advice. SWALLOWING

Hold eye open and rinse slowly and gently with water.
 Continue to rinse eye for HQ to 15 minutes.

Call a doctor il instation persists

INHALATION

firesthing is affected, more person to fresh air.
 * Contact doctor or poison control center for further treatment advise it not breathing, call an ambulance and give artificial respiration.

nicalling poison control center, have this product label accessible. If seeking treatment at an emergency room or

doctor's office, bring this product label to show medical persons

For medical emergency information, you may call tall-free 1-877-229-3763. Active Ingredient: Cyrluthrin ICAS # 68359-37-5)

ENVIRONMENTAL HAZARDS

- This pesticide is tonic to fish. Do not apply directly to water Do not contaminate water when cleaning equipment or disp Apply this product only as specified on this label. ent or disposing of equipment washwater

NOTICE: Between hard extung has determined that the "Directions for Use" are appropriate for the proper use of Laws & Carden habits invert, false under expected conditions. The buyer assumes responsibility for fact of performan or safety data used according to the defection.

Manage Black Gassanter: If you are not satisfied with this product, we will glacky refund your original purchase price. Made in USA.

Divisional by:

1917 6 ns Caba, MAC3 64 120 (1911)

