1/4

[FRONT PANEL]

# Tempo® Granular

# Insecticide

For Use on: Lawns, Gardens, and Around Homes

READY TO USE KILLS INSECTS KILLS ANTS

- · Long-Lasting 30-Day Protection
- · Stops Ants Outdoors-Before They Come Inside
- Effective Home Barrier Treatment
- · Kills Nuisance Pests Outdoors
- · Quickly Kills Outdoor Pests

Long Lasting...Keeps on Killing for Weeks

Also stops spiders, ticks, fleas, cockroaches and other pests

#### **ACTIVE INGREDIENT:**

Cyfluthrin	 			 						. 0.1%
OTHER INGREDIENTS*				 						99.9%

Net Contents: 10 lbs


KEEP OUT OF REACH OF CHILDREN

# CAUTION

See back panel for ingredients and precautionary statements

Do not apply liquid sprays containing cyfluthrin in addition to this product.

[ ] Information is optional



# **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results, be sure to read and follow all label directions.

#### **BEFORE YOU** USE

ママル 大学機能機能の

Read and follow these directions when

- · Do not apply near fish pools, ponds, streams or lakes.
- Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with this
- Keep children and pets away from treated area until it has been watered and allowed to dry.

#### TO CONTROL HOUSEHOLD PESTS BEFORE THEY COME INDOORS

#### **HOW** TO USE **PEST** [Break seal Ants Crickets Pillbugs Scorpions and open top.] Centipedes Digger wasps Cockroaches Millipedes Sowbugs Spiders HOW MUCH TO APPLY 1/3 to 1/2 cup per 45 to 50 ft (2 to 3 ft band) [2 to 3 lbs per 1000 sq ft] Covers 1,000 sq ft (a band 2 feet wide and 500 feet long.) (2 lb container) Treats perimeter of 16 ft by 30 ft structure HOW TO APPLY Around the House To keep these pests away from your home, apply granules in a band 2 to 3 feet wide around and up to the building. Tip: A hand-held spreader makes this easy. PEST Digger wasps (Cicada killer) Ants HOW MUCH TO APPLY 1 to 2 tsp. per mound or wasp burrow HOW TO APPLY For Ant Mounds or Wasp Burrows Sprinkle 1 to 2 teaspoons of granules over the ant mound or wasp burrow. Treat wasps at

night, after they are back in their nest.

Continued in next column

#### [BACK PANEL]

TO STORM THE STATE OF THE STATE

# **READ THE LABEL FIRST!**

#### **QUICK FACTS**

- · Easy to Use Granules
- Kilis Pests Outdoors in Lawns, Gardens, and Around
- For Use With Lawn or Hand-held Spreaders
- Convenient, Ready to Use Shaker Bottle
- Kills Ants Outdoors in Lawns, Gardens, and Around Homes
- Effective as a Spot Treatment for Ant Mounds

KILLS	Annual Bluegrass weevil adults (hyperodes) Ants Armyworms Billbugs (adults) Black turfgrass Ataenius (adults) Centipedes Chiggers Chinchbugs Cockroaches Crickets Cutworms Digger wasps (Cicada killer) Earwigs	Fleas Grasshoppers Hyperodes weevil (adults) Leafhoppers Mealybugs Millipedes Mole Crickets Mosquitoes Pillbugs Scorpions Sod webworms (lawn moths) Sowbugs Spiders Termites Ticks					
COVERAGE	Covers 5,000 sq ft						
WHERE TO USE	Lawns, Gardens and Around house foundations  When insects or damage first appear						
WHEN TO USE							
HOW MUCH TO USE	See directions						
	For questions or comments, call toll-free 1-877- BayerAG or visit us on-line at www.AdvancedGarden.com						

## FOR OUTDOOR RESIDENTIAL USE

#### ACTIVE INGREDIENT:

Cyfluthrin		. 0.1%
OTHER INGREDIENTS*	٠	99,9%
	1	100.0%

Other ingredients include: Ammonium sulfate granules, dipropylene glycol (to adhere the active ingredient on the granules) and organic solvent (less than 0.4%, to dissolve the active ingredient for mixing) and emulsifiers (to keep the liquid ingredients uniformly mixed).

Treats 5,000 sq ft

EPA Reg. No. 3125-506 EPA Est. No. XXXX-AA-XX

DIRECTIONS	FOR USE continued	1.4							
TO CONTRO	L LAWN PESTS								
HOW TO	PESTS								
USE	Ants	Cutworms							
[Break seal	Hyperodes Weevil	Fleas							
and open	(adults)	Grasshoppers							
top.]	Armyworms	Leafhoppers							
	Billbugs (adults)	Mealybugs 💛							
·	Black Turfgrass Ataenius (adults)	Mole Crickets							
	Chiggers	Sod Webworms (lawn moths)							
	Chinchbugs	Ticks							
	HOW MUCH TO APPLY								
•	Apply 2 to 3 lbs per 1000 so	ıft							
	(This bag covers 5000 sq ft)								
	Adjust your spreader to the proper setting. Set the table below.								
	This can covers 1,000 sq ft								
	a band 10 feet wide and 100 HOW TO APPLY	Jieet long.							
		andore to apply							
	Use rotary or drop type spreaders to apply granules evenly over the lawn. To be sure cover the entire area uniformly, first treat to border of the lawn then fill in the center. Me parallel passes, walking at a steady pace ensure even distribution of the granules.								
	(ART)	ne granules.							
	Water thoroughly within a d	ay after applying.							
	TIP: For best control of mole during the period when their Contact your County Extens ideal dates to apply in your	eggs are hatching.							
TO CONTRO	L GARDEN PESTS								
ноw то	PESTS								
USE	Armyworms	Grasshoppers							
[Break seal	Cutworms	Stinkbugs							
and open top.]	HOW MUCH TO APPLY								
top.j	Apply 2 to 3 lbs per 1,000 so	ą ft.							
	Adjust your spreader to the table below. [This bag cover can covers 1,000 sq ft which band 10 feet wide and 100 fapply more than one time prapply liquid sprays containing addition to this product.	s 5,000 sq ft.] This in is the same as a leet long. Do not er season. Do not							
	VEGETABLE								
	Carrots Potatoes	Sweet Com							
	Peppers Radishes	Tomatoes							
	HOW TO APPLY								
	Apply granules evenly over the garden. Water thoroughly within a day after applying. TIP: A hand-held spreader makes this easy.								
FOR BEST RESULTS	Water in thoroughly after applying.  Do not mow until the granules are thoroughly watered in.								
	Many lawn pests cause dam or tunneling through the turf damage, apply TEMPO Gra early-when pests are still yo kill.	. To prevent nular Insecticide							

#### **SPREADER SETTINGS**

If your spreader is not listed, please call our Consumer Service Hotline toll-free (877) 229-3724 for help.

Rate: 2 to 3 lbs per 1,000 sq ft

	1.28 kg	SETTING*							
	SPREADER	to deliver 2 lbs per 1,000 sq ft							
	Vigoro Drop								
	Vigoro Rotary								
	Sta-Green Drop	Í							
	Sta-Green Rotary								
i	Bandini								
	Ev-N-Spread Rotary	ļ							
	Ortho Drop	Ì							
1	Ortho Rotary	1							
Ï	Precision Drop	{							
i	Precision Rotary	l							
	Quaker Rotary								
	Republic EZ Drop	To be determined.							
	Republic EZ Grow								
	Republic EZ Rotary	Í							
1	Scotts Drop	ł							
i	Scotts Accugreen	ļ							
	Scotts Easygreen								
	Scotts Evengreen								
	Scotts Speedy Green								
1	True Temper Rotary								
į	ADD: NEW TWO-IN-ONE								
	SPREADERS								

- Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according manufacturer's directions.
- Tip: 1000 sq ft = 20 ft x 50 ft
- Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

Children and pets may re-enter after the treated area has been watered and allowed to dry.

#### **IMPORTANT:**

# **Directions for Storage and Disposal**

Storage Conditions: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

**Disposal**:

- Do not reuse empty container.
- Wrap the empty container in several layers of newspaper.
- · Place bag in trash.

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state or local guidelines.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION:

- · Harmful if swallowed or inhaled.
- · Causes eye irritation.
- · Avoid contact with skin, eyes, or clothing.
- · Wash thoroughly with soap and water after handling.

FIRST AID					
IN THE CASE OF ACCIDENTAL	IMMEDIATELY				
Swallowing	Call a poison control center or doctor immediately for treatment advice.				
	Have person sip a glass of water if able to swallow.				
	Do not induce vomiting unless told to do so by a poison control center or doctor.				
	Do not give anything to an unconscious person.				
Contact with eyes	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.				
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.				
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>				
Inhalation	Move person to fresh air.				
1	<ul> <li>If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> </ul>				
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>				
NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free (877) 229-3763 for medical emergency information. Active Ingredient: Cyfluthrin 0.1% [CAS					

#### NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of TEMPO Granular Insecticide under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

B-9463

11/09/00

#### **ENVIRONMENTAL HAZARDS**

# 68359-37-5]

- . This pesticide is toxic to fish. Do not apply directly to
- Do not contaminate water when cleaning equipment or disposing of equipment washwater.
- · Apply this product only as specified on this label.

Bayer Corporation Garden & Professional Care Box 4913, Kansas City, MO 64120-0013 Product Information toll-free (877) 229-3724 Medical Emergency toll-free (877) 229-3763

