

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

JUN 1 2 2002

Mr. Scott A. Kohne Bayer Corporation, Agriculture Division P.O. Box 4913 Kansas City, MO 64120-0013

Subject:

- I. Label Amendment in Response to Agency Letter Your Submission Dated March 20, 2002
- II. Four New Alternate Formulation CSFs Your Submission Dated March 4, 2002

Tempo® 0.1 Granular Insecticide EPA Reg. No.: 3125-506

Dear Mr. Kohne:

I. Label Amendment:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

- 1. You must revise the 5th "bullet" of the Hazards to Humans and Domestic Animals to read as follows:
 - "Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco."
- 2. You must revise the Disposal instructions in accordance with PR Notice 2001-6 (Disposal Instructions on Non-Antimicrobial Residential/Household Use Pesticide Product Labels.) prior to the compliance date of October 1, 2003.

II. Alternate Formulation CSFs:

The Confidential Statements of Formula (CSFs), referred to above and submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act. as amended, are acceptable subject to the comment below. Copies of the CSFs (Alternate Formulations, dated 2/18/2002, 2/19/2002, 2/20/2002 and 2/21/2002) have been placed in our file for the subject product.

1. You must provide a list of suppliers of the "commodity" inert ingredients, dipropylene glycol (present in all four of the CSFs) and mineral oil (present in the CSFs dated 2/19/2002 and 2/20/2002). You may provide this information in a separate attachment to the CSFs.

If you have any questions regarding these actions, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,

Heorge T. LaRocca
Product Manager 13
Insecticide Branch

Registration Division (7505C)

Enclosure

[FRONT PANEL]

Tempo® Granular

Insecticide

For Use on: Lawns, Gardens, and Around Homes

READY TO USE KILLS INSECTS KILLS ANTS

- Long-Lasting 30-Day Protection
- · Stops Ants Outdoors-Before They Come Inside
- · Effective Home Barrier Treatment
- · Kills Nuisance Pests Outdoors
- · Quickly Kills Outdoor Pests
- · Kills Ants Fast
- · Results Guaranteed
- Kills 28 Outdoor Pests in Lawns & Around Homes
- · Kills Lawn Pests

Long Lasting...Keeps on Killing for Weeks

Also stops spiders, ticks, fleas, cockroaches and other pests

ACTIVE INGREDIENT:

 Cyfluthrin
 0.1%

 OTHER !NGREDIENTS*
 99.9%

Net Contents: 10 lbs

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for ingredients and precautionary statements

Do not apply liquid sprays containing cyfluthrin in addition to this product.

ACCEPTED with COMMENTS In EPA Letter Dated:

JUN | 2 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

[] Information is optional

[BACK PANEL]

READ THE LABEL FIRST!

QUICK FACTS

- · Easy to Use Granules
- Kills Pests Outdoors in Lawns, Gardens, and Around Homes
- · For Use With Lawn or Hand-held Spreaders
- · Convenient, Ready to Use Shaker Bottle
- · Kills Ants Outdoors in Lawns, Gardens, and Around Homes
- Effective as a Spot Treatment for Ant Mounds

KILLS	Annual Bluegrass weevil adults (hyperodes) Ants Armyworms Billbugs (adults) Black turfgrass Ataenius (adults) Centipedes Chiggers Chinchbugs Cockroaches Crickets Cutworms Digger wasps (Cicada killer) Earwigs	Fleas Grasshoppers Hyperodes weevil (adults) Leafhoppers Mealybugs Millipedes Mole Crickets Mosquitoes Pillbugs Scorpions Sod webworms (lawn moths) Sowbugs Spiders Termites Ticks					
COVERAGE	Covers 5,000 sq ft						
WHERE TO USE	Lawns, Gardens and Around house foundations						
WHEN TO USE	When insects or damage first appear						
HOW MUCH TO USE	See directions						
	For questions or com-	or questions or comments, call toll-free					
	1-877- BayerAG or vis www.AdvancedGarde						

FOR OUTDOOR RESIDENTIAL USE

ACTIVE INGREDIENT:

Cyfluthrin	 	 	 			 	0.1%
OTHER INGREDIENTS*	 	 	 			 	99.9%
						1	00.0%

Other ingredients include: Ammonium sulfate granules, dipropylene glycol (to adhere the active ingredient on the granules) and organic solvent (less than 0.4%, to dissolve the active ingredient for mixing) and emulsifiers (to keep the liquid ingredients uniformly mixed).

Treats 5,000 sq ft

EPA Reg. No. 3125-506 EPA Est. No. XXXX-AA-XX

It is a violation of Federal law to use this product in inconsistent with its labeling. For best results, because to read and follow all label directions. BEFORE YOU Read and follow these directions, when USE using: Do not apply near fish pools, conds. streams or lakes. · Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with this incecticide. Keep children and pets away from treated area until it has been watered and allowed to dry. TO CONTROL HOUSEHOLD PESTS BEFORE THEY COME INDOORS HOW TO USE PEST [Break seal Ants Crickets Pillbugs and open top.] Centipedes Digger wasps Scorpions Cockruaches Millipedes Sowbugs Spiders HOW MUCH TO APPLY 1/3 to 1/2 cup per 45 to 50 ft (2 to 3 ft band) [2 to 3 ibs per 1000 sq ft] Covers 1,000 sq ft (a band 2 feet wide and 500 feet long.) (2 lb container) Treats perimeter of 16 ft by 30 ft structure **HOW TO APPLY** Around the House To keep these pests away from your home, apply granules in a band 2 to 3 feet wide around and up to the building. Tip: A hand-held spreader makes this easy. PEST Ants Digger wasps (Cicada killer) HOW MUCH TO APPLY 1 to 2 tsp. per mound or wasp burrow **HOW TO APPLY** For Ant Mounds or Wasp Burrows Sprinkle 1 to 2 teaspoons of granules over the ant mound or wasp burrow. Treat wasps at night, after they are back in their nest. Continued in next column

DIRECTIONS FOR USE

DIRECTIONS	FOR USE continued					
<u> </u>	L LAWN PESTS					
HOW TO	PESTS					
USE	Ants	Cutworms				
(Break seal	Hyperodes Weevil	Fleas				
and open	(adults)	Grasshoppers				
top.]	Armyworms	Leafhoppers				
	Billbugs (adults)	Mealybugs				
	Black Turfgrass Ataenius (adults)	Mole Crickets				
	Chiggers	Sod Webworms				
1	Chinchbugs	(lawn moths)				
		Ticks				
	HOW MUCH TO APPLY					
1	Apply 2 to 3 lbs per 1000 sq ft					
	(This bag covers 5000 sq ft)					
	Adjust your spreader to the proper setting. See the table below.					
	This can covers 1,200 sq ft which is the same as a band 10 feet wide and 100 feet long.					
i	HOW TO APPLY					
	Use rotary or drop type spre granules evenly over the la	wn. To be sure you				
]	cover the entire area uniformly, first treat the					
	border of the lawn then fill in the center. Make parallel passes, walking at a steady pace to					
	ensure even distribution of the granules.					
	(ART)					
	Water thoroughly within a day after applying.					
1	TIP: For best control of mole crickets, apply					
	during the period when their eggs are hatching. Contact your County Extension Agent for the					
	ideal dates to apply in your					
TO CONTROL	GARDEN PESTS					
HOW TO	PESTS					
USE	Armyworms	Grasshoppers				
[Break seal	Cutworms	Stinkbugs				
and open	HOW MUCH TO APPLY					
top.]	Apply 2 to 3 lbs per 1,000 se	g ft.				
1	Adjust your spreader to the					
	table below. [This bag covers 5,000 sq ft.] This					
	can covers 1,000 s;, ft which is the same as a band 10 feet wide and 100 feet long. Do not					
	apply more than one time p	•				
	apply liquid sprays containing					
	addition to this product. VEGETABLE					
	Carrots Potatoes	Sweet Corn				
	Peppers Radishes	T				
	HOW TO APPLY					
	Apply granules evenly over	the garden. Water				
	thoroughly within a day after hand-held spreader makes	r applying, TIP: A				
FOR BEST	Water in thoroughly after ap					
RESULTS	Do not mow until the granul watered in.					
	Many lawn pests cause dan	nage by eating roots				
	or tunneling through the turf	. To prevent				
}	damage, apply TEMPO Gra					
	early—when pests are still yo kill.	oung and easier to				

SPREADER SETTINGS

If your spreader is not listed, please call our Consumer Service Hotline toll-free (877) 229-3724 for help.

Rate: 2 to 3 lbs per 1,000 sq ft

<u> </u>	
SPREADER	SETTING*
OI KEADER	to deliver 2 lbs per 1,000 sq ft
Vigora Drop	
Vigoro Rotary	
Sta-Green Drop	
Sta-Green Rotary	
Bandini	1
Ev-N-Spread Rotary	
Ortho Drop	
Ortho Rotary	
Precision Drop	{
Precision Rotary	
Quaker Rotary	
Republic EZ Drop	To be petermined.
Republic EZ Grow	
Republic EZ Rotary	
Scotts Drop	
Scotts Accugreen	
Scotts Easygreen	
Scotts Evengreen	
Scotts Speedy Green	(
True Temper Rotary	}
ADD: NEW TWO-IN-ONE	
SPREADERS	<u></u>

- Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according manufacturer's directions.
- Tip: 1000 sq ft = 20 ft x 50 ft
- Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly.

Children and pets may re-enter after the treated .rea has been watered and allowed to dry.

IMPORTANT:

Directions for Storage and Disposal

Storage Conditions: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

Disposal:

- · Do not reuse empty container.
- Wrap the empty container in several layers of newspaper.
- · Place bag in trash.

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state or local guidelines.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- Harmful if swallowed, inhaled or absorbed through skin.
- Causes moderate eye irritation.
- Avoid breathing dust.
- Avoid contact with skin, eyes or clothing.
- Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco will reduce exposure.
- Remove contaminated clothing and wash clothing before reuse.

FIRST AID	
IN CASE OF ACCIDENTAL	IMMEDIATELY
Swallowing	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
Contact with eyes	 Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
Inhalation	Move person to fresh air.
	 If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably by mouth-to- mouth, if possible.
	 Call a poison control center or doctor for further treatment advice.
Contact with skin	Take off contaminated clothing.
	 Rinse skin immediately with plenty of water for 15 – 20 minutes.
	Call a poison control center or doctor for treatment advice.
NOTE: When calling	ng poison control center, have this product

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredient: 0.1% Cyfluthrin [CAS # 68359-37-5]

ENVIRONMENTAL HAZARDS

- This pesticide is toxic to fish. Do not apply directly to water.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater.
- Apply this product only as specified on this label.

NOTICE

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of TEMPO Granular Insecticide under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D-9697 032002

Bayer Corporation Garden & Professional Care Box 4913, Kansas City, MO 64120-0013 Product Information toll-free (877) 229-3724 Medical Emergency toll-free (877) 229-3763

