3\35-508 refere reed instructions on reverse before completing form.	9-88-2003	OMB No. 2070-0060. Approval expires 2-28-9	
United States Environmental Protect Weshington, DC 2	tion Agency	Registration Amendment Other	
Applicat	tion for Pesticide - Section		
1. Company/Product Number 3125-508	2. EPA Product Manager Dan Kenny	3. Proposed Classification None Restricted	
4. Company/Product (Name) Merit 0.2 Granular Insecticide	PM# 04		
5. Name and Address of Applicant (Include ZIP Code) Bayer Corporation P.O. Box 4913 Kansas City, MO 64120-0013 Check if this is a new address	(b)(i), my product is simito:	In accordance with FIFRA Section 3(c)(3) lar or identical in composition and labeling	
	Section - II		
		tion.	
Notification - Explain below.	Other - Explain be	FEB 2 8 2003	
See attached.			
4 Manual I This Bandon MRI Do Bankows I h.	Section - III		
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes No * Certification must be submitted Unit Packaging Vas No If "Yes" Unit Packaging wgt. No. per Container	Water Soluble Packaging Yes No If "Yes" Package wgt No. per Container	2. Type of Container Metal Plastic Glass Paper Other (Specify)	
3. Location of Net Contents Information 4. Size(a) F	Retail Container 5. Loc	ation of Label Directions	
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled Other			
Section - IV			
1. Contact Point (Complete items directly below for identifica-	tion of individual to be contacted, if nece	ssary, to process this application.)	
Name Charles W. Boyd	Title Registrations Manager	Telephone No. (Include Area Code) (201) 307-3140	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingity false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Dute Application Received (Stamped)			
2. Signature Charles W. Boyd	3. Title Registrations Manager	6 % o 6 %	
4. Typed Name Charles W. Boyd	5. Date 2/9/03		

Page 1 of 1

Merit® 0.2 Granular Insecticide EPA Reg. No. 3125-508 February 10, 2003

Section Ii - Explanation

Bayer Corporation is submitting a **Notification** to add the following claim to the label for the above-mentioned product. The claim "Helps turf recover from grub damage" has been added at the front of the label. This claim is being made for a pest already listed on the label.

This notification is consistent with the provision of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.





Merit® 0.2 Granular Insecticide

- READY TO USE
- Kills White Grubs, Mole Crickets and European Crane Fly Larvae
- · For Use On: Lawns, Ground Covers, Flower Beds, and Around Trees & Shrubs
- · One Application Kills White Grubs, Mole Crickets and European Crane Fly Larvae All Season Long
- Kills White Grubs, Mole Crickets and European Crane Fly Larvae Early, Before They Damage Your Lawn (ART: treated lawn, untreated lawn)
- Season-Long Grub Control
- · One Application Stops/Kills Grubs All Season Long
- · Apply Anytime Spring Through Late Summer
- Contains Merit®
- Also kills Mole Crickets and European Crane Fly Larvae
- Helps Turf Recover from Grub Damage

ACTIVE INGREDIENT:

Net Contents:

14.35 lbs (28.7 lbs)

TREATS 5,000 (10,000) SQ FT

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Ingredients and Precautionary Statements

NOTIFICATION

FEB 2 8 2003



[BACK PANEL]

Merit 0.2 Granular Insecticide kills grubs all season long with a single application. Keeping your lawn free of damaging grubs has never been easier.

READ THE LABEL FIRST!

QUICK FACTS		
Easy-To-Use	Granules	
Kills Mole Crickets, European Crane Fly Larvae and White Grubs Early, Before They Damage the Lawn		
One Application Kills Mole Crickets, European Crane Fly Larvae and White Grubs		an Crane Fly
KILLS	White Grubs	
	(including larvae of Asiatic Garden Beetle, Black Turfgrass Ataenius, Chafers, Japanese Beetle, May or June Beetle, and Oriental Beetle)	(ART: WHITE GRUB)
	Mole Crickets	(ART: MOLE CRICKET)
	European Crane Fly Larvae	(ART: EUROPEAN CRANE FLY LARVAE)
COVERAGE	This bag covers up to 5,000 sq ft (14.35 lb bag) (white grubs & European Crane Fly Larvae)	
	3,775 sq ft (mole crickets)	
WHERE TO USE	Lawns, ground covers, flower beds, around trees and shrubs	
WHEN TO USE	May through mid-August	
HOW MUCH TO USE	See spreader settings	
☎□	For questions or comments, of 1-877-BayerAL, or visit our wowww.BayerAdvanced.com	

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:	
Imidacloprid	0.2%
OTHER INGREDIENTS*	
	100.09/

* Other ingredients include: Corn cob granules and dipropylene glycol (to adhere the active ingredient on the granules).

Imidacloprid is the chemical name for Merit® insecticide.

EPA Reg. No. 3125-508

EPA Est. No. XXXX-AA-XX



DIRECTIO	NS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, be sure to read and follow all label directions.	
Before You Use Read and follow directions when using	Do not apply near fish pools, ponds, streams or lakes. Do not use in vegetable gardens.
HOW TO USE	
TO CONTROL	WHEN TO APPLY
Grubs	Apply once anytime from May through mid-August.
European Crane Fly Larvae	Apply once, when these insects are present in large numbers (late summer to mid-fall)
Mole Crickets	Apply once anytime from mid-May through mid-June.
	Florida residents: Apply once anytime between early April through early May.
For best results, apply MERIT 0.2 GRANULAR INSECTICIDE before grubs, mole crickets or European crane fly larvae hatch. Contact your County Extension Agent for the ideal dates to apply in your area.	
LAWNS	Adjust spreader to the proper setting (see Spreader Settings). To be sure you cover the entire area uniformly, first treat the border of the lawn then fill in the center. Make parallel passes, walking at a steady pace to ensure even distribution of the granules. Water thoroughly after applying. (ART)
FLOWER BEDS, GROUND COVERS, TREES & SHRUBS	How Much: 2 Tablespoons per 10 sq ft of planting bed. 1-1/4 cups per 100 sq ft of planting bed. Spread granules evenly to the soil over flower beds, ground cover plantings, shrub beds and under trees. Tip: A hand-held spreader makes this easy. Rake granules into the soil around plants. Water thoroughly after applying.
*	Children and pets may re-enter after the treated area has been watered and allowed to dry.

Continued on next page



4 60

ф063 8662 800000 5 O 800

DIDECTION	DIDECTIONS FOR HOT (Configured)	
DIRECTIONS FOR USE (Continued)		
FOR BEST RESULTS	 Apply early, before grubs, mole crickets and European crane fly larvae hatch. Water thoroughly within 24 hours after applying. Do not mow until the granules are watered into the soil. Avoid applying MERIT 0.2 Granular Insecticide to waterlogged areas, as this may decrease the product's effectiveness. You may spread MERIT 0.2 Granular Insecticide over soil or mulch. If present, remove weed barrier before applying. 	
SIGNS OF DAM	AGE TO LAWNS	
Grubs	White grubs cause extensive damage to lawns by feeding on grass roots. Grass turns yellow, then brown and dies. Grubs chew off roots so that the grass is easily pulled up in pieces with your hands. You can roll it back like a carpet to reveal the grubs. If patches of dead grass appeared in your lawn late last summer, check for grubs.	
European Crane Fly Larvae	European crane fly larvae often cause damage by feeding on grass roots and disrupting the soil surface.	
Mole Crickets	Mole crickets often cause extensive damage by tunneling through lawns. Some species also feed on roots. Tunneling uproots the grass so it easily dries out. Lawns turn yellow, become thin, weedy and can eventually die.	
HOW MERIT 0.2 GRANULAR INSECTICIDE WORKS	After MERIT 0.2 Granular Insecticide granules are watered in, a protective zone is formed in the soil. If applied early, MERIT 0.2 Granular Insecticide kills grubs, mole crickets and European crane fly larvae when they hatchbefore they can cause damage.	

. . . .

Spreader Settings

If your spreader is not listed, please call our Consumer Service Hotline toll-free (877) 229-3725 for help.

Rate for Grubs and European crane fly larvae:

2.87 lbs per 1,000 sq ft

Pate for Mole Crickets:

3.8 lbs per 1.000 sq.ft

Rate for Mole Crickets	j.	3.8 lbs per 1,000 sq ft
	Setting*	
Spreader	To Deliver 2.87 lbs per 1,000 sq ft	To Deliver 3.8 lbs per 1,000 sq ft
Vigoro Drop Vigoro Rotary Sta-Green Drop Sta-Green Rotary Bandini Ev-N-Spread Rotary Ortho Drop Ortho Rotary Precision Drop Precision Rotary Quaker Rotary Republic EZ Drop Republic EZ Grow Republic EZ Rotary Scotts Drop Scotts Accugreen Scotts Easygreen Scotts Evengreen Scotts Speedy Green True Temper Rotary ADD: NEW TWO-IN-ONE SPREADERS	Spreader Settings to be determined	Spreader Settings to be determined

* Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.

Tip: 1000 sq ft = 20 ft x 50 ft

Do not use a spreader that applies granules in narrow, concentrated, or uneven bands. Be sure the spreader works properly and spreads granules evenly.

IMPORTANT: Directions for Storage and Disposal

Storage Conditions:

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

Disposal:



- Do not reuse this bag.
- Place in trash

Important: It is best to use all of this product in accordance with label directions. If it is necessary to dispose of unused product, please call your local solid waste agency or you may call toli-free 1-877-229-3724 for disposal instructions. Never place unused product down any indoor or outdoor drain.



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

- · Harmful if swallowed or absorbed through skin.
- · Causes eye irritation.
- · Avoid contact with skin, eyes, or clothing.
- Wash thoroughly with soap and water after handling.

FIRST AID 👍	
IN CASE OF ACCIDENTAL	IMMEDIATELY
Swallowing	Call poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
Contact with eyes	 Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. For medical emergency information, you may call toll-free 1-877-229-3763.

Active ingredient: 0.2% Imidacloprid [CAS # 138261-41-3].

ENVIRONMENTAL HAZARDS

- This pesticide is highly toxic to aquatic invertebrates.
- · Do not apply directly to water.
- Do not contaminate water when cleaning equipment or disposing of equipment washwater.

NOTICE: Research and testing have determined that the "Directions for Use" are appropriate for the proper use of Merit® 0.02% GRANULAR INSECTICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if the product is not used according to the directions on this label.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

B-9653b

2/13/02

Bayer Corporation Garden & Professional Care Box 4913 Kansas City, MO 64120-0013 (800) 842-8020



6 6 6 2 2 6 6 6 2 2

