

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED

Reason to Issue: To introduce new product.

Date of Pre-Reg Draft: 10/27/97 (B)

Bayleton® 1 Granular

Fungicide

Product Description

BAYLETON 1 Granular is a turf fungicide used to control certain diseases on turf.

Note: This product is not intended for use on turf that is grown for

- sale
- commercial use as sod
- commercial seed production, or
- research purposes

Ingredients**ACTIVE INGREDIENT:**

Triadimefon 1.0%

OTHER INGREDIENTS* 99.0%

100.0%

* Other Ingredients are: corn cob granules and Hexylene glycol (to adhere the active ingredient to the granule)

**EPA REGISTRATION
INFORMATION**EPA Reg. No. 3125-~~XXX~~ LRU

EPA Est. 3125-MO-1

Net Weight: ____ Pounds

IMPORTANT INFORMATION

STOP - Read The Label Before Use
KEEP OUT OF REACH OF CHILDREN

CAUTION

**PRECAUTIONARY
STATEMENTS**

Possible Hazards to
Humans and Domestic
Animals

- Harmful if swallowed, inhaled, or absorbed through the skin.
- Causes moderate eye irritation.
- Avoid breathing vapor or dust.
- Avoid contact with skin, eyes, or clothing.
- Do not contaminate feed or food.
- Wash thoroughly with soap and warm water after handling.
- Wash contaminated clothing with soap and hot water before reuse.

ACCEPTED
with COMMENTS
In EPA Letter Dated
DEC 12 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

3125-514

BAYLETON 1 Granular Fungicide

First Aid

The table below describes the first aid procedures for incidents involving BAYLETON 1 Granular.

IN THE CASE OF ACCIDENTAL...	IMMEDIATELY...
swallowing	If the person is able to swallow: <ul style="list-style-type: none"> • Have them sip 1 to 2 glassfuls of water • Call a doctor or poison control center for further treatment advice
contact with eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water. • Continue to rinse eye for 10 to 15 minutes. • Call a doctor if irritation persists.
inhalation	<ul style="list-style-type: none"> • If breathing is affected, move person to fresh air. • Contact doctor or poison control center for further treatment advice • If not breathing, call an ambulance and give artificial respiration.
NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call 800-414-0244 for medical emergency information. Active ingredient: Triadimefon [CAS # 43121-43-3].	

Symptoms of Poisoning: Acute poisoning is accompanied by hyperactivity followed by sedation.

In case of poisoning: Notify Bayer Corporation, Agriculture Division, Kansas City, Missouri, Telephone Number 1-800-414-0244.

Environmental Hazards

- Do not apply directly to water.
- Apply this product only as specified on this label.

DIRECTIONS FOR USE

IMPORTANT: Follow Label Directions

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.

General Use Directions

- Apply the product only in recommended amounts and intervals.
- Apply the product when your lawn is actively growing.
- Mow and water lawn before application.
- Apply product when grass has dried.
- Apply the product to turf that is not suffering from drought stress, as this may decrease the product's effectiveness.

Responsible Use

To use responsibly, follow these guidelines when applying BAYLETON 1 Granular.

- **Do Not** apply near fish pools, ponds, streams or lakes.
- **Do Not** use grass clippings for animal feed.

Note: Do *not* use the product on crops intended for food.

How to Apply BAYLETON 1 Granular

Apply BAYLETON 1 Granular Fungicide using a standard spreader calibrated to uniformly spread the recommended product amount per 1000 square feet of turf grass.

Note: For best results, irrigate the treated area immediately after applying BAYLETON to move the product down into the soil.

The table below describes how to apply BAYLETON 1 Granular to prevent or control specific turf grass diseases.

BAYLETON 1 Granular Fungicide

4044

DISEASE	HOW MUCH TO USE (lbs/1000 sq ft)	APPLICATION GUIDELINES
Dollar Spot Powdery Mildew Rusts	1-1/2	Apply at first sign of disease. Reapply 30 days later, if needed.
Brown Patch Summer Patch	3	If area has history of disease, make first application before hot, humid weather occurs. Reapply 21 days later, if needed.
Anthracnose Copper Spot Red Thread	3	Apply at first sign of disease. Reapply every 21 days, if needed.
Stripe Smut	3	To prevent disease, make an application in spring as grass begins to grow.

STORAGE AND DISPOSAL

Storage Conditions

Store the original BAYLETON 1 Granular container in a location that is cool and dry. The storage area should be locked and out of reach of children.

Disposal

- Do not reuse empty product bags.
- Wrap the empty bags in several layers of newspaper.
- Place bag in trash.

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow all state and local guidelines.

NOTICE

Research and testing has determined that the "Directions for Use" are appropriate for the proper use of BAYLETON 1 Granular Fungicide under expected conditions.

The Buyer assumes responsibility for lack of performance or safety if not used according to the directions on this label.