Mr. John S. Thornton **Bayer Corporation** P.O. Box 4913 8400 Hawthorn Road Kansas City, MO 64120-0013

JUN 27 2000

Dear Mr. Thornton:

Subject: Bayleton 1 Granular Fungicide EPA Reg. No. 3125-514 Your Submission of January 14, 2000

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable provided that the following labeling changes are made prior to release of the product for shipment.

- Reinstate the symptoms of poisoning following the First Aid statements.
- It is recommended that the "How Much to Apply" column be revised to include "lbs/1000 sq.ft." with each rate or in the column heading rather than as a footnote.

Submit one copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed.

Sincerely yours,

Cynthia Giles-Parker Product Manager (22)

Fungicide Branch

Registration Division (7505C)

Enclosure

7505C:CGrable:cq:6/27/00

(Front Panel)

# Bayleton® 1 Granular

# **Fungicide**

- Curative and preventative lawn disease control
- · Stops and prevents listed diseases
- · Controls [many common] lawn [turf] diseases
- Lasts [Protects] up to 2 months
- Systemic fungicide is absorbed by grass and will not wash off

#### **ACTIVE INGREDIENT:**

Triadimeton	 	 	 	٠.		1.0	%
OTHER INGREDIENTS .	 	 	 	٠.		. 99.0	%

**Net Wt:** 6 lbs. (2.7 kg), 7.5 lbs. (3.4 kg), 11.25 lbs. (5.1 kg), 15 lbs. (6.8 kg)

STOP - Read This Entire Label Before Use KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Ingredients and Precautionary Statements

ACCEPTED
with COMMENTS
In EPA Letter Dated
JUN 2 7 2000

Under the Federal Insecticide, Fundicide, and Rodemicide Act as amended, for the pesticide registered under EPA Reg. No.

#### (BACK PANEL)

**READ THE LABEL FIRST!** 

¥"

QUICK FACTS  \$ Stops and Pre \$ Easy-to-Use 6	events Common Lawn Diseases Granules
CONTROLS	Brown Patch, Dollar Spot, Red Thread, Rusts and other listed diseases [Anthracnose, Brown Patch, Copper Spot, Dollar Spot, Powdery Mildew, Red Thread, Rusts, Stripe Smut, Summer Patch]
WHERE TO USE	On lawns
WHEN TO USE	To treat an existing disease: Apply at first sign of disease To prevent diseases: Make first application before hot, humid weather
HOW MUCH TO	See spreader settings
	For questions or comments, call toll-free 1-877-BayerAL, or visit us on-line at www.AdvancedLawn.com

#### FOR OUTDOOR RESIDENTIAL USE ONLY

#### **ACTIVE INGREDIENT:**

Triadimefon											. 1.0	%
OTHER INGREDIENTS*											99.0	%
TOTAL	 							 		1	00.0	%

\* Other Ingredients include: corn cob granules, hexylene glycol (to adhere the active ingredient to the granule), amorphous silica (processing aid), clay (filler) and surfactant (filler).

EPA Reg. No. 3125-514

EPA Est. No. 3125-MO-1

Text in [ ] is optional

It is a violation of Fede inconsistent with its lat all label directions.	ral Law to use this propeling. For best result	oduct in a manner s, read and follow
BEFORE YOU USE Read and follow these directions when using:	Do not apply ner ponds, streams     If lawn is very di before applying.	or lakes. y, water and let dry
HOW TO USE		
HOW TO APPLY	Apply product w spreader at rate     Water lawn after	given below.
CONTROLS	HOW MUCH TO APPLY	WHEN TO APPLY
Dollar Spot	Curative Rate: 3* (See Spreader Settings table)  Preventative Rate: 1.5*	Curative: Apply at 14-day intervals until control is achieved, then reduce to Preventative Rate and Timing.
		Apply at 30- to 60-day intervals until cooler, drier weather arrives.
Anthracnose		Curative: Apply at 14-day intervals until control is achieved, then reduce to Preventative Rate and Timing.
		Preventative: Apply at 21- to 30-day intervals until cooler, drier weather arrives.
Brown Patch /Rhizoctonia Blight (Suppression) Copper Spot Powdery Mildew Red Thread Rusts		Curative: Apply at 14-day intervals until control is achieved, then reduce to Preventative Rate and Timing.
		Preventative: Apply at 15- to 30-day intervals until cooler, drier weather arrives.

DIRECTIONS FOR US	E continued						
Stripe Smut	Preventative Rate: 3°	Apply once in spring when grass begins to grow.					
Summer Patch		Apply at 30-day intervals beginning mid- June or 1 month before this disease usually appears in your area.					
FOR BEST RESULTS	Best results are obtained when this product is used as a disease preventative in a complete lawn care program.						
	Lawn diseases thrive in hot, humid temperatures and under/over fertilized lawn. Thatch build-up also contributes to the problem. Water your lawn in the early morning, never in the late evening. Have a soil test conducted to determine nutrient deficiencies. De-thatch whenever more than 1/2-inch exists. Mow often at a height recommended for your grass type and the season.						
	For more information on what you can do to control lawn diseases, contact your local County Extension Service (usually found in the white Pages of the phone book under the name of your county).						
HOW BAYLETON 1 GRANULAR WORKS	Watering after application carries the fungicide into the root zone. It enters the grass through its roots and blades. Rain or water cannot wash off this internal protection!						

#### SPREADER SETTINGS:

If your spreader is not listed, please call our toll-free Consumer Service hotline 1-877-BayerAL for help.

Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions.

Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works property and spreads granules evenly.

Tip: 1000 sq. ft. = 20 x 50 ft

<b>BROADCAST SPREAD</b>	ERS		
MODEL	1.5 Rate*	3 Rate*	Distance Between Passes (ft.)
Cyclone	4	4.5	4
Earthway	9	11	2.5
K mart K-Gro	<u>-                                    </u>	2	4
Ortho	-	2	4
Precision Products	2.5	3.5	2.5
Red Devil	2.5	3.5	2.5
Republic EZ Broadcast	-	2	4
Scotts Easygreen	25.5	27	2.5
Scotts Speedygreen 2000, 3000	-	2	2.5
Scotts Tractor	-	2	4
Sears Craftsman	-	2	4
Spyker 24-22, 34, 52, 62, 63, 64	3.3	4.2	5
True Temper 🎸	4	4.5	4
Vigoro	2.5	3.5	2.5
MODEL	1.5 Rate*	3 Rate*	Distance Between Passes (ft.)
Central	, <sup>N</sup> J, 2	3.75	N/A
Gandy Turf Tender 24, 30, 36	23	29	N/A
K mart K-Gro	6	7.5	N/A
Ortho	6	7.5	N/A
Precision Products	1.5	2	N/A
Quaker	2	3.75	N/A
Red Devil	1.5	2	N/A
Republic EZ Drop	6	7.5	N/A
Scotts Accugreen 1000, 2000	5	6.25	N/A
Scotts Accugreen 3000	4.5	6.25	N/A
Scotts Accugreen PSB D-94 (Metal)	4.75	6	N/A
	4.75	6	N/A
Scotts Drop PF-1, PF- 2, PF-3, PF-4	4.73	Į.	1
Scotts Drop PF-1, PF-	4.75	6	N/A
Scotts Drop PF-1, PF- 2, PF-3, PF-4 Scotts Precision		6 7.5	N/A N/A

Children and pets may re-enter the treated area after it has been watered in and
allowed to dry.

\* lbs/1000 ft2

### IMPORTANT: Directions for Storage and Disposal

Storage Conditions: Store in original container in a cool, dry place, out of the reach of children,

preferably a locked storage cabinet.

Disposal:

- · Do not reuse empty bag.
- · Completely empty bag.
- · Place bag in trash.

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state and local guidelines.

## PRECAUTIONARY STATEMENTS **HAZARDS TO HUMANS** AND DOMESTIC ANIMALS

#### CAUTION

- Harmful if swallowed, inhaled, or absorbed through the skin.
- Causes moderate eye irritation.
- Avoid breathing vapor or dust.
- Avoid contact with skin, eyes, or clothing.
- Do not contaminate feed or food.
- Wash thoroughly with soap and warm water after handling.
- Wash contaminated clothing with soap and hot water before reuse.

FIRST AID	
IN THE CASE OF ACCIDENTAL	IMMEDIATELY
Swallowing	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by a poison control center or doctor.
Contact with eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
Inhalation	If breathing is affected, move person to fresh air.     Contact doctor or poison control center for further treatment advice     If not breathing, call an ambulance and give artificial respiration.

NOTE: When calling poison control center, have this'product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical, , ' personnel. You may call toll-free 877-229-3763 for medical emergency information. Active ingredient: Triadimefon 1.0% (CAS # 43121-43-3).

# **ENVIRONMENTAL HAZARDS**

- · Do not apply directly to lakes, streams, rivers or ponds.
- · Apply this product only as specified on this label.

Research and testing have determined that the "Directions for Use" are appropriate for the proper use of BAYLETON 1 Granular Fungicide under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions on this label.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D-9420a 051200

1

•)

Bayer Corporation Gayden & Professional Care Box 4913 Kansas City, MO 64120-0013 (800) 842-8020

