



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

15

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SEP 3 (1998

Mr. John Thornton
Director, Product Registrations & Regulatory Affairs
Bayer Corporation
8400 Hawthorn Read
P.O. Box 4913
Kansas City, MO 64120

Subject:

Labeling Amendments

- * Bayleton Granular Fungicide; EPA Reg No 3125-515
- * Bayleton Liquid Concentrate Fungicide; EPA Reg No 3125-516

Your Correspondence Dated March 23, 1998

Dear Mr. Thornton:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, are acceptable subject to the conditions indicated below.

For both products (EPA Reg No 3125-515 & 3125-516):

1. Under the "Directions for Use" section, the header "Responsible Use" needs to be changed to "Before You Use."

For EPA Reg No 3125-515 only:

1. Under the "Directions for Use" section, information on "General Use Directions" and "Responsible Use" were included in duplicate. The duplication needs to be eliminated.

A stamped copy of each label is enclosed for your records. Please submit one (1) copy of your final printed labeling (for each product) before you release the products for shipment.

If these conditions are not complied with, the registrations will be subject to cancellation in accordance with FIFRA Section 6(e). Your release for shipment of the products constitutes

acceptance of these conditions.

If you have any questions regarding this letter, do not hesitate to contact me at 703-305-7740 or María I. Rodríguez of my staff at 703-305-6710.

Sincerely yours,

Cynthia Giles-Parker Product Manager #22 Fungiride Branch

Registration Division (7505C)

Enclosure (Stamped labels)

3125-515 3/5

VIIIOIS Effective Protection

Lawn Disease Eliminator

READY-TO-ÜSE

FOR USE ON

LAWNS

- Double Protection Formula
 Eliminates Diseases Present in Lawns

 Protects Against Diseases Before
 - They Start
- Apply Anytime Throughout the Growing Season
- Long-Lasting Protection
- •Treats up to 5,000 Square Feet

Eliminates: Lawn Diseases

Active Ingredient:

Triadimeton

* Other Ingredients

* Other ingredients include: Com cob granules and Hexylene

glycol (to adhere the active ingredient to the granule).

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WT. 15 LBS

ACCEPTED
with COMMENTS
In EPA Letter Dated:

9/30/98

Under the Federal Immericide, Fungicide, and Redestfelide Act, as amended, for the marketide registered under EPA Eng. Fa.



Lawn Disease Eliminator

READY-TO-USE

OUICK FACTS:

For Outdoor Residential Use Only

COVERAGE:

freats up to 5,000 square feet.

WHERE TO USE: LAWN

Also Eliminates: Red Thread & Stripe Smut



Re-enter after treated area has been watered and allowed to dry.

EPA Reg. No. 3125-515

EPA Est. No. XXXX-XXX

Always read entire product label before use.

INFORMATION:



1-800-000-0000 Satisfaction Guaranteed

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

• Harmful if swallowed, inhaled, or absorbed through the skin, • Causes moderate eye irritation. • Avoid breathing vapor or dust. • Avoid contact with skin, eyes, or clothing. • Do not contaminate feed or food. • Wash thoroughly with soap and warm water after handling. • Wash contaminated clothing with soap and hot water before reuse.

First Ald

The table below describes the first aid procedures for incidents involving Lawn Disease Eliminator.

IN THE CASE OF ACCIDENTAL	IMMEDIATELY		
Swallowing	If the person is able to swallow: • Have them sip 1 to 2 glassfuls of water. • Call a doctor or poison control center for further treatment advice		
Contact with eyes	Hold eye open and rinse slowly and gently with water. Continue to rinse eye for 10 to 15 minutes, • Call a doctor if initiation persists.		
inhalation	 If breathing is affected, move person to fresh air. Contact doctor or poison control center for further treatment advice If not breathing, call an ambulance and give artificial respiration 		
NOTE: When calling poison control center have the product label acceptible it realing treatment at an emergency country doctor's			

NOTE: When calling poison control center, have this product label accessible, if seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call 800-414-0244 for medical emergency information.

Active Ingredient: Triadimeton [CAS # 43121-43-3].

Directoris of Poisoning: Acute poisoning is accompanied by hyperactivity followed by sociation. In ease of polsoning: Notify Bayer Corporation, Agriculture Division, Kansas City, Missouri, Telephone Number 1-800-414-0244.

- Environmental Hazards

 Do not apply directly to water.
 Apply this product only as specified on this label.

DIRECTIONS FOR USE IMPORTANT: Follow Label Directions It is a violation of Federal law to use this product in a manner inconsistent with its labeling, for best results, read and follow all label directions.

General Use Directions

- Apply the product only in recommended amounts and intervals.
 Apply the product when your lawn is actively growing.
 Mow and water lawn before application.
 Apply product when grass has dried.

- Apply the product to turf that is not suffering from drought stress, as this may decrease the product's

Responsible Use

To use responsibly, follow these guidelines when applying Lawn Disease Eliminator.

• Do Not apply near fish pools, ponds the mass or lakes.

• Do Not use grass elippings for anim the second second

Note: Do not use the product on crops intended for food.

General Use Directions

Apply the product only in recommended amounts and intervals.
Apply the product when your lawn is actively growing.
Mow and water lawn before application.
Apply product when grass has dried.
Apply the product to turf that is not suffering from drought stress, as this may decrease the product's effectiveness.

Responsible Use

To use responsibly, follow these guidelines when applying Lawn Disease Eliminator.

• Do Not apply near fish pools, ponds, streams or lakes.

. Do Not use grass clippings for animal feed.

Note: Do not use the product on crops intended for food.

How to Apply Lawn Disease Eliminator

Apply Lawn Disease Eliminator using a standard spreader calibrated to uniformly spread the recommended product amount per 1000 square feet of turf grass.

Note: For best results, irrigate the treated area immediately after applying Lawn Disease Eliminator to move the product down into the soil.

The table below describes how to apply Lawn Disease Eliminator to prevent or control specific turf grass diseases.

DISEASE	HOW MUCH TO USE	APPLICATION GUIDELINES
Dollar Spot Powdery Mildew Rusts	3 (lbs/1000 sq ft)	Apply at first sign of disease. Reapply 30 days later, if needed.
Brown Patch Summer Patch	6 (lbs/1 000 sq ft)	If area has history of disease, make first application before hot, humid weather occurs. Reapply 21 days later, if needed.
Anthracnose Copper Spot Red Thread	(lbs/1000 sq ft)	Apply at first sign of disease. Reapply every 21 days, if needed.
Stripe Smut	6 (lbs/1000 sq ft)	To prevent disease, make an application in spring as grass begins to grow.

Spireader Servings obenition on there

STORAGE AND DISPOSAL

Storage Conditions

Store the original Lawn Disease Eliminator in a location that is cool and dry. The storage area should be locked and out of reach of children.

Disposal

THE PARTY IN

- Do not reuse empty product bags.
 Wrap the empty bags in several layers of newspaper.
- Place bag in trash.

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow all state and local guidelines.

NOTICE

Research and testing has determined that the "Directions for Use" are appropriate for the proper use of Lawn Disease Eliminator under expected conditions.

The Buyer assumes responsibility for lack of performance or safety if not used according to the directions on this label.



Bayer Corporation Garden & Professional Care Box 4913 Kansas City, MO 64120-0013



