



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

SEP 30 1998

Mr. John Thornton  
Director, Product Registrations & Regulatory Affairs  
Bayer Corporation  
8400 Hawthorn Road  
P.O. Box 4913  
Kansas City, MO 64120

Subject: Labeling Amendments  
\* Bayleton Granular Fungicide; EPA Reg No 3125-515  
\* Bayleton Liquid Concentrate Fungicide; EPA Reg No 3125-516  
Your Correspondence Dated March 23, 1998

Dear Mr. Thornton:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, are acceptable subject to the conditions indicated below.

For both products (EPA Reg No 3125-515 & 3125-516):

1. Under the "Directions for Use" section, the header "Responsible Use" needs to be changed to "Before You Use."

For EPA Reg No 3125-515 only:

1. Under the "Directions for Use" section, information on "General Use Directions" and "Responsible Use" were included in duplicate. The duplication needs to be eliminated.

A stamped copy of each label is enclosed for your records. Please submit one (1) copy of your final printed labeling (for each product) before you release the products for shipment.

If these conditions are not complied with, the registrations will be subject to cancellation in accordance with FIFRA Section 6(e). Your release for shipment of the products constitutes

2/8  
acceptance of these conditions.

If you have any questions regarding this letter, do not hesitate to contact me at 703-305-7740 or María I. Rodríguez of my staff at 703-305-6710.

Sincerely yours,

/s/  
Cynthia Giles-Parker  
Product Manager #22  
Fungicide Branch  
Registration Division (7505C)

Enclosure (Stamped labels)

3125-516

S540547

38

32 oz. liquid concentrate

**VISION**  
Effective Protection

## Disease Eliminator

### CONCENTRATE

FOR USE ON FLOWERS ROSES SHRUBS LAWNS

- Protects Against Most Common Diseases
- Won't Wash Off
- Just One Application Protects Up to Six Weeks

Eliminates: Powdery Mildew, Rusts & Brown Patch

Active Ingredient	
Triadimefon	0.88%
Other Ingredients	99.12%
	100.00%

Other ingredients include: Solvents, surfactants (to disperse the active ingredient in the solvent carrier).

Contains 0.15 oz by weight of Triadimefon per pint.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

SEE BACK PANEL BOOKLET FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS  
NET CONTENTS 32 FL OZ

**ACCEPTED**

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No.

**ACCEPTED**  
with **COMMENTS**  
In EPA Letter Dated:

SEP 30 1998

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.

3125-516

4/8

## Disease Eliminator

CONCENTRATE

### QUICK FACTS:

Not for use on plants that are grown for sale, commercial use, commercial seed production, or food.

#### COVERAGE:

Makes up to XX gallons

Also Eliminates: Flower Blight, Tip Blight & Other Diseases Listed.

#### WHERE TO USE:



Flowers



Roses



Jacobs



Lawn

#### RE-ENTRY:



Re-enter when spray is dry

EPA Reg. No. 3125-576

EPA Est. No. XXXX-XXXX

Always read entire product label before use.

#### INFORMATION:



1-800-333-1000 Satisfaction Guaranteed

Bayer

Bayer Corporation  
Garden & Professional Care  
Box 487E  
Kansas City, MO 64120-0013

5/18

**PRECAUTIONARY  
STATEMENTS  
Hazards to  
Humans and  
Domestic Animals**

**CARBON:**

- Causes moderate eye irritation.
- Avoid contact with eyes or clothing.
- Harmful if inhaled.
- Avoid breathing vapor or spray mist.
- This product may cause allergic skin reactions.
- Wash thoroughly with soap and water after handling.
- Remove contaminated clothing and wash before reuse.

**First Aid**

The table below describes the first aid procedures for incidents involving Disease Eliminator.

IN THE CASE OF ACCIDENTAL...	IMMEDIATELY...
Swallowing	If the person is able to swallow: • Have them sip 1 to 2 glassfuls of water. • Call a doctor or poison control center for further treatment advice.
Contact with eyes	• Hold eye open and rinse slowly and gently with water. • Continue to rinse eye for 10 to 15 minutes. • Call a doctor if irritation persists.
Inhalation	• If breathing is affected, move person to fresh air. • Contact doctor or poison control center for further treatment advice. • If not breathing, call an ambulance and give artificial respiration.
NOTE: When calling poison control center have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call 800-424-9293 for medical emergency information. Active Ingredient: Triadimenol (CAS # 43121-43-3)	

**Symptoms of Poisoning:** Acute poisoning is accompanied by hyperactivity followed by sedation.

**Environmental  
Hazards**


- Do not apply directly to water.
- Allow this product only as specified on this label.

**DIRECTIONS  
FOR USE  
IMPORTANT: Follow  
Label Directions**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.

**General Use  
Directions**

- For Best Results
- Apply the product in recommended amounts and intervals for the disease you desire to control.
  - For use on lawns, apply the product after grass has been mowed.



6/8

**General Use  
Directions  
(cont'd)**

- Apply during the active growing stage of all listed plants.
- Apply the product to plants that are not suffering drought stress, as this may decrease the product's effectiveness.
- Apply the product in sufficient amounts, making sure to completely cover and wet the application area.
- Allow the grass to dry completely before watering.

**Responsible Use**

- To use responsibly, follow these guidelines when applying Disease Eliminator:
- Do Not apply near fish pools, ponds, streams, or lakes.
  - Do Not use the product on fruits or vegetables intended for food.
  - Do Not use the edible portions of treated trees (such as nuts and syrup) for food.
  - Do Not use grass clippings for animal feed.

**How to Use**

- Read chart (in back label booklet) for amount of concentrate to use.
  - Open flip-top lid.
  - Carefully squeeze bottle until concentrate reaches fill line.
  - Mix with water according to label directions.
- Note: Do not squeeze bottle too hard as overflowing may occur.

**For Ornamentals**

- Mix according to application chart.
- Spray directly onto the affected plant.
- Spray to run-off.

PLANT	DISEASE	HOW MUCH TO USE	APPLICATION GUIDELINES
Roses	Powdery Mildew Rusts	1/2 fl oz per gallon of water	Apply when disease first appears. Reapply every 10 to 14 days, if needed.
Flowers Shrubs Trees	Powdery Mildew Rusts	1/2 fl oz per gallon of water	Apply when disease first appears. Reapply every 10 to 14 days, if needed.
Azalea Mountain Laurel Rhododendron	Flower Blight	2 fl oz per gallon of water	Apply when color of bud starts to show. Reapply at 7 to 14 days during bloom period.
Iris	Leaf Spot	4 fl oz per gallon of water	Be sure to add a spreader sticker to spray solution. Reapply every 14 to 21 days.
Pines	Tip Blight		
Photinia	Leaf Spot	2 fl oz per gallon of water	Apply every 14 to 21 days.

## For Lawns

- For spot treatment only.
- Spray directly onto areas affected and allow to dry before mowing.

The table below describes the recommended application amounts and intervals to prevent or control specific turf grass diseases.

DISEASES CONTROLLED	HOW MUCH TO USE	APPLICATION GUIDELINES
Dollar Spot Powdery Mildew Rusts	7 (fl oz per 250 sq ft)	Apply at first sign of disease. Reapply every 14 days, if needed.
Brown Patch	14 (fl oz per 250 sq ft)	If area has history of disease, make first application before hot, humid weather occurs. Reapply every 21 days, if needed.
Red Thread	14 (fl oz per 250 sq ft)	Apply at first sign of disease. Reapply every 21 days, if needed.
Stripe Smut	14 (fl oz per 250 sq ft)	To prevent disease, make application in spring as grass begins to grow.

Pump-Style Tank  
Sprayers

1. Measure amount of concentrate from the charts above into sprayer tank.
2. Dilute with 1 gallon of water.
3. Close sprayer and shake well before applying.

"Concentrate  
Only" Dial-Style  
Hose-End  
Sprayers

1. Fill sprayer jar with enough concentrate to cover area to be treated. Do not add water.
2. Close sprayer and set dial to the setting specified in the charts above.
3. Attach sprayer to hose and apply.
4. Begin treating the areas farthest from the faucet, working backwards to avoid walking over treated areas.

"Concentrate-  
Plus Water"  
Hose-End  
Sprayers

1. Use the charts above to determine the amount of concentrate required.
2. Pour concentrate into sprayer jar and measure to the required "fl oz" level.
3. Add the appropriate amount of water to the "gals" level.
4. Replace sprayer top on jar and shake well before applying.

8/8

#### STORAGE AND DISPOSAL

**Storage Conditions** Store in an area out of reach of children, preferably a locked storage cabinet.

**Disposal**

- Do not reuse empty container.
- Rinse the empty product container thoroughly.
- Include rinse water in application.
- Place container in trash.

**Important:** It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow all state and local guidelines.

#### NOTICE

Research and testing has determined that the "Directions for Use" are appropriate for the proper use of Disease Eliminator under expected conditions.

The Buyer assumes responsibility for lack of performance or safety if not used according to the directions on this label.

