
04 PM

508-9359.BLD

£

PAN DESERT

Reason to Issue: To revise based on EPA letter.



Base Reg (9359)

14

Date of Draft: 05/19/99 (S) Supersedes Pre-Reg Draft Dated: 02/26/99

1987 - 1272

[FRONT PANEL]

U.S. LABEL

Merit[®] 0.2 Granular

3125-508

Insecticide

	READY TO USE
	Kills White Grubs and Mole Crickets
	For Use On: Lawns, Ground Covers, Flower Beds, and Around Trees & Shrubs
	 One Application Kills White Grubs and Mole Crickets All Season Long Kills White Grubs and Mole Crickets Early, Before They Damage Your Lawn
	(ART: treated lawn, untreated lawn)
	 Season-Long Grub Control One Application Stops-Grubs All Season Long Apply Anytime Spring Through Late Summer
	Net Contents: 14.35 lbs (28.7 lbs) TREATS 5,000 (10,000) SQ FT
	STOP - Read This Entire Label Before Use KEEP OUT OF REACH OF CHILDREN
es s. di f Rit Istel	R Notice 82.2 FOR OUTDOOR RESIDENTIAL USE
y 19,	1999 CAUTION
·	HARMFUL IF SWALLOWED CAUSES EYE IRRITATION See back panel for ingredients and precautionary statements
	~

Quick Facts (Product Facts)

ł

lin Accordan Sesed On Se

[BACK PANEL]

✓ Easy-To-Use Granules

 \checkmark Kills Mole Crickets and White Grubs Early, Before They Damage The Lawn

✓ One Application Kills Mole Crickets and White Grubs

KILLS	White Grubs (larvae of chafers and Japanese beetles) Mole Crickets	(ART: WHITE GRUB) (ART: MOLE CRICKET)	
COVERAGE	This bag covers 5,000 sq ft (14.35 lb bag) (3,775 sq ft (mole crickets)	white grubs) 4	
WHERE TO USE	Lawns, ground covers, flower beds, around trees and shrups		
WHEN TO USE	May through mid-August		
HOW MUCH TO USE	See spreader settings		
(ART: GRAPHIC OF PHONE)	Questions or comments, call toll-free (677) www.AdvancedLawn.com		
		······································	

·	MERIT 0	.2 Granular Insecticide	
Ingredients	ACTIVE INGREDIENT: Imidacloprid		
	* Other ingredients i ingredient on the g	include: Corn cob granules and dipropylene glycol (to adhere the active granules).	
	EPA Reg. No. 3125-5	508 EPA Est. No. XXXX-AA-XX	
PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION	 Harmful if swallowed or absorbed through skin. Causes eye irritation. 		
First Aid	IN THE CASE OF ACCIDENTAL	. IMMEDIATELY	
	Swallowing	Call a doctor or poison control center for treatment advice	
	Contact with eyes	 Hold eye open and rinse eye slowly and gently with water. Continue to rinse eye for 10 to 15 minutes. Call a doctor if irritation persists. 	
	an emergency may call toll-fr	poison control center, have this product label accessible. If seeking treatment at / room or doctor's office, bring this product label to show medical personal. You ree (877) 229-3763 for medical emergency information. Active Ingredient: CAS # 138261-41-3)	
Environmental Hazards	 Do not contaminate 	ighly toxic to aquatic invertebrates. Do not apply directly to water. e water when cleaning equipment or disposing of equipment washwater. only as specified on this label.	
DIRECTIONS FOR USE		eral law to use this product in a manner inconsistent with its labeling. For follow all label directions.	
Before You Use	 Read and follow these directions when using. Do not apply near fish pools, ponds, streams or lakes. Do not use in vegetable gardens. 		
How to Use	TO CONTROL	WHEN TO APPLY -	
	Grubs	Apply once anytime from May through mid-August.	
	Mole Crickets	Apply once anytime from mid-May through mid-June.	
		Florida residents: Apply once anytime between early April through early May.	
		MERIT 0.2 Granular insecticide before grubs or mole crickets hatch. Contact Agent for the ideal dates to apply in your area.	
	LAWNS	li li	

How Much: See Spreader Settings

CCUSS

Page 2

MERIT 0.2 Granular Insecticide

ne el constante en el constante

4

Adjust spreader to the proper setting (see Spreader Settings). (ART)	To be sure you cover the entire area uniformly, first treat the border of the lawn then fill in the center. Make parallel passes, walking at a steady pace to ensure even distribution of the granules.	Water thoroughly after applying. (ART)
	(ART)	

FLOWER BEDS, GROUND COVERS, TREES & SHRUBS

How Much: 2 Tablespoons per 10 sq ft of planting bed.

1-1/4 cups per 100 sq ft of planting bed.

Spread granules evenly to the soil over flower beds, ground cover plantings, shrub beds and under trees. Tip: A hand-held spreader makes this easy.	Rake granules into the soil around plants.	Water thoroughly after applying.
(ART)		

Children and pets may re-enter after the treated area has been watered and allowed to dry.

FOR BEST RESULTS

- · Apply early, before grubs and mole crickets hatch.
- · Water thoroughly within 24 hours after applying.
- · Do not mow until the granules are watered into the soil.
- Avoid applying MERIT 0.2 Granular Insecticide to waterlogged areas, as this may decrease the product's effectiveness.
- You may spread MERIT 0.2 Granular Insecticide over soil or mulch. If present, remove weed barrier before applying.

SIGNS OF DAMAGE TO LAWNS (grubs)

White grubs cause extensive damage to lawns by feeding on grass roots. Grass turns yellow, then brown and dies. Grubs chew off roots so that the grass is easily pulled up in pieces with your hands. You can roll it back like a carpet to reveal the grubs. If patches cf dead grass appeared in your lawn late last summer, check for grubs.

SIGNS OF DAMAGE TO LAWNS (mole crickets)

Mole crickets often cause extensive damage by tunneling through lawns. Some species also feed on roots. Tunneling uproots the grass so it easily dries out. Lawns turn yellow, become thin, weedy and can eventually die.

HOW IT WORKS

After MERIT 0.2 Granular Insecticide granules are watered in, a protective zone is formed in the soil. If applied early, MERIT 0.2 Granular Insecticide kills grubs and mole crickets when they hatch...before they can cause damage.

MERIT 0.2 Granular Insecticide

Spreader Settings

If your spreader is not listed, please call our Consumer Service Hotline toll-free (877) 229-3725 for help. Rate for Grubs: 2.87 lbs per 1,000 sq ft

Rate for Mole Crickets: 3.8 lbs per 1,000 sq ft

	SETTING*			
SPREADER	To Deliver	To Deliver		
	2.87 lbs per 1,000 sq ft	3.8 lbs per 1,000 sq ft		
Vigoro Drop Vigoro Rotary Sta-Green Drop Sta-Green Rotary Bandini Ev-N-Spread Rotary Ortho Drop Ortho Rotary Precision Drop Precision Rotary Quaker Rotary Republic EZ Drop Republic EZ Grow Republic EZ Rotary Scotts Drop Scotts Accugreen Scotts Easygreen Scotts Easygreen	Spreader Settings to be determined	Spreader Settings to be determined		
Scotts Speedy Green				
True Temper Rotary ADD: NEW TWO-IN-ONE SPREADERS				
 Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions. Tip: 1000 sq ft = 20 ft x 50 ft Do not use a spreader that applies granules in narrow, concentrated, or uneven bands. Be sure the spreader works properly and spreads granules evenly. 				

STORAGE AND DISPOSAL IMPORTANT: Directions for Storage and Disposal

Storage Conditions

Disposal

Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet.

- Do not contaminate water, food, or feed by storage or disposal.
- Do not reuse empty product bags.
- Securely wrap the empty product bag in several layers of newspaper
- place bag in trash.

Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state or local guidelines.

NOTICE

Research. and testing has determined that the "Directions for Use" are appropriate for the proper use of MERIT 0.2 Granular Insecticide under expected conditions.

The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Bayer Corporation ે દારા સામ

Garden & Professional Care Box 4913, Karlsas City, MO 64120-0013 Product Information toll-free (877) 229-3725 Medical Emergency toll-free (877) 229-3763

