


3125-563

5-17-2002

1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg.
Number:

3125-563

Date of Issuance:

MAY 17 2002

Term of Issuance: Conditional

Name of Pesticide Product:

Tebuconazole 4.35 SE
Concentrate

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bayer Corporation, Agriculture Division
8400 Hawthorn Road, P. O. Box 4913
Kansas City, MO 64120-0013

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA Sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA Sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following labeling changes before you release the product for shipment:
 - A. Add the phrase "EPA Registration Number 3125-563.
 - B. Add the following phrase to the ingredient statement on the front panel of the label:
"Total100%".
 - C. Move the box containing the Environmental Hazards statements so that it appears below the Precautionary Hazards Statements.
3. Submit one copy of your final printed label before you release the product for shipment.

Signature of Approving Official:

Mary L. Waller

Mary L. Waller, Product Manager (21)
Fungicide Branch, Registration Division

Date:

5/17/02

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Sincerely,

A handwritten signature in cursive script that reads "Mary L. Waller".

Mary L. Waller
Product Manager 21
Fungicide Branch
Registration Division (7505C)

Enclosure

3/6

(FRONT PANEL)

Tebuconazole 4.35 SE Concentrate

Systemic Fungicide

- One quart makes up to 64 gallons diluted spray
- For control of specified diseases on plants
- Prevents, stops and cures listed [common] [major] diseases on roses, flowers, trees
- Controls all major fungal diseases that harm roses, flowers, trees and shrubs
- Rescues plants from diseases
- Systemic fungicide works through the leaves and stems to protect and cure
- Controls diseases for up to 2 weeks (1/2 month) at a time
- Rainproof Protection - won't wash off once it is dry
- Convenient MEASURE-UP Cup™

ACTIVE INGREDIENT:

Tebuconazole4.35%

OTHER INGREDIENTS95.65%

Net Contents: 16 fl. oz. (473 mL) or 32 fl. oz. (946 mL)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel [Booklet] for Additional Ingredients and Precautionary Statements


Text in [] is optional

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

5/17/02

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**



3125-563



4/6

(BACK PANEL)

Read the label first!

QUICK FACTS <ul style="list-style-type: none"> Offers disease protection against most common diseases on roses, flowers, trees and shrubs Cures and prevents major diseases on roses, flowers, trees and shrubs Cures diseases and restores beauty to plants 	
CONTROLS	Black Spot, Powdery Mildew, Rust and other listed diseases [Anthracnose, Black Spot, Flower Blight, Leaf Spot (Entosporium & Septoria), Petal Blight, Powdery Mildew, Rust, Scab, Southern Blight]
WHERE TO USE	Roses, Crabapples (ornamental), Dogwoods, Azaleas, Camellias, Rhododendrons and other listed plants [Crabapples (ornamental), Dogwoods, Azaleas, Camellias, Rhododendrons and Other Landscape Trees & Shrubs Roses and Flowers (Annuals, Biennials, Perennials) Ground Covers & Vines Houseplants]
WHEN TO USE	<ul style="list-style-type: none"> To treat an existing disease: Apply at first sign of disease To prevent diseases
HOW MUCH TO USE	1/2 fl. oz. (1 Tbs. or 3 tsp.) per gallon of water
  For questions or comments, call toll-free 1-877-BayerAG or visit us on-line at www.AdvancedGarden.com .	

DIRECTIONS FOR USE	
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. For best results, read and follow all label directions.	
BEFORE YOU USE Read and follow directions when using.	<ul style="list-style-type: none"> Do not apply near lakes, streams, rivers or ponds. Do not apply to plants grown for food Food utensils such as measuring spoons should not be used for food purposes after use with fungicides. Move indoor houseplants outside before treating.
HOW TO APPLY	Thoroughly wet all plant surfaces until the product just begins to run off.
Pump Style Sprayers	1. Add the appropriate amounts of concentrate and water to the sprayer tank. 2. Close sprayer, shake well and pressurize. 3. Adjust nozzle to a coarse spray pattern and apply. 4. Occasionally re-pressurize the sprayer if needed to maintain a good spray pattern.
Dial Style Hose-End Sprayers	1. Fill sprayer jar with enough concentrate to cover plants to be treated. Close sprayer and set dial. TIP: The numbers on Dial-Style Hose-End Sprayers are ounces of concentrate per gallon of spray. 2. Attach sprayer to hose and apply.
Concentrate Plus Water Hose-End Sprayer	1. Pour concentrate into sprayer jar to the required fluid ounce level. 2. Add the appropriate amount of water to the gallons level. 3. Replace sprayer top and shake well. 4. Attach sprayer to hose and apply.
Continued on next page	

FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:

Tebuconazole 4.35%

OTHER INGREDIENTS* 95.65%

TOTAL 100.00%


* Other ingredients include: Water, sunflower oil, propylene glycol, nonionic surfactant, Xanthan gum (thickener to keep the active ingredient suspended), BHT & other preservatives, antifoam, sulfuric acid (as neutralizer)

EPA Reg. No. 3125-__

EPA Est. No. __-AA-__


5/6


Directions For Use (continued)			
PLANTS	CONTROLS	WHEN TO APPLY	
		To Treat Existing Disease	To Prevent Diseases
Roses	Black Spot, Powdery Mildew, Rust	Apply at least 3 times per year, 7 - 14 days apart, beginning with the first sign of disease.	Every 7 - 14 days during the growing season, starting when leaves first appear.
Flowers	Leaf Spot, Powdery Mildew, Rust, Southern Blight		Apply at least 3 times per year, 7 - 14 days apart, beginning with Spring bud break.
Crabapples (Ornamental), Dogwoods and Other Landscape [Ornamental] Trees	Anthrachnose, Leaf Spot, Powdery Mildew, Rust, Scab,		Petal Blight - Apply 2 - 3 times per week into the flowers as they open and develop color.
Azaleas, Camellias, Rhododendrons and Other Landscape [Ornamental] Shrubs,	Anthrachnose, Black Spot, Leaf Spot, Petal Blight, Powdery Mildew, Rust, Southern Blight		
Ground Covers and Vines			
Houseplants	Leaf Spot Powdery Mildew		Apply at least 3 times per year, 7 - 14 days apart.
Continued on next page			



6/6

Directions For Use (continued)	
FOR BEST RESULTS	<ul style="list-style-type: none"> • Apply at the shorter interval specified under "Directions for Use" when disease or conditions favorable to disease (generally cloudy or wet weather) are present. • Prevent damage to your plants caused by disease by starting a spray schedule when diseases are likely in your area. • For more information on what you can do to control plant diseases, contact your local County Extension Service (usually found in the White Pages of the phone book under the name of your county.)
HOW TEBUCONAZOLE 4.35 SE CONCENTRATE WORKS	This product provides 3-way protection: it kills existing fungi, forms a protective barrier on the outside of the plant and is absorbed into the plant.

	Do not allow children and pets to enter the treated area until it has dried.
---	--

IMPORTANT: Directions for Storage and Disposal	
Storage Conditions	Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.
Disposal 	<ul style="list-style-type: none"> • Do not reuse empty container. • Rinse the empty product container thoroughly and use the rinse water in the sprayer as part of the water portion. • Place empty container in trash.
Important: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow any applicable state and local guidelines.	

PRECAUTIONARY STATEMENTS	
HAZARDS TO HUMANS AND DOMESTIC ANIMALS	
CAUTION	
<ul style="list-style-type: none"> • Harmful if swallowed, inhaled or absorbed through skin. • Washing hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco will reduce exposure. • Avoid contact with skin, eyes or clothing. • Removing and washing contaminated clothing before reuse may reduce exposure. • Avoid breathing vapor or spray mist. • When using this product, wear long-sleeved shirt, long pants, socks, shoes and rubber gloves. 	

FIRST AID +	
IN CASE OF ACCIDENTAL...	IMMEDIATELY...
Swallowing	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Contact with skin	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes. • Call a poison control center or doctor for treatment advice.
Inhalation	<ul style="list-style-type: none"> • If breathing is affected, move person to fresh air. • If not breathing, call an ambulance and give artificial respiration. • Contact doctor or poison control center for further treatment advice.
NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an emergency room or doctor's office, bring this product label to show medical personnel. You may call toll-free 877-229-3763 for medical emergency information. Active Ingredient: 4.35% Tebuconazole (CAS #107534-96-3).	

ENVIRONMENTAL HAZARDS
<ul style="list-style-type: none"> • This product is toxic to aquatic invertebrates. Do not apply directly to water. • Drift or runoff may harm aquatic invertebrates. • Do not contaminate water when disposing of equipment washwaters or rinsate.

NOTICE: Research and testing have determined that the "Directions For Use" are appropriate for the proper use of TEBUCONAZOLE 4.35 SE CONCENTRATE SYSTEMIC FUNGICIDE under expected conditions. The Buyer assumes responsibility for lack of performance or safety if not used according to the directions.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

D - 9490 091901b

Bayer Corporation
Garden & Professional Care
Box 4913
Kansas City, MO 64120-0013
(800) 842-8020

