

3125-568

1-29-2002

1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (H7505C)
1200 Pennsylvania Avenue, NW
Washington, D.C. 20460

EPA Reg. Number

3125-568

Date of Issuance

JAN 29 2002

NOTICE OF PESTICIDE:

☒ Registration
☐ ReregistrationTerm of Issuance **Unconditional**

Name of Pesticide Product:

Tempo 0.1% G Insecticide

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Bayer Corporation
Agriculture Division
P.O. Box 4913 Hawthorn Road
Kansas City, MO 64120-0013

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5), provided that you submit two (2) copies of your final printed label for before your release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. If you have any questions regarding this action, please contact Dr. William Sproat of my team at (703) 308-8587.

Signature of Approving Official:

George T. LaRocca

Date:

JAN 29 2002

EPA Form 8570-6

173056
SPROAT
01/29/02

Tempo 0.1% G

Insecticide

For Use Only By Pest Management Professionals and Commercial Applicators.

ACTIVE INGREDIENT:

Cyfluthrin 0.1%

OTHER INGREDIENTS* 99.9%
100.0%

* Other ingredients include: Ammonium sulfate granules, dipropylene glycol (to adhere the active ingredient on the granules) and organic solvent (less than 0.4%, to dissolve the active ingredient for mixing) and emulsifiers (to keep the liquid ingredients uniformly mixed).

EPA Reg. No. 3125-568

EPA Est. No. XXXXX-AA-XX

Net Contents:

STOP – Read The Label Before Use.

Keep out reach of children.

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or inhaled. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.


FIRST AID



If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. The Bayer Kansas City Emergency Response Telephone No. is 800-414-0244.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.



PRO FACTS	
<ul style="list-style-type: none"> • Ready-to-use granules. • Effective as broadcast and spot treatment. • For use with lawn or hand-held spreaders. • Long lasting 30 day protection. • Penetrates groundcovers and mulch. 	
Tempo 0.1% Granule	Granular formulation containing 0.1% cyfluthrin on a water-soluble carrier.
CONTROLS	<ul style="list-style-type: none"> • Outdoor/perimeter pests • Turf pests • Fire Ants
WHERE TO APPLY	<ul style="list-style-type: none"> • Apply around buildings and structures where pests have been seen or found, or can find shelter. • Apply to lawns.
COVERAGE	Treats ----- sq ft.
HOW TO APPLY	<ul style="list-style-type: none"> • Broadcast application using lawn or hand-held spreader or shaker bottle. • Mound treatment
RE-APPLY	Monthly, if needed.
QUESTIONS	For questions or comments, call toll-free
 	1-800-842-8020 www.BayerProcentral.com

DIRECTIONS FOR USE	
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.	
IMPORTANT: Read entire label and Conditions of Sale before using this product.	

OUTDOOR/PERIMETER PESTS		
Ants	Earwigs	Scorpions
Centipedes	Fleas	Spiders
Cockroaches	Grasshoppers	Sowbugs
Crickets	Ground beetles	Termites ¹
Digger wasps (Cicada killer)	Millipedes	Ticks (including deer ticks)
Pillbugs		
¹ Such applications are not a substitute for mechanical alteration, soil treatment, or foundation treatment, but merely a supplement. This product is not recommended as sole protection against termites. For active termite infestations get a professional inspection.		
WHERE TO APPLY	<ul style="list-style-type: none"> • Apply around buildings and structures where pests have been seen or found, or can find shelter. • Treat a band up to 10 ft wide around and adjacent to structures. • Apply to flower, shrub or ornamental plant beds, groundcovers, mulch areas and fencelines. 	
USE RATE	<ul style="list-style-type: none"> • 2 to 4 lbs granules per 1000 sq ft • For ant mounds and wasp burrows, apply 1 to 2 teaspoons of granules (For Fire Ants see TURF PESTS) • Use high rate for severe infestations, faster knockdown and longer residual control; some greening of turf may occur. 	
HOW TO APPLY	<ul style="list-style-type: none"> • Apply granules evenly using a hand-held spreader or shaker bottle. • For best results, irrigate the treated area after application to thoroughly wet the area. <p><u>For Ant Mounds or Wasp Burrows:</u></p> <ul style="list-style-type: none"> • Sprinkle 1 to 2 teaspoons of granules over the ant mound or wasp burrow. Treat wasps at night, after they are back in their nest. 	
WHEN TO APPLY	<ul style="list-style-type: none"> • When pests are seen or found • Re-apply monthly, if needed 	

TURF PESTS		
Annual Bluegrass weevil (Hyperodes) (adults)	Chiggers	Leafhoppers
Ants	Chinch bugs	Mealybugs
Armyworms	Cutworms	Mole Crickets
Billbugs (adults)	Fire ants	Sod Webworms
Black turfgrass ataenius (adults)	Fleas	Ticks (including deer ticks)
	Grasshoppers	
WHERE TO APPLY	<ul style="list-style-type: none"> • Apply to lawns • Spot treat fire ant mounds 	
USE RATE	<ul style="list-style-type: none"> • 2 to 4 lbs granules per 1000 sq ft • For fire ants, apply 1/4 cup granules per mound • Use high rate for severe infestations, faster knockdown and longer residual control; some greening of turf may occur. 	
HOW TO APPLY	<ul style="list-style-type: none"> • Use rotary or drop type spreaders to apply granules evenly over the lawn. • For best results, irrigate the treated area after application to thoroughly wet the area. <p><u>Fire Ant Mound Treatment:</u></p> <ul style="list-style-type: none"> • Apply 1/4 cup of granules per mound. • For best results drench the mound with 1 to 2 gallons of water. Apply in cool weather during the spring and fall, or early morning or late evening. Treat new mounds as they appear. 	
WHEN TO APPLY	<ul style="list-style-type: none"> • When pests are seen or found • Re-apply monthly, if needed • To control mole crickets, apply when their eggs are hatching. Contact your County Extension Agent for the ideal application dates in your area. 	

SPREADER SETTINGS

Rate: 2 to 4 lbs per 1000 sq ft

SPREADER	SETTING*
	To be determined.
<ul style="list-style-type: none"> • Settings are approximate. The condition of your spreader, the speed at which you walk and uneven terrain may affect the rate of application. Calibrate your spreader according to manufacturer's directions. • Tip: 1000 sq ft = 20 ft x 50 ft • Do not use a spreader that applies granules in narrow, concentrated or uneven bands. Be sure the spreader works properly and spreads granules evenly. 	

RESTRICTIONS	
	<ul style="list-style-type: none"> • Do not apply near fish pools, ponds, streams or lakes. • Keep children and pets off treated area until it has been watered and allowed to dry. • Do not apply directly to any food crop. • Food utensils such as teaspoons and measuring cups should not be used for food purposes after use with this insecticide. • Not for use on golf courses, sod farms, greenhouses or nurseries, or on grass grown for seed.

STORAGE AND DISPOSAL	
Do not contaminate water, food, or feed by storage or disposal.	
Storage:	<ul style="list-style-type: none"> • Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, or feed. • Store in original containers and out of the reach of children, preferably in a locked storage area. • Handle and open container in a manner as to prevent spillage.
Pesticide Disposal:	Pesticide wastes are hazardous. Improper disposal of excess pesticide is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
Container Disposal:	<ul style="list-style-type: none"> • Do not use container in connection with food, feed, or drinking water. • Completely empty container into application equipment. • Dispose of container by offering for recycling or reconditioning or puncture and dispose of container in a sanitary landfill, or incinerator, or if allowed by state and local authorities by burning. If burned, stay out of smoke.
Spills:	<p>If the container is leaking or material is spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material.</p> <ul style="list-style-type: none"> • Do not walk through spilled material. • Dispose of pesticide as directed above. • Keep unauthorized people away. • You may contact the Bayer Emergency Response Team for decontamination procedures or any other assistance at 800-414-0244 or contact Chemtrec at 800-424-9300.

CONDITIONS OF SALE. Read Before Using.

- THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT.
- THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED.
- INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS.
- IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. BAYER OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF BAYER AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

D-9568 120301

Bayer Corporation
 Garden and Professional Care
 Box 4913
 Kansas City, MO 64120-0013
 (800) 842-8020
<http://www.nobugs.com>

