For use only when building is vacated by humans and pets.

DIRECTIONS FOR USE:

Use at least one canister for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured.

IMPORTANT: Fogger must be placed on table, chair or stand when releasing. Place newspapers under canister to prevent marring surface. Close doors and windows. Remove pets. Cover fish tanks or bowls with paper or remove. Cover exposed foods, dishes, and food handling equipment. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Place at least 6 feet away from pilot light. Keep at arm's length when releasing. Point top of can away from face and eyes.

To start fogging, place plastic clip over edge of canister lip to start fogging action. Set in upright position and leave the building at once. Leave undisturbed for 2 hours. Open doors and windows and allow to air for 30 minutes.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.

Sect-a-fog

PRESSURIZED FOGGER

FOR APARTMENTS, HOMES OR BUILDINGS UP TO 6,000 CU. FT.

KILLS EXPOSED TICKS, FLEAS, ROACHES, ANTS, FLYING MOTHS, SPIDERS, SCORPIONS

Entire contents released from one spot. Fog penetrates throughout area.

CAUTION: Keep out of reach of children. See side panel for other cautions.

OCT 5 973

Pecticides Describing Division, EPA

EVSCO PHARMACEUTICAL CORPORATION
A SUBSIDIARY OF DAMON OCEANSIDE, N.Y. 11572

NET WEIGHT 13 OUNCES EPA Registration No. 3134-34

CONTENTS

ACTIVE INGREDIENTS:

Ronnel [0, 0-Dimethyl 0-(2, 4, 5-Trichlorophenyl) Phosphorothioate] 2.00%; 2, 2-dichloroyinyl dimethyl phosphate 0.47%; Related Compounds 0.03%; Pyrethrins 0.40%; Technical Piperonyl Butoxide* 0.80%; N-octyl bicycloheptene dicarboximide 1.55% Petroleum Distillate 1.70%.


INERT INGREDIENTS: 93.05%

*Equivalent to 0.64% (butylcarbityl) (6-propylpiperonyl) ether and 0.16% related compounds.

WARNING: CONTENTS UNDER PRESSURE. DO NOT PUNCTURE. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. EXPOSURE TO TEMPERATURES ABOVE 130°F MAY CAUSE BURSTING. NEVER THROW CONTAINER INTO FIRE OR INCINERATOR.

CAUTION: Avoid breathing of mist. Avoid contact with eyes. Avoid contact with skin. Harmful if swallowed, inhaled or absorbed through skin. Wash hands after handling.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.



For use only when building is vacated by humans and pets.

DIRECTIONS FOR USE:

Use at least one canister for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured.

IMPORTANT: Fogger must be placed on table, chair or stand when releasing. Place newspapers under canister to prevent marring surface. Close doors and windows. Remove pets. Cover fish tanks or bowls with paper or remove. Cover exposed foods, dishes, and food handling equipment. Open cabinets and doors to areas to be treated. Shut off fans and air conditioners. Put out all open flames except pilot light. Place at least 6 feet away from pilot light. Keep at arm's length when releasing. Point top of can away from face and eyes.

To start fogging, place plastic clip over edge of canister lip to start fogging action. Set in upright position and leave the building at once. Leave undisturbed for 2 hours. Open doors and windows and allow to air for 30 minutes.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.

Sect-a-fog

PRESSURIZED FOGGER

FOR APARTMENTS, HOMES OR BUILDINGS UP TO 6.000 CU. FT.

KILLS EXPOSED TICKS, FLEAS, ROACHES, ANTS, FLYING MOTHS, SPIDERS, SCORPIONS

Entire contents released from one spot. Fog penetrates throughout area.

CAUTION: Keep out of reach of children.

See side panel for other cautions.

OCT 5

Manufactured for Division, EPA .

EVSCO PHARMACEUTICAL CORPORATION
A SUBSIDIARY OF DAMON OCEANSIDE N.Y. 11572

NET WEIGHT 13 OUNCES EPA Registration No. 3134-34

CONTENTS

ACTIVE INGREDIENTS:

Ronnel [0, 0-Dimethyl 0-(2, 4, 5-Trichlorophenyl) Phosphorothioate] 2.00%; 2, 2-dichloroyinyl dimethyl phosphate 0.47%; Related Compounds 0.03%; Pyrethrins 0.40%; Technical Piperonyl Butoxide* 0.80%; N-octyl bicycloheptene dicarboximide 1.55% Petroleum Distillate 1.70%.

INERT INGREDIENTS: 93.05%

*Equivalent to 0.64% (butylcarbityl) (6-propylpiperonyl) ether and 0.16% related compounds.

WARNING: CONTENTS UNDER PRESSURE. DO NOT PUNCTURE. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. EXPOSURE TO TEMPERATURES ABOVE 130°F MAY CAUSE BURSTING. NEVER THROW CONTAINER INTO FIRE OR INCINERATOR.

CAUTION: Avoid breathing of mist. Avoid contact with eyes. Avoid contact with skin. Harmful if swallowed, inhaled or absorbed through skin. Wash hands after handling.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

