## **DIRECTIONS FOR USE:**

To operate, remove protective cap from top of can. Hold can upright, about 2 to 4 inches from dog's hair. Point opening on side of valve in desired direction for spray. To release spray place finger on top of valve and press down. Move the bomb over the entire animal, using a "Zig-Zag" motion, until the coat is slightly damp. It may be advantageous especially on long-haired animals, to rub the hand against the lay of hair, spraying into the ruffled hair directly behind the hand. 30 to 45 seconds is sufficient to treat a 30 lb. animal. Repeat treatment as necessary, making sure spray wets ticks. Do not use more often than once every 7 days.

Thoroughly spray interior of kennel or other animal sleeping quarters. Also spray bedding and replace with fresh bedding if necessary. WHERE ANIMAL ODOR IS PRESENT, SPRAY LIGHTLY INTO THE AIR.

This bomb makes a slight hissing sound and causes a temporary cool sensation. Nervous animals may become frightened the first time this bomb is used but soon become accustomed to the treatment.

Super



## Sect-a-spray

FLEA AND TICK KILLER DEODORANT BOMB

RESIDUAL
REPELS FLIES, GNATS & MOSQUITOES
FOR USE ON DOGS AND CATS

SEVEN DAYS ON YOUR PET

For Veterinary Use Only

## CAUTION:

Keep Out of Reach of Children.

See side panel for other cautions.

Manufactured for

EVECO PHARMACEUTICAL CORPORATION A SUBSIDIARY OF DAMON OCEANSIDE, N.Y. 11572

NET WEIGHT 13 OUNCES EPA Registration No. 3134-35

## CONTENTS ACTIVE INGREDIENTS:

Piperonyl butoxide technical*	0.50%
Carbaryl (1-Naphthyl N-Methylcarbamate)**	0.50%
2, 3:4, 5 bis (2-butylene)	0.0076
tetrahydro-2-furaldehyde***	0.20%
Petroleum distillate	0.20%
INERT INGREDIENTS	98.55%
TOTAL	100.00%

- 'Equivalent to 0.40% (Butylcarbityl) (6-Propylpiperonyl) ether and 0.10% related compounds.
- \* Insecticide Sevin—U.S. Pat. No. 2.-903,478 Union Carbide Corp.
- \*\*\* MGK Repellent 11, U.S. Pat. No. 2.610.116.

WARNING: FLAMMABLE! CONTENTS UNDER PRESSURE. DO NOT USE NEAR FIRE, SPARKS, OR FLAME. DO NOT PUNCTURE OR INCINERATE CONTAINER. EXPOSURE TO TEMPERATURE ABOVE 130°F MAY CAUSE BURSTING.

**CAUTION:** Avoid breathing of mist. Avoid contact with eyes. Avoid contact with skin. Harmful if swallowed, inhaled or absorbed through skin. Wash hands after handling.

Avoid treatment of puppies under 4 weeks of age.