

DEC

COPY

DEC 28 1983

Ms. Madeline Cunningham
Evaco Pharmaceuticals
P.O. Box 209
Harding Highway
Buena, NJ 08310

Dear Ms. Cunningham:

Subject: Eye Irritation Study and General Revision of Label
Sect-a-Spray
EPA Registration No. 3134-35
Your Application Dated May 5, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The submitted eye irritation study is acceptable. The study confirms that this product is in Toxicity Category III by this exposure route.

The following changes should be incorporated on your labeling at your next printing.

- a. The child hazard warning "Keep Out of Reach of Children" should be placed above the signal word "WARNING."
- b. Revise your Storage And Disposal directions to read:

Storage: Store in a cool, dry place, preferably in a locked storage area.

Pesticide Disposal: Partially filled can may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

Container Disposal: Replace cap and discard containers in trash. Do not incinerate or puncture.

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

DCR-28452:CBI-11:12/27/83:KIM:Del. 1/9/84

CONCURRENCES								
SYMBOL ▶								
SURNAME ▶								
DATE ▶								

3418

3418



DIRECTIONS FOR USE:

For Veterinary Use Only

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To operate, remove protective cap from top of can. Hold can upright about 2 to 4 inches from dog's hair. Point opening on side of valve in desired direction for spray. To release spray place finger on top of valve and press down. Move the bomb over the entire animal, using a Zig Zag motion until the coat is slightly damp. It may be advantageous especially on long haired animals, to rub the hand against the lay of hair, spraying into the ruffled hair directly behind the hand. 30 to 45 seconds is sufficient to treat a 30 lb. animal. Repeat treatment as necessary, making sure spray wets ticks. Do not use more often than once every 7 days. Do not spray into animal's eyes.

Thoroughly spray interior of kennel or other animal sleeping quarters. Also spray bedding and replace with fresh bedding if necessary.

This bomb makes a slight hissing sound and causes a temporary cool sensation. Nervous animals may become frightened the first time this bomb is used but soon become accustomed to the treatment.

Storage & Disposal

Do not store near heat. Replace cap and discard the container in trash. Do not incinerate or puncture.

EPA Registration No. 3134-35

**Super
sect-a-spray®**

**FLEA AND TICK KILLER
DEODORANT BOMB**

**INSECT KILLING ACTION LASTS FOR
SEVEN DAYS ON YOUR PET**

FOR USE ON DOGS AND CATS

CONTENTS

ACTIVE INGREDIENTS:

Pyrethrins	0.05%
Piperonyl butoxide technical*	0.50%
Carbaryl (1-Naphthyl-N-Methylcarbamate)**	0.50%
2,3,4,5 bis (2-butylene) 1,4-dihydro 2 furaldehyde***	0.20%
Petroleum distillate	0.20%
INERT INGREDIENTS	98.55%
TOTAL	100.00%

*Equivalent to 0.40% (Butylcarbityl) (6 Propylpiperonyl) ether and 0.10% related compounds.

**Insecticide Sevin—U.S. Pat. No. 2,903,478 Union Carbide Corp.

***MGK Repellent 11—U.S. Pat. No. 2,610,116.

WARNING:

Keep Out of Reach of Children.

See Side Panel for Precautions

NET WEIGHT 13 OUNCES (368.5 grams)

**KILLS FLEAS, LICE
REPELS FLIES,
MOSQUITOES**

**Precautions
Warnings**

Hazards to Humans: **WARNING**
Animals: **WARNING**
May be harmful if inhaled or absorbed through temporary eye contact, immediately with plenty of water. Attention if irritation remove from exposure adequate airway, give respiration as indicated give 1 tablespoon followed by 1/2 glass of water vomiting or inducing back of throat. Avoid treatment four weeks of age eight weeks of age. Physical and Chemical: **EXTREMELY FLAMMABLE**

CONTENTS UNDER PRESSURE. NEAR FIRE, SPARKS, PUNCTURE OR INCINERATION EXPOSURE TO TEMPERATURES ABOVE 100°F MAY CAUSE BURSTING.

TO IDENTIFY THE PRODUCT, MATCH THE LETTER ON THE CAN BOTTOM WITH THE LETTER NEXT TO THE LISTED BELOW.

EPA Est. No. 1-3134-35

Manufactured for



EVSCO PHARMACEUTICALS

AFFILIATE OF IMMUNOGENETICS, INC. BUENA VISTA, PA 15006

DEC 28 1983

3134-35