

PM 12 2120-100  
107T

3

**DIRECTIONS FOR USE:**

**For Veterinary Use Only**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To operate, remove protective cap from top of can. Hold can upright about 2 to 4 inches from dog's hair. Point opening on side of valve in desired direction for spray. To release spray place finger on top of valve and press down. Move the bomb over the entire animal, using a Zig Zag motion until the coat is slightly damp. It may be advantageous especially on long haired animals, to rub the hand against the lay of hair, spraying into the ruffled hair directly behind the hand. 30 to 45 seconds is sufficient to treat a 30 lb. animal. Repeat treatment as necessary, making sure spray wets ticks. Do not use more often than once every 7 days. Do not spray into animal's eyes.

Thoroughly spray interior of kennel or other animal sleeping quarters. Also spray bedding and replace with fresh bedding if necessary.

This bomb makes a slight hissing sound and causes a temporary cool sensation. Nervous animals may become frightened the first time this bomb is used but soon become accustomed to the treatment.

**Storage & Disposal**

**Storage:** Store in a cool, dry place, preferably in a locked storage area.

**Pesticide Disposal:** Partially filled can may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

**Container Disposal:** Replace cap and discard containers in trash. Do not incinerate or puncture.

EPA Registration No. 3134-35



Super

**sect-a-spray®**

**FLEA AND TICK KILLER  
DEODORANT BOMB**

**INSECT KILLING ACTION LASTS FOR  
SEVEN DAYS ON YOUR PET**

**FOR USE ON DOGS AND CATS**

**CONTENTS**


**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.05%
Piperonyl butoxide technical* .....	0.50%
Carbaryl (1-Naphthyl- N-Methylcarbamate)** .....	0.50%
Petroleum distillate .....	0.20%

**INERT INGREDIENTS** ..... 98.75%

\*Equivalent to 0.40% (Butylcarbamyl) (6 Propyl-  
piperonyl) ether and 0.10% related com-  
pounds.

\*\*Insecticide Sevin -  
Union Carbide Corp.



**Keep Out of Reach of Children.**

**WARNING:**

See Side Panel for Precautions.

NET WEIGHT 12 OUNCES ( 340 grams)

**KILLS FLEAS, LICE AND TICKS  
REPELS FLIES, GNATS AND  
MOSQUITOES**

**Precautionary  
Statements**

**Hazards to Humans and Domestic  
Animals: WARNING:**

May be harmful if swallowed, inhaled, or absorbed through the skin. Causes temporary eye injury. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. If inhaled remove from exposure, establish adequate airway, give oxygen or artificial respiration as indicated. If swallowed give 1 tablespoon syrup of ipecac followed by 1/2 glass of water to induce vomiting or induce vomiting by touching back of throat with finger.

Avoid treatment of puppies under four weeks of age and kittens under eight weeks of age. Do not use on pregnant animals.

**Physical and Chemical Hazards:**

**EXTREMELY FLAMMABLE**

**CONTENTS UNDER PRESSURE. DO NOT USE  
NEAR FIRE, SPARKS, OR FLAME. DO NOT  
PUNCTURE OR INCINERATE CONTAINER. Ex-  
POSURE TO TEMPERATURE ABOVE 130°F  
MAY CAUSE BURSTING.**

**TO IDENTIFY THE PRODUCING ESTABLISHMENT  
MATCH THE LAST LETTER STAMPED ON THE CAN  
BOTTOM WITH THE SAME LETTER NEXT TO THE  
EPA EST. NO.'S LISTED BELOW.**

EPA Est. No. 10806-NJ-01 (A)

07056-TX-01 (B)

Made in USA

Manufactured for:



**EVSCO PHARMACEUTICALS**  
Affiliate of IGI, Inc. Buena, NJ (USA) 08310