r SMily Mototic a. Abouth spirase " if Sogistrate in two 3134-91.

OFFICE OF PESTICIDES PROGRAMS

REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20480

and Rodenticide Act, as amended)

فتراجعها المعالم الأعطيا

 $\Delta t = -1$ Correction to the 1-13-1-15 S. S. L.

by others.

to And a "Physical and Team to moderns" heading refere the Statement "po mer use or stupped at a terminal lame."

c. Add. Do not use trit product on out, of, or inflitate rets.

5. Submit tive (5) copies of your time. In the law on before you rea are the product for shapment. Large to the A-Termine, or for a further I occuption of final crime flam high

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

EPA Form 0570-4 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUST

If these conditions are not complied with, the registration will be subject to cancellation in accordance with PIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

SPECIMEN LABEL

with COMMENTS in EPA Letter Daton

Front Pane?

APR 1 4 1989

AQUA SPRAY

Insectición. Under the "" nticide Act Fungres ' « pestici**do** as ame: : A Reg. No.

Residual Flea & Tick Spray for Dogs and Cats made from EVERCIDE® Intermediate 2412

ACTIVE INGREDIENTS:

Pyrethrins Permethrin (*3-Phenoxyphenyl) methyl (+) cis-trans-3-(2,2dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate Related compounds

0.056%

0.050% 0.004%

99.890% 100.000%

INERT INGREDIENTS:

*cis-trans isomer ratio: Min. 35% (±) cis Max. 65% (\pm) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side Panels for Additional Precautionary Statements

Pump Spray Residually Kills Ticks and Fleas on Dogs and Cats

Net 16 fl. oz. (473 ml)

Manufactured by:

FVSCO Pharmaceuticals affiliate of IGI, Inc. Buena, NJ 08310

EPA Reg. No. 3134-

EPA Est. No. 3134-NJ-1

Left Panel

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid breathing vapors. Do not spray in eyes, face or on genitalia. Do not use on nursing puppies or kittens under 3 months of age.

Do not use or store near heat or open flame.

Statement of Practical Treatment

IF SWALLOWED: Call a physician.

IF IN EYES:

Flush with plenty of water. Get medical attention

if irritation persists.

IF ON SKIN:

Wash with soap and warm water.

IF INHALED:

Remove victim to fresh air and call a physician if

effects occur.

Right Panel

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING.

This product will kill fleas up to 14 days on dogs and cats and will kill ticks for 4 days on dogs and 9 days on cats.

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legs and under the body. Fluff the hair as you spray so the spray will penetrate to the skin. The spray should wet the ticks thoroughly. Do not spray in face, eyes or on genitalia. Repeat as needed.

For cats apply at the rate of 1 second per pound of body weight. For dogs apply at the rate of 2 seconds per pound of body weight for thin or short-haired dogs and up to 8 seconds per pound of body weight for heavy or long-haired dogs.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat and open flame.

Disposal: Do not reuse empty container. Wrap original container

in several layers of newspaper and discard in trash.

Right Panel

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOLD CONTAINER UPRIGHT. SHAKE WELL BEFORE USING.

This product will kill fleas up to 14 days on dogs and cats and will kill ticks for 4 days on dogs and 9 days on cats.

Spray the animal from a distance of 8-12 inches. Start spraying at the tail, moving the dispenser rapidly and making sure the animal's entire body is covered, including the legs and under the body. Fluff the hair as you spray so the spray will penetrate to the skin. The spray should wet the ticks thoroughly. Do not spray in face, eyes or on genitalia. Repeat as needed.

For cats apply at the rate of 1 second per pound of body weight. For dogs apply at the rate of 2 seconds per pound of body weight for thin or short-haired dogs and up to 8 seconds per pound of body weight for heavy or long-haired dogs.

STORAGE AND DISPOSAL

Storage: Store in a cool area and heat and open flame.

Disposal: Do not reuse conty container. Wrap original container

in severa ' -yers of newspaper and discard in trash. •