

•

### N-RICHER CLEAN SWEEP CATTLE MINERAL MEDICATED

Prevents the breeding of horn flies and face flies in the manure of treated cattle when used as directed. Aids in the prevention of stomach worms (haemonchus contortus), hookworms (bunostomum phlebotomum), and nodular worms (oesophagostomum radiatum). Aids in the prevention of foot rot in cattle and soft tissue lumpy jaw.

Pesticidally Active Drug Ingredient:

Phenothiazine**				3.50%
Pesticidally	Inert	Ingredients*		96.50%
•				400 000/

\*\*Biologically assayed Total 100.00%

\*Refers only to ingredients which are neither insecticides nor drugs.

**Other Active Drug Ingredient:** 

Ethylene Diamine Dihydriodide .0882%

#### GUARANTEED ANALYSIS:

Calcium (Ca), not more than	17.50%
Calcium (Ca), not less than	13.50%
Phosphorus (P). not less than	8.50%
lodine (I), not less than	.015%
Salt (NaCl), not more than	19.00%
Salt (NaCl), not less than	17.00%

#### **INGREDIENTS:**

Manganous Oxide, Iron Carbonate, Zinc Oxide, Calcium Iodate, Copper Oxide, Cobalt Carbonate, Calcium Carbonate, Minerat Oil, Dicalcium Phosphate, Salt, Sugar. Artificial Flavor, Vitamin A Palmitate (source of Vitamin A), D-Activated Animal Sterot (source of Vitamin D3). dl-Alpha Tocopherol Acetate (source of Vitamin E), Cane Molasses.

# CAUTION:

Keep Out of Reach of Children!

SEE DIRECTIONS FOR FEEDING ON THE REVERSE SIDE

USDA Reg. No. 3213-28 MANUFACTURED BY:

#### Vita Plus Corporation GENERAL OFFICES


MADISON, WISCONSIN 53713

Net Weight 50 Pounds



TAKE TIME

S-406



## FEEDING DIRECTIONS:

Feed Vita Plus N-Richer Clean Sweep Mineral at the rate of 2 ounces per head per day. This can be mixed in the grain ration, top dressed or hand fed.

Be sure cattle have access to fresh clean water at all times. Hand feed or self feed salt in addition to the Vita Plus N-Richer Clean Sweep Mineral.

Vita Plus N-Richer Clean Sweep Cattle Mineral prevents the breeding of horn flies and face flies in the manure of treated cattle. but does not affect any existing flies.

### WARNING:

Do not feed to lactating dairy animals. Phenothiazine has been reported in occasional sensitivity to cattle.

KEEF OUT OF REACH OF CHILDREN!