

BEST DOCUMENT AVAILABLE



AC 100
FEB 23 1983
EPA Reg. No. 3213-34

Beef-N-Rich Natural Beef Base Mix/Rabon®

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle.

ACTIVE INGREDIENTS:

*2-chloro-1-(2, 4, 5-trichlorophenyl) vinyl dimethyl phosphate 0.75%
INERT INGREDIENTS** 99.25%
Total 100.00%

*Each pound contains 3.40 g. Rabon®

**Refers only to ingredients which are not larvicidal.

EPA REG. NO. 3213-34

EPA EST. NO. 3213-WI-1

GUARANTEED ANALYSIS:

Calcium (Ca)(Min.)	18.0%	Iodine (I)(Min.)	0.0007%
Calcium (Ca)(Max.)	21.0%	Selenium (Se)(Min.)	0.001%
Phosphorus (P)(Min.)	4.5%	Vitamin A U.S.P. Units/Lb.	160,000
Salt (NaCl)(Min.)	19.5%	Vitamin D U.S.P. Units/Lb.	20,000
Salt (NaCl)(Max.)	20.5%	Vitamin E I.U./Lb.	160

FEED INGREDIENTS:

Monocalcium and dicalcium phosphate, calcium carbonate, salt, magnesium sulfate, potassium sulfate, bentonite, sodium selenite, corn distillers dried grains, corn distillers dried solubles, mineral oil, brewers dried yeast, sulfur, cobalt carbonate, ethylenediamine dihydriodide, zinc oxide, manganous oxide, iron carbonate, copper oxide, Vitamin A supplement, D activated animal sterol (source of Vitamin D3), Vitamin E supplement, menadione sodium bisulfite complex (source of Vitamin K), riboflavin supplement, niacin, calcium pantothenate, choline chloride, Vitamin B-12 supplement

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE Store in a dry place.

PESTICIDE DISPOSAL Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities.

DIRECTIONS FOR USE:

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Start feeding Vita Plus Beef N Rich Natural Beef Base Mix/Rabon® early in the spring before flies begin to appear, and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

Vita Plus Beef N Rich Natural Beef Base Mix/Rabon® may be fed up to slaughter and to lactating dairy cows.

Vita Plus Beef N Rich Natural Beef Base Mix/Rabon® prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control, Vita Plus Beef N Rich Natural Beef Base Mix/Rabon® should be used in conjunction with other good management and sanitation practices.

MANUFACTURED BY:

VITA PLUS CORPORATION

GENERAL OFFICES

Madison, Wisconsin 53713

NET WEIGHT 50 LBS

PC # 1151

FEEDING DIRECTIONS

Feed Vita Plus Beef-N-Rich Natural Beef Base Mix/Rabon* at the rate of 2.6 ounces per 800 pounds of body weight daily.

The following table shows the correct amount of Vita Plus Beef-N-Rich Natural Beef Base Mix/Rabon* to be mixed into a complete daily ration in order to provide the recommended average daily intake of 70 mg. Rabon* Oral Larvicide per hundred pounds of body weight.

Determine your cattle's average body weight, find this figure in the left column. Then determine the average consumption of your complete daily ration and find this figure in the top column. Cross reference and you will find amount of Vita Plus Beef-N-Rich Natural Beef Base Mix/Rabon* to be mixed into your ration. Mixing time should be adequate to assure uniform dispersion. Optimum performance can be assured only if Vita Plus Beef-N-Rich Natural Beef Base Mix/Rabon* is dispersed uniformly with the feedstuff at the recommended level. Common feeding mixing equipment (i.e. vertical mixers, horizontal blender, mixer/feeder trucks) may be used to prepare formulated feed.

BEST DOCUMENT AVAILABLE

CONSUMPTION PER HEAD PER DAY OF FINISHED FEED (Pounds)

	Lbs.	4#	5#	6#	7#	8#	9#	10#	15#	20#	25#	30#	
AVERAGE WEIGHT OF ANIMALS (Pounds)	400	42	33	28	23	21	18	16	12	8	7	6	POUNDS OF VITA PLUS BEEF-N- RICH NATUR? BASE MIX/ RABON* TO BE MIXED PER TON OF FINISHED FEED
	500	53	42	37	30	27	23	21	15	12	8	7	
	600	62	50	42	37	32	28	25	17	13	12	8	
	700	73	58	48	42	37	33	28	20	15	12	11	
	800	83	67	55	48	42	37	33	22	17	13	12	
	900	93	75	62	53	48	42	38	25	20	17	13	
	1000	103	83	70	57	53	47	42	28	21	17	15	
	1100	113	92	77	67	57	52	47	30	23	18	16	
	1200	123	98	83	72	62	55	50	33	25	20	17	
	1300	135	108	90	78	67	62	53	37	28	21	18	
	1400	145	117	97	83	73	65	58	40	29	23	20	
	1500	157	123	103	88	78	70	62	42	32	25	21	
	1600	165	132	112	95	83	73	67	45	33	27	21	
	1700	177	142	117	100	88	78	72	48	37	28	23	
	1800	189	148	123	107	93	83	75	50	38	30	25	
	1900	197	157	132	112	98	87	78	53	40	32	27	
2000	207	165	137	118	103	92	83	55	42	33	28		

*Rabon is the registered trademark of Shell Oil Co. U.S. Pat. 3,102,842



FEB 23 1993
EPA Reg. No. 3213-343

Beef-N-Rich Natural Beef Base Mix/Rabon®

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle.

ACTIVE INGREDIENTS:

*2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate 0.75%
INERT INGREDIENTS** 99.25%
Total 100.00%

*Each pound contains 3.40 g. Rabon^s

**Refers only to ingredients which are not larvicidal.

EPA REG. NO. 3213-34

EPA EST. NO. 3213-WI-1

GUARANTEED ANALYSIS:

Calcium (Ca.) (Min.)	18.0%	Iodine (I) (Min.)	0.0007%
Calcium (Ca.) (Max.)	21.0%	Selenium (Se.) (Min.)	0.001%
Phosphorus (P.) (Min.)	4.5%	Vitamin A U.S.P. Units/Lb.	160,000
Salt (NaCl.) (Min.)	19.5%	Vitamin D U.S.P. Units/Lb.	20,000
Salt (NaCl.) (Max.)	20.5%	Vitamin E I.U./Lb.	160

FEED INGREDIENTS:

Monocalcium and dicalcium phosphate, calcium carbonate, salt, magnesium sulfate, potassium sulfate, bentonite, sodium selenite, corn distillers dried grains, corn distillers dried solubles, mineral oil, brewers dried yeast, sulfur, cobalt carbonate, ethylenediamine dihydriodide, zinc oxide, manganous oxide, iron carbonate, copper oxide, Vitamin A supplement, D-activated animal sterol (source of Vitamin D3), Vitamin E supplement, menadione sodium bisulfite complex (source of Vitamin K), riboflavin supplement, niacin, calcium pantothenate, choline chloride, Vitamin B-12 supplement.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities.

DIRECTIONS FOR USE: GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Start feeding Vita Plus Beef-N-Rich Natural Beef Base Mix/Rabon^s early in the spring before flies begin to appear, and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

Vita Plus Beef-N-Rich Natural Beef Base Mix/Rabon^s may be fed up to slaughter and to lactating dairy cows.

Vita Plus Beef-N-Rich Natural Beef Base Mix/Rabon^s prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control Vita Plus Beef-N-Rich Natural Beef Base Mix/Rabon^s should be used in conjunction with other good management and sanitation practices.

MANUFACTURED BY:
VITA PLUS CORPORATION
GENERAL OFFICES
Madison, Wisconsin 53713
NET WEIGHT 50 LBS.

PC # 1151