



Phos-N-Rich/Rabon®

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle

ACTIVE INGREDIENTS

*2-chloro 1-(2, 4, 5 trichlorophenyl)vinyl dimethyl phosphate

INERT INGREDIENTS**

Total

Each pound contains 4.54 g Rabon

**Refers only to ingredients which are not larvicidal

EPA REG. NO. 3213

EPA EST. NO. 3213-WI-1

1.00
99.00%
100.00%

GUARANTEED ANALYSIS:

Calcium (Ca.) (Min.)	0.2%	Potassium (K) (Min.)	1.0%
Calcium (Ca.) (Max.)	1.0%	Sulfur (S) (Min.)	2.0%
Phosphorus (P.) (Min.)	20.0%	Iodine (I) (Min.)	0.012%
Magnesium (Mg.) (Min.)	2.0%	Selenium (Se) (Min.)	0.0012%

3213-38

EACH POUND CONTAINS LESS THAN:

Vitamin A	500,000 U.S.P. Units	Vitamin E	175 Int. Units
Vitamin D3	175,000 U.S.P. Units		

FEED INGREDIENTS:

Mono ammonium Phosphate, Magnesium Oxide, Magnesium Sulfate, Potassium Sulfate, Zinc Oxide, Manganous Oxide, Sulfur, Copper Oxide, Iron Carbonate, Ethylenediamine Dihydrochloride, Cobalt Carbonate, Sodium Selenite, Corn Distillers Dried grains with Solubles, Condensed Fermented Corn Extractives, Molasses Products, Bentonite, Mineral Oil, Brewers Dried Yeast, Vitamin A Supplement, D-activated Animal Sterol (Source of Vitamin D3), Vitamin E Supplement, Niacin, Choline Chloride, Calcium Pantothenate, Riboflavin Supplement, Menadione Sodium Bisulfite Complex (Source of Vitamin K), Artificial Flavor.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by state and local authorities.

DIRECTIONS FOR USE:

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Start feeding Vita Plus Phos-N-Rich/Rabon® early in the spring before flies begin to appear, and continue feeding throughout the summer and into the fall until cold weather restricts fly activity.

Vita Plus Phos-N-Rich/Rabon® may be fed up to slaughter and to lactating dairy cows.

Vita Plus Phos-N-Rich/Rabon® prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies.

Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure but in other decaying vegetable matter or silage on the premises.

In order to achieve optimum fly control Vita Plus Phos-N-Rich/Rabon® should be used in conjunction with other good management and sanitation practices.

MANUFACTURED BY:

VITA PLUS CORPORATION

GENERAL OFFICES
Madison, Wisconsin 53713
NET WEIGHT 50 LBS

PC # 1033

FEEDING DIRECTIONS

Feed Vita Plus Phos-N-Rich/Rabon* at the rate of 3.0 ounces per 1200 pounds of body weight daily.

The following table shows the correct amount of Vita Plus Phos-N-Rich/Rabon* to be mixed into a complete daily ration in order to provide the recommended average daily intake of 70 mg. Rabon* Oral Larvicide per hundred pounds of body weight.

Determine your cattle's average body weight, find this figure in the left column. Then determine the average consumption of your complete daily ration and find this figure in the top column. Cross reference and you will find amount of Vita Plus Phos-N-Rich/Rabon* to be mixed into your ration. Mixing time should be adequate to assure uniform dispersion. Optimum performance can be assured only if Vita Plus Phos-N-Rich/Rabon* is dispersed uniformly with the feedstuff at the recommended level. Common feeding mixing equipment (i.e. vertical mixers, horizontal blender, mixer/feeder trucks) may be used to prepare formulated feed.

CONSUMPTION PER HEAD PER DAY OF FINISHED FEED (Pounds)

	Lbs.	4#	5#	6#	7#	8#	9#	10#	15#	20#	25#	30#	
AVERAGE	400	31	25	21	18	16	14	12	8	6	5	4	POUNDS OF VITA PLUS PHOS-N- RICH/ RABON* TO BE MIXED PER TON OF FINISHED FEED
WEIGHT	500	39	31	26	22	19	17	15	10	8	6	5	
OF	600	46	37	31	26	23	21	19	12	9	7	6	
ANIMALS	700	54	43	36	31	27	24	22	14	11	9	7	
(Pounds)	800	62	49	41	35	31	27	25	17	12	10	8	
	900	69	56	46	40	35	31	28	19	14	11	9	
	1000	77	62	51	44	39	34	31	21	15	12	10	
	1100	85	68	57	48	42	38	34	23	17	14	11	
	1200	92	74	62	53	46	41	37	25	19	15	12	
	1300	100	80	67	57	50	45	40	27	20	16	13	
	1400	108	86	72	62	54	48	43	29	22	17	14	
	1500	116	93	77	66	58	51	46	31	23	19	15	
	1600	123	99	82	71	62	55	49	33	25	20	16	
	1700	131	105	87	75	66	58	52	35	26	21	17	
	1800	139	111	93	79	69	62	56	37	28	22	18	
	1900	146	117	98	84	73	65	59	39	29	23	19	
	2000	154	123	103	88	77	68	62	41	31	25	20	

*Rabon is the registered trademark of Shell Oil Co. U.S. Pat. 3,102,842

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (HJ-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

15 MAY 1984

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREГИSTRATION

(Under the Federal Insecticide, Fungicide
and Rodenticide Act, as amended.)

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (include ZIP code)

F

T

161/12/94L
18/1

L

BEST DOCUMENT AVAILABLE

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

CONTAINER DISPOSAL - Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures

RD-OPTS:DCR-055 17:LaRocca:Raven:557-2226:bje:RD-47:4/30/84:Del.5/13/84